

---

Subject: Public IP via VETH seen as the bridge interface IP

Posted by [johey](#) on Mon, 17 Mar 2014 15:42:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

HN running CentOS release 6.5 (Final), containers running Ubuntu 12.04.4 LTS. My ISP is giving me 10 public IP addresses via DHCP bound to MAC addresses. I can successfully create VETH interfaces for all my containers and I get a public IP address from the ISP. For example container "playground" has 79.136.52.217 and container "web" has 79.136.52.109. My HN has interface vzbr0 with ip 79.136.52.117. All these are assigned from my ISP.

So far so great, but now... If I from "playground" or "web" go to a service telling me my IP address, it shows 79.136.52.117. This is not right. This is my HN vzbr0 interface. It should show the IP from the container from which I am curling. It looks like I am connecting through a NAT, but as far as I know I am not.

For instance:

```
curl www.ipchicken.com | grep 79.136
```

shows 79.136.52.117 from any of "playground" or "web". What have I done and how can I solve it?

From HN:

```
[root@openvz ~]# iptables -t nat -L && iptables -t filter -L && iptables -t mangle -L
```

```
Chain PREROUTING (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain POSTROUTING (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
MASQUERADE all  --  anywhere              anywhere
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain INPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain FORWARD (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain PREROUTING (policy ACCEPT)
```

```
target    prot opt source                destination
```

```
Chain INPUT (policy ACCEPT)
```

```
target    prot opt source                destination
```

Chain FORWARD (policy ACCEPT)

target    prot opt source                    destination

Chain OUTPUT (policy ACCEPT)

target    prot opt source                    destination

Chain POSTROUTING (policy ACCEPT)

target    prot opt source                    destination

From container "web":

```
root@web:/# iptables -t nat -L && iptables -t filter -L && iptables -t mangle -L
```

```
iptables v1.4.12: can't initialize iptables table `nat': Table does not exist (do you need to insmod?)
```

```
Perhaps iptables or your kernel needs to be upgraded.
```