
Posted by [strangeone](#) on Sat, 03 May 2014 20:51:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

uname -a

> Linux 2.6.32-23-pve #1 SMP Tue Aug 6 07:04:06 CEST 2013 i686 GNU/Linux

net.ipv6.conf.all.forwarding=1

Toggle Spoilerlo Link encap:Local Loopback

inet addr:127.0.0.1 Mask:255.0.0.0

inet6 addr: ::1/128 Scope:Host

UP LOOPBACK RUNNING MTU:16436 Metric:1

RX packets:4 errors:0 dropped:0 overruns:0 frame:0

TX packets:4 errors:0 dropped:0 overruns:0 carrier:0

collisions:0 txqueuelen:0

RX bytes:416 (416.0 B) TX bytes:416 (416.0 B)

tun0 Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00

inet addr:10.11.0.1 P-t-P:10.11.0.2 Mask:255.255.255.255

UP POINTOPOINT RUNNING NOARP MULTICAST MTU:1500 Metric:1

RX packets:0 errors:0 dropped:0 overruns:0 frame:0

TX packets:0 errors:0 dropped:0 overruns:0 carrier:0

collisions:0 txqueuelen:100

RX bytes:0 (0.0 B) TX bytes:0 (0.0 B)

venet0 Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00

inet addr:127.0.0.2 P-t-P:127.0.0.2 Bcast:0.0.0.0 Mask:255.255.255.255

UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1

RX packets:476934 errors:0 dropped:0 overruns:0 frame:0

TX packets:197795 errors:0 dropped:80476 overruns:0 carrier:0

collisions:0 txqueuelen:0

RX bytes:561542848 (535.5 MiB) TX bytes:82590848 (78.7 MiB)

```
venet0:0 Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
  inet addr:5.178.XX.XXX P-t-P:5.178.XX.XXX Bcast:5.178.XX.XXX Mask:255.255.255.255
  UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
```

```
ip -6 route show
> default dev venet0 metric 1 mtu 1500 advmss 1440 hoplimit 0
```

```
ip -6 addr add ipv6_address/64 dev venet0
```

```
Toggle Spoiler# Auto generated lo interface
auto lo
iface lo inet loopback
```

```
# Auto generated venet0 interface
auto venet0
iface venet0 inet manual
    up ifconfig venet0 up
    up ifconfig venet0 127.0.0.2
    up route add default dev venet0
    down route del default dev venet0
    down ifconfig venet0 down
```

```
iface venet0 inet6 manual
    up route -A inet6 add default dev venet0
    down route -A inet6 del default dev venet0
```

```
auto venet0:0
iface venet0:0 inet static
    address 5.178.XX.XXX
    netmask 255.255.255.255
```

