
Subject: ploop and secure /tmp
Posted by [ccto](#) on Sun, 04 May 2014 15:13:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Everyone,

In CentOS 6 x64 ploop environment, may you please suggest how to mount the /tmp securely?
(i.e. nodev, nosuid, noexec)

Thank you very much for your kind advice.

Regards
George

Subject: Re: ploop and secure /tmp
Posted by [Abadon](#) on Wed, 07 May 2014 10:50:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

I mount my ext4 /vz partition for ploop containers with below options:
tune2fs -o journal_data_writeback /dev/sdXY
Where /dev/sdXY is replaced by the partition that you actually use

Then in /etc/fstab i put

```
noatime,data=writeback,barrier=0,nobh,errors=remount-ro    0 1
```

for host /tmp I don't use separate partition.

Subject: Re: ploop and secure /tmp
Posted by [devonblzx](#) on Sat, 21 Jun 2014 14:49:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

It isn't any different than simfs. Use tmpfs or bind.

Subject: Re: ploop and secure /tmp
Posted by [ccto](#) on Sat, 21 Jun 2014 14:51:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

Yes, I found we can continue to mount simfs into /vz/root/VEID/tmp

thank you.
