

---

Subject: RHEL 7.1 VPS - initscripts upgrade causes networking failures

Posted by [jochum](#) on Mon, 16 Mar 2015 23:56:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi All:

In upgrading my RHEL container from 7.0 to 7.1 container today, I found that upgrading initscripts (from initscripts-9.49.17-1.el7\_0.1.x86\_64 to initscripts-9.49.24-1.el7.x86\_64) causes networking to fail after a reboot. Before the reboot:

\*\*\*\*\*

```
[root@lss-vps141 ~]# ifconfig -a
```

```
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 0 (Local Loopback)
    RX packets 4 bytes 304 (304.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 4 bytes 304 (304.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
venet0: flags=211<UP,BROADCAST,POINTOPOINT,RUNNING,NOARP> mtu 1500
    inet 127.0.0.1 netmask 255.255.255.255 broadcast 0.0.0.0 destination 127.0.0.1
    unspec 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00 txqueuelen 0 (UNSPEC)
    RX packets 306 bytes 453581 (442.9 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 152 bytes 8093 (7.9 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
venet0:0: flags=211<UP,BROADCAST,POINTOPOINT,RUNNING,NOARP> mtu 1500
    inet 135.1.58.141 netmask 255.255.255.255 broadcast 135.1.58.141 destination
    135.1.58.141
    unspec 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00 txqueuelen 0 (UNSPEC)
```

```
[root@lss-vps141 ~]# systemctl status -l network.service
```

```
network.service - LSB: Bring up/down networking
  Loaded: loaded (/etc/rc.d/init.d/network)
  Active: active (exited) since Mon 2015-03-16 19:49:58 EDT; 1min 29s ago
  Process: 1031 ExecStop=/etc/rc.d/init.d/network stop (code=exited, status=0/SUCCESS)
  Process: 1185 ExecStart=/etc/rc.d/init.d/network start (code=exited, status=0/SUCCESS)
```

```
Mar 16 19:49:58 lss-vps141 systemd[1]: Starting LSB: Bring up/down networking...
Mar 16 19:49:58 lss-vps141 network[1185]: Bringing up loopback interface: [ OK ]
Mar 16 19:49:58 lss-vps141 network[1185]: Bringing up interface venet0: arping: Device venet0
not available.
Mar 16 19:49:58 lss-vps141 network[1185]: [ OK ]
Mar 16 19:49:58 lss-vps141 systemd[1]: Started LSB: Bring up/down networking.
```

\*\*\*\*\*

After the upgrade and reboot, the same command no longer shows the venet0:0 entry, and error messages in the systemctl status output:

\*\*\*\*\*

```
[root@lss-vps141 ~]# ifconfig -a
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 0 (Local Loopback)
    RX packets 4 bytes 304 (304.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 4 bytes 304 (304.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
venet0: flags=211<UP,BROADCAST,POINTOPOINT,RUNNING,NOARP> mtu 1500
    inet 127.0.0.1 netmask 255.255.255.255 broadcast 0.0.0.0 destination 127.0.0.1
    unspec 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00 txqueuelen 0 (UNSPEC)
    RX packets 612 bytes 907174 (885.9 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 300 bytes 16279 (15.8 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
[root@lss-vps141 ~]# systemctl status -l network.service
network.service - LSB: Bring up/down networking
  Loaded: loaded (/etc/rc.d/init.d/network)
  Active: active (exited) since Mon 2015-03-16 19:52:42 EDT; 9s ago
  Process: 1484 ExecStop=/etc/rc.d/init.d/network stop (code=exited, status=0/SUCCESS)
  Process: 1639 ExecStart=/etc/rc.d/init.d/network start (code=exited, status=0/SUCCESS)
```

```
Mar 16 19:52:42 lss-vps141 network[1639]: Bringing up loopback interface: [ OK ]
Mar 16 19:52:42 lss-vps141 network[1639]: Bringing up interface venet0: arping: Device venet0
not available.
Mar 16 19:52:42 lss-vps141 network[1639]: Determining if ip address 135.1.58.141 is already in
use for device venet0...
Mar 16 19:52:42 lss-vps141 network[1639]: arping: Device venet0 not available.
Mar 16 19:52:42 lss-vps141 network[1639]: ERROR :
[/etc/sysconfig/network-scripts/ifup-aliases] Error, some other host already uses address
135.1.58.141.
Mar 16 19:52:42 lss-vps141 network[1639]: [ OK ]
Mar 16 19:52:42 lss-vps141 systemd[1]: Started LSB: Bring up/down networking.
[root@lss-vps141 ~]#
```

\*\*\*\*\*

Does anyone know how to fix (or get around) this?

thanks,

Paul

---

---

Subject: Re: RHEL 7.1 VPS - initscripts upgrade causes networking failures  
Posted by [Paparaciz](#) on Tue, 17 Mar 2015 17:54:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I suggest to submit bug report

---

---

Subject: Re: RHEL 7.1 VPS - initscripts upgrade causes networking failures  
Posted by [hermit](#) on Wed, 01 Apr 2015 01:22:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Seeing exactly the same with Centos7, did a standard install from image, worked fine, updated using YUM, not installed anything new, networking no longer starts, get exactly the same as you did with Debian.

Have you found a fix for it yet?

---

---

Subject: Re: RHEL 7.1 VPS - initscripts upgrade causes networking failures  
Posted by [Claudiu](#) on Wed, 01 Apr 2015 08:43:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Same with Fedora 21.

One possible fix is to modify `/etc/vz/dists/scripts/redhat-add_ip.sh` by adding `ARPCHECK="no"` in function `create_config()`

```
function create_config()
{
    local ip=$1
    local netmask=$2
    local ifnum=$3
    local file=${IFCFG_DIR}/bak/${VENET_DEV_CFG}:${ifnum}

    echo "DEVICE=${VENET_DEV}:${ifnum}"
    ONBOOT=yes
    IPADDR=${ip}
    NETMASK=${netmask}"
    ARPCHECK="\no\" > $file ||
        error "Can't write to file $file" ${VZ_FS_NO_DISK_SPACE}
```

}

---

Subject: Re: RHEL 7.1 VPS - initscripts upgrade causes networking failures

Posted by [jochum](#) on Wed, 01 Apr 2015 11:32:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Hermit:

Yes, using the "OpenVZ Maintenance Partnership", Kirill was able to point me to a "yet unreleased version of vctl" which has a fix.

If you want it, just copy the following file:

[http://git.openvz.org/?p=vzctl;a=blob;f=/etc/dists/scripts/redhat-add\\_ip.sh;h=d6a52b8960885d980fcc95201a44881c8efa5f3f;hb=HEAD](http://git.openvz.org/?p=vzctl;a=blob;f=/etc/dists/scripts/redhat-add_ip.sh;h=d6a52b8960885d980fcc95201a44881c8efa5f3f;hb=HEAD)

over the existing version in /etc/vz/dist/scripts.

This script is then run when vzctl starts, as well as for vzctl set --ipadd.

Hope this helps,

Paul

---

Subject: Re: RHEL 7.1 VPS - initscripts upgrade causes networking failures

Posted by [hermit](#) on Wed, 01 Apr 2015 23:42:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks for the info.

I'm just an end vps user, so I have passed this on to the providers, hopefully they will do the appropriate. In the meantime, I have added

```
ip addr add xx.yy.zz.ip dev venet0
```

to my startup script on my vps.

---

Subject: Re: RHEL 7.1 VPS - initscripts upgrade causes networking failures

Posted by [steveh1966](#) on Thu, 02 Apr 2015 13:28:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

Link to download script file does not work.

---

Subject: Re: RHEL 7.1 VPS - initscripts upgrade causes networking failures

Posted by [steveh1966](#) on Thu, 02 Apr 2015 13:34:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Ok works remove the TWO spaces!!

---

Subject: Re: RHEL 7.1 VPS - initscripts upgrade causes networking failures -  
Working fix

Posted by [hermit](#) on Fri, 03 Apr 2015 02:31:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi

I have resolved the issue on my vps using a patch at at the redhat bugzilla, Bug 1207975 which fixes a bug in the ifup-aliases file in the etc/sysconfig/network-scripts directory of the vps. Sorry, but it wont let me post links, but I am sure you can easily find it.

For anyone else with this problem, please give it a try.

---