Subject: No Network Connection using Precreated Templates: centos-7-x86_64-minimal, fedora-22-x86_64 Posted by i2internet on Wed, 12 Aug 2015 01:17:29 GMT View Forum Message <> Reply to Message

This worked in the past for CentOS 7 minimal, and networking does work at CentOS 7 (not minimal)

We have created quite a few CentOS 7 containers in the past using the CentOS 7 minimal template available at the time and there was never any issue pinging a device in the outside world from the container, nor in pinging the container itself.

After container creation, when entering containers created using the latest templates for CentOS 7 minimal, and Fedora 22, we are not able to Ping the outside world, nor Ping the container itself. What has changed, and/or what can we do to activate networking on fresh installs of these operating systems?

In contrast, the latest CentOS 7 template (not minimal) works as expected with respect to networking upon container creation.

[root@w61 /]# ip route list table all

169.254.0.0/16 dev venet0 scope link metric 1002

default dev venet0 scope link

broadcast 127.255.255.255 dev lo table local proto kernel scope link src 127.0.0.1 broadcast 127.0.0.0 dev lo table local proto kernel scope link src 127.0.0.1 local 127.0.0.1 dev lo table local proto kernel scope host src 127.0.0.1 local 127.0.0.1 dev venet0 table local proto kernel scope host src 127.0.0.1 local 127.0.0.0/8 dev lo table local proto kernel scope host src 127.0.0.1 unreachable ::/96 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable ::/96 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable 2002:a00::/24 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable 2002:a00::/24 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable 2002:a9fe::/32 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable 2002:a01::/28 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable 2002:a01::/28 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable 2002:a08::/32 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable 2002:c0a8::/32 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable 2002:c0a8::/32 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable 2002:e000::/19 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable 2002:e000::/19 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0 unreachable 3ffe:ffff::/32 dev lo metric 1024 error -101 mtu 16436 advmss 16376 hoplimit 0

unreachable default dev lo table unspec proto kernel metric 4294967295 error -101 hoplimit 255

local ::1 via :: dev lo table local proto none metric 0 mtu 16436 advmss 16376 hoplimit 0 unreachable default dev lo table unspec proto kernel metric 4294967295 error -101 hoplimit 255

[root@w61 /]# iptables -t nat -L && iptables -t filter -L && iptables -t mangle -L Chain PREROUTING (policy ACCEPT) target prot opt source destination Chain POSTROUTING (policy ACCEPT) target prot opt source destination

Chain OUTPUT (policy ACCEPT) target prot opt source destination Chain INPUT (policy ACCEPT) target prot opt source destination

Chain FORWARD (policy ACCEPT) target prot opt source destination

Chain OUTPUT (policy ACCEPT) target prot opt source destination Chain PREROUTING (policy ACCEPT) target prot opt source destination

Chain INPUT (policy ACCEPT) target prot opt source destination

Chain FORWARD (policy ACCEPT) target prot opt source destination

Chain OUTPUT (policy ACCEPT) target prot opt source destination

Chain POSTROUTING (policy ACCEPT) target prot opt source destination [root@w61 /]# tcpdump -i venet0 -e host 192.99.110.61 -bash: tcpdump: command not found

Subject: Re: No Network Connection using Precreated Templates: centos-7-x86_64-minimal, fedora-22-x86_64 Posted by curx on Fri, 14 Aug 2015 13:35:28 GMT View Forum Message <> Reply to Message

do have configured you container network? Actually you have only a zeroconf net in this ct, see "route 169.254.0.0/16 dev venet0 scope link metric 1002"

-thorsten

Subject: SOLVED for CentOS 7 w/vzctl v4.9 -- Re: No Network Connection w/Templates: centos-7 min, fedora-22

Thank you, Thorsten, for the followup. Your inquiry prompted further investigation which led to a solution as described below.

It turns out that there is a bug at vzctl version 4.8 which is resolved at vzctl version 4.9 as described here:

bugs.openvz.org/browse/OVZ-6213

The following two posts are what led me to discover the bug:

lists.openvz.org/pipermail/users/2015-March/006121.html forum.openvz.org/index.php?t=msg&goto=51927&S=fe9d7a a769a04310e3433dd08662ab1e

WHAT'S BELOW APPLIES TO CENTOS 7 (but not FEDORA 22 per se):

I found that I could activate networking by calling either of the following two commands after container boot:

ip addr add 192.99.88.77 dev venet0

- or -

ifup ifcfg-venet0:0 (for CENTOS 7)

(Using either of the two above commands seemed to work for CentOS 7; whereas using just the command at bottom without ":0" for Fedora 22 seemed to work.)

With vzctl version 4.8 I was running, on reboot, networking went away. After upgrading vzctl to version 4.9 (4.9.3) I found that it was no longer necessary to call either of the above commands.

This apparently had something to do with the ARPCHECK setting. The workaround for vzctl 4.8 apparently was to set ARPCHECK to "no".

Though I don't know for certain, I expect all of the above has something to do with the following output that is shown when starting up OpenVZ containers such as this at this particular datacenter:

Adding IP address(es): 192.99.88.77 arpsend: 192.99.88.77 is detected on another computer : 00:ff:ff:ff:ff:ff vps-net_add WARNING: arpsend -c 1 -w 1 -D -e 192.99.88.77 eth0 FAILED

Using version 4.9.3, I have confirmed that no manual steps are needed to activate networking when starting up the OpenVZ CentOS 7 minimal.

WHAT'S BELOW APPLIES TO FEDORA 22:

I've seen some similar behavior with the Fedora 22 template, but to manually activate networking the following (without ":0") seemed to work:

ifup ifcfg-venet0 (for FEDORA 22)

Note that for Fedora 22, simply updating vzctl to version 4.9 did not seem to resolve the issue seen here: networking does not appear to become active until the command shown immediately above is run, even when using version 4.9.3 of vzctl.

At present, then, I still need a solution which does not require manual calling of "ifup ifcfg-venet0" after reboot. Any suggestions? Introduce a script that calls this at startup, or something better?