
Posted by [enpx](#) on Wed, 11 Oct 2006 13:01:52 GMT

[View Forum Message](#) <> [Reply to Message](#)


```
vzctl set 101 --ipadd 192.168.199.1 --save
```

```
[root@m1 ~]# vzctl exec 101 ip address
1: lo: <LOOPBACK,UP> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        inet6 ::1/128 scope host
            valid_lft forever preferred_lft forever
3: venet0: <BROADCAST,POINTOPOINT,NOARP,UP> mtu 1500 qdisc noqueue
    link/void
    inet 127.0.0.1/32 scope host venet0
        inet 192.168.199.1/32 scope global venet0:1
[root@m1 ~]# vzctl exec 101 ip route
192.0.2.0/24 dev venet0 scope host
default via 192.0.2.1 dev venet0
```

[http://forum.openvz.org/index.php?t=tree&th=1302&mid=7332&&rev=&reveal=\)](http://forum.openvz.org/index.php?t=tree&th=1302&mid=7332&&rev=&reveal=))

Posted by [Vasily Tarasov](#) on Thu, 12 Oct 2006 13:20:55 GMT

[View Forum Message](#) <> [Reply to Message](#)



Posted by [enpx](#) on Thu, 26 Oct 2006 13:17:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

