

---

Subject: openvz-diff-backups: a file-based incremental backup tool (Beta Testers Welcome!)

Posted by [devnull](#) on Wed, 08 Mar 2017 03:08:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello!

Sorry for my (poor/beginner's/basic) English (I am French).

I am looking for kind people who are willing to test a beta (not really in fact) file-based backup tool.

The project has began a few years ago when I was using Proxmox 2, then Proxmox 3 and now OpenVZ "legacy".

Next step is to use OpenVZ 7 in production.

# ---

You can download it here : <http://download.openvz-diff-backups.fr/releases/>

I use it every day on multiple dedicated servers and it just works.

Main goal: publish the detailed documentation (French/English).

# ---

openvz-diff-backups is a file-based incremental backup tool.

It supports: Proxmox 2 & 3, Virtuozzo 6, OpenVZ "legacy" and now OpenVZ 7.

First time backup: slow (must copy all files)

subsequent backups: fast (rsync will only copy modified files)

I use it this way:

- 4 live backups each day (on a distant server X)
- 7 days of retention (in my case, it is about 1200 backups)
- replication of all backups (on a distant server Y)
- double replication of all backups (on a distant server Z)

# ---

this backup tool is designed to:

- perform full backups (even if it is incremental)
- run in background (ionice, nice, limited IOPS)
- minimize backup storage (only modified files)

- save memory state of each container

# ---

There are three modes:

#### 1) cold backups

The safest and most portable choice (but with a cost of a downtime).

- stop container
- take a snapshot (LVM2 or Ploop)
- start container
- save snapshot data

#### 2) hold backups

Will suspend container a few seconds (no downtime, just a few seconds of delay).

- suspend container
- take a snapshot (LVM2 or Ploop)
- resume container
- save snapshot data

#### 3) live backups

Same as "hold" backups but will also save memory state.

- suspend container
- extract memory dump (OpenVZ or CRIU)
- take a snapshot (LVM2 or Ploop)
- resume container
- save memory dump
- save snapshot data

This is the preferred method.

a) backups can be done without downtime

b) restoring a live backup will just "resume" the container on another server (or on the same server).

# ---

Since it is a file-based backup tool, there are a few limits:

#### 1) inode numbers are not preserved

Some tools like rkhunter and others will complain when restoring a container.

2) sometimes it is slower than a "brute force" copy

With billions of files inside a container, it is faster to copy the ploop image

3) with old OpenVZ "legacy" kernel, extracting memory dump could cause a kernel hang  
I have submitted bugs reports about this and, actually, it works fine.

But, please, do not use live backups in production if your OpenVZ kernel is old.

# ---

As I said before, I am looking for people who are not afraid to test a "beta" backup tool.

Main goal is to release a stable version in a few month.

It works fine for me but I mostly use Debian + OpenVZ "legacy" now.

Several months ago, I was given the opportunity to test it on Virtuozzo 6 and OpenVZ 7.

Some minor changes were needed to be compatible.

# ---

I would be pleased to discuss the drawbacks and benefits of this project.

Note: a public GIT repo is on its way.

Have a nice day!

---

Subject: Re: openvz-diff-backups: a file-based incremental backup tool (Beta Testers Welcome!)

Posted by [sgoeldi](#) on Tue, 14 Mar 2017 09:39:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

I am very interested in this, because the missing vldump in OVZ7 is a big hurdle.

For the moment I do backups with this script, though some options don't work as described. Do you use similar ways for OVZ7?

---

Subject: Re: openvz-diff-backups: a file-based incremental backup tool (Beta Testers Welcome!)

Posted by [devnull](#) on Tue, 14 Mar 2017 18:00:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello!

sgoeldi wrote on Tue, 14 March 2017 10:39Do you use similar ways for OVZ7?

When openvz-diff-backups does a "live" backup with OpenVZ 7, the container is suspended, its memory is checkpointed with CRUI, a ploop snapshot is taken and then, the container is resumed.

It just takes a few seconds depending of the RAM used by the container.

After that, the ploop snapshot is mounted in a temp directory and files are synced with rsync (using --link=dest) to store only modified files.

You should give it a try with the "dry-run" mode : no modification is done and you'll see if it fits your needs.

Ex: openvz-diff-backups backup 101 auto -d -v -l 9

101 => CTID of the container

auto => select best backup mode (cold, hold or live)

-d => dry-run

-v => verbose

-l => log-level

By default, backups are stored locally (localhost) but OVZDB is designed to push backups anywhere (SSH path).

Have a nice day!

---