
Subject: [PATCH] pata_ar�op: fix "& (1 >>" typo
Posted by [Alexey Dobriyan](#) on Fri, 10 Nov 2006 15:46:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

Signed-off-by: Alexey Dobriyan <adobriyan@openvz.org>

drivers/ata/pata_ar�op.c | 2 +-
1 file changed, 1 insertion(+), 1 deletion(-)

```
--- a/drivers/ata/pata_ar�op.c
+++ b/drivers/ata/pata_ar�op.c
@@ -92,7 +92,7 @@ static int ar�op6260_pre_reset(struct atapci_host *host)
    return -ENOENT;

    pci_read_config_byte(pdev, 0x49, &tmp);
- if (tmp & (1 >> ap->port_no))
+ if (tmp & (1 << ap->port_no))
    ap->cbl = ATA_CBL_PATA40;
    else
        ap->cbl = ATA_CBL_PATA80;
```

Subject: Re: [PATCH] pata_ar�op: fix "& (1 >>" typo
Posted by [Alan Cox](#) on Fri, 10 Nov 2006 16:25:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Fri, Nov 10, 2006 at 10:52:46PM +0300, Alexey Dobriyan wrote:
> Signed-off-by: Alexey Dobriyan <adobriyan@openvz.org>

Acked-by: Alan Cox <alan@redhat.com>

```
> ---
>
> drivers/ata/pata_ar�op.c | 2 +-  
1 file changed, 1 insertion(+), 1 deletion(-)  
>
> --- a/drivers/ata/pata_ar�op.c
> +++ b/drivers/ata/pata_ar�op.c
> @@ -92,7 +92,7 @@ static int ar�op6260_pre_reset(struct atapci_host *host)
>    return -ENOENT;  
>
>    pci_read_config_byte(pdev, 0x49, &tmp);
> - if (tmp & (1 >> ap->port_no))
> + if (tmp & (1 << ap->port_no))
>    ap->cbl = ATA_CBL_PATA40;
>    else
>        ap->cbl = ATA_CBL_PATA80;
```

--
"People who choose variable names like htlbpagek SHOULD be sent to
-- Al Viro

Subject: Re: [PATCH] pata_ar�op: fix "& (1 >>" typo
Posted by [Jeff Garzik](#) on Tue, 14 Nov 2006 14:52:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

applied
