

---

Subject: java urlencode problem

Posted by [arnargestsson](#) on Fri, 01 Dec 2006 07:32:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I've recently made use of Openvz in our environment. My experience is that it works very well. Our servers are mainly Apache/Tomcat web servers and I use Centos-default template. However, I've stumbled across one thing that I've not been able to solve its that url-encode-ing behaves differently on the VE than on the host it selv. That is to say when I urlencode for example "árar" I get from the VE

%3Frar

%3Frar

but on the host I get

%E1rar

%E1rar

which what I expected. I've made a small test routine in java to test it, I pasted it in here below.

I wonder if any of you have come across this? All help would be greatly appreciated.

TIA

Arnar

----- Code snip -----

```
import java.net.*;
import java.io.*;

public class urlencstest {

    /**
     * @param args
     */
    public static void main(String[] args) {
        // TODO Auto-generated method stub
        String enc="";
        try{
            if( args.length > 1 ){
                enc = args[1];
            }
            System.out.println(URLEncoder.encode(args[0]));
            System.out.println(URLEncoder.encode(args[0], enc));
        }catch( UnsupportedOperationException ue ){
            ue.printStackTrace();
        }
    }
}
```

}

}

---

Subject: Re: java urlencode problem

Posted by [dev](#) on Fri, 01 Dec 2006 10:09:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I guess you have different default locales on the host and inside VE:

```
# echo $LANG
```

```
# set | grep LC
```

also please keep in mind, that some of the templates have no other locales except for C. So you need to make:

```
# rpm -ihv --force glibc-common.rpm
```

in order to restore all locales.

Search forum for this.

---

Subject: Re: java urlencode problem

Posted by [arnargestsson](#) on Fri, 01 Dec 2006 12:25:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

sorry but my initial email didn't contain everything i had done. I had already tryied to tweak the LANG environment and both the host and the VE have now

```
en_US.iso8859-1
```

```
set|grep LC
```

gives nothing in both servers and glibc-common is already installed. I'm using Centos default template if that says anything. Do you believe I need to reinstall glibc-common?

TA

Arnar

---

Subject: Re: java urlencode problem

Posted by [dev](#) on Mon, 04 Dec 2006 18:16:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

yes, you need to reinstall, since some templates have stripped locales(!) for much smaller size.

check this thread:

[http://forum.openvz.org/index.php?t=tree&goto=7804&&srch=postgresql#msg\\_7804](http://forum.openvz.org/index.php?t=tree&goto=7804&&srch=postgresql#msg_7804)

---

---

Subject: Re: java urlencode problem

Posted by [arnargestsson](#) on Mon, 04 Dec 2006 20:41:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi guys,

this solved the issue. The thing is to fetch the glibc-common from the original distribution.

Thanks for the help.

BR.

Arnar

---