

---

**Subject:** mount ext3 file system inside VE  
Posted by [hiro](#) on Sun, 03 Dec 2006 01:55:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello list

I am trying to mount an additional disk which is ext3 file system inside VE.

kernel version 2.6.9-023stab032.1

vzctl version 3.0.13

Hard ware node OS Centos4.3

but, I ve' got an error message like

```
develop(VE):/dev/vdisk # mkfs -j /dev/vdisk/disk1
develop(VE):/dev/vdisk # mount -t ext3 /dev/vdisk/disk1 /mnt/disk1
mount: wrong fs type, bad option, bad superblock on /dev/vdisk/disk1,
      missing codepage or other error
In some cases useful info is found in syslog - try
dmesg | tail or so
```

then ended up using -t ext2 option instead of ext3.

```
develop:/ # mount -t ext2 /dev/vdisk/disk1 /mnt/disk1
develop(VE):/ # df
Filesystem      1K-blocks    Used Available Use% Mounted on
/dev/simfs        874428   333940   335260  50% /
tmpfs            158732       0   158732  0% /dev/shm
/dev/vdisk/disk1  1007896   17672  939024  2% /mnt/disk1
```

this is kind of werard....

Are there any work around for this ?

Hiro

---

---

**Subject:** Re: mount ext3 file system inside VE  
Posted by [Vasily Tarasov](#) on Mon, 04 Dec 2006 08:49:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

ext3 file system starts kernel thread for journal support.

Starting kernel thread in VE is prohibited for security reasons.

Consequently you have the problem.

The only workaround is to mount disk using ext2.

HTH,

Vasily.

Yukihiro Nomura wrote:

> Hello list  
>  
> I am trying to mount an additional disk which is ext3 file system  
> inside VE.  
>  
> kernel version 2.6.9-023stab032.1  
> vzctl version 3.0.13  
> Hard ware node OS Centos4.3  
>  
> but, I ve' got an error message like  
>  
> develop(VE):/dev/vdisk # mkfs -j /dev/vdisk/disk1  
> develop(VE):/dev/vdisk # mount -t ext3 /dev/vdisk/disk1 /mnt/disk1  
> mount: wrong fs type, bad option, bad superblock on /dev/vdisk/disk1,  
> missing codepage or other error  
> In some cases useful info is found in syslog - try  
> dmesg | tail or so  
>  
> then ended up using -t ext2 option instead of ext3.  
>  
> develop:/ # mount -t ext2 /dev/vdisk/disk1 /mnt/disk1  
> develop(VE):/ # df  
> 

| Filesystem       | 1K-blocks | Used   | Available | Use% | Mounted on |
|------------------|-----------|--------|-----------|------|------------|
| /dev/simfs       | 874428    | 333940 | 335260    | 50%  | /          |
| tmpfs            | 158732    | 0      | 158732    | 0%   | /dev/shm   |
| /dev/vdisk/disk1 | 1007896   | 17672  | 939024    | 2%   | /mnt/disk1 |

  
>  
> this is kind of werard....  
>  
> Are there any work around for this ?  
>  
> Hiro  
>  
>  
>  
>  
>  
>  
>

---

Subject: Re: mount ext3 file system inside VE  
Posted by [kir](#) on Mon, 04 Dec 2006 10:51:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Well I would add that you can also bind mount anything to a VE from the

host system.

See OpenVZ User's Guide, around page 90.

Vasily Tarasov wrote:

> ext3 file system starts kernel thread for journal support.

> Starting kernel thread in VE is prohibited for security reasons.

> Consequently you have the problem.

> The only workaround is to mount disk using ext2.

>

> HTH,

> Vasily.

>

> Yukihiko Nomura wrote:

>

>> Hello list

>>

>> I am trying to mount an additional disk which is ext3 file system

>> inside VE.

>>

>> kernel version 2.6.9-023stab032.1

>> vzctl version 3.0.13

>> Hard ware node OS Centos4.3

>>

>> but, I ve' got an error message like

>>

>> develop(VE):/dev/vdisk # mkfs -j /dev/vdisk/disk1

>> develop(VE):/dev/vdisk # mount -t ext3 /dev/vdisk/disk1 /mnt/disk1

>> mount: wrong fs type, bad option, bad superblock on /dev/vdisk/disk1,

>> missing codepage or other error

>> In some cases useful info is found in syslog - try

>> dmesg | tail or so

>>

>> then ended up using -t ext2 option instead of ext3.

>>

>> develop:/ # mount -t ext2 /dev/vdisk/disk1 /mnt/disk1

>> develop(VE):/ # df

>> Filesystem 1K-blocks Used Available Use% Mounted on

>> /dev/simfs 874428 333940 335260 50% /

>> tmpfs 158732 0 158732 0% /dev/shm

>> /dev/vdisk/disk1 1007896 17672 939024 2% /mnt/disk1

>>

>> this is kind of werard....

>>

>> Are there any work around for this ?

>>

>> Hiro

>>

>>

>>  
>>  
>>  
>>

---