
Subject: sysctl parameter question

Posted by [Romeo Theriault](#) on Fri, 08 Dec 2006 13:25:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello, I'm setting up OpenVZ stable on CentOS 4.4. This is my first time using OpenVZ. I'm very excited about this project. But my question has to do with the parameters in sysctl.

In the OpenVZ-Users-Guide it says that these are the contents of the relevant parts of the sysctl.conf file:

```
# On Hardware Node we generally need
# packet forwarding enabled and proxy arp disabled
net.ipv4.ip_forward = 1
net.ipv4.conf.default.proxy_arp = 0
# Enables source route verification
net.ipv4.conf.all.rp_filter = 1
# Enables the magic-sysrq key
kernel.sysrq = 1
# TCP Explicit Congestion Notification
#net.ipv4.tcp_ecn = 0
# we do not want all our interfaces to send redirects
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
```

I have a fresh install of CentOS 4.4 and this is what is currently in it's sysctl.conf before modification:

```
# Kernel sysctl configuration file for Red Hat Linux
#
# For binary values, 0 is disabled, 1 is enabled. See sysctl(8) and
# sysctl.conf(5) for more details.

# Controls IP packet forwarding
net.ipv4.ip_forward = 0

# Controls source route verification
net.ipv4.conf.default.rp_filter = 1

# Do not accept source routing
net.ipv4.conf.default.accept_source_route = 0

# Controls the System Request debugging functionality of the kernel
kernel.sysrq = 0

# Controls whether core dumps will append the PID to the core filename.
# Useful for debugging multi-threaded applications.
```

kernel.core_uses_pid = 1

My question is, should I remove the values in the current unmodified sysctl.conf that are not in the sysctl.conf that OpenVZ recommends, or should I just add the values that openvz recommends.

Thanks for the clarification.

Romeo

Subject: Re: sysctl parameter question
Posted by [dev](#) on Fri, 08 Dec 2006 14:46:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

You can just add OpenVZ values at the bottom of your sysctl.conf

Thanks,
Kirill

> Hello, I'm setting up OpenVZ stable on CentOS 4.4. This is my first time
> using OpenVZ. I'm very excited about this project. But my question has
> to do with the parameters in sysctl.

>
> In the OpenVZ-Users-Guide it says that these are the contents of the
> relevant parts of the sysctl.conf file:

>
> # On Hardware Node we generally need
> # packet forwarding enabled and proxy arp disabled
> net.ipv4.ip_forward = 1
> net.ipv4.conf.default.proxy_arp = 0
> # Enables source route verification
> net.ipv4.conf.all.rp_filter = 1
> # Enables the magic-sysrq key
> kernel.sysrq = 1
> # TCP Explicit Congestion Notification
> #net.ipv4.tcp_ecn = 0
> # we do not want all our interfaces to send redirects
> net.ipv4.conf.default.send_redirects = 1
> net.ipv4.conf.all.send_redirects = 0

>
>
> I have a fresh install of CentOS 4.4 and this is what is currently in
> it's sysctl.conf before modification:

>
> # Kernel sysctl configuration file for Red Hat Linux
> #
> # For binary values, 0 is disabled, 1 is enabled. See sysctl(8) and

```
> # sysctl.conf(5) for more details.
>
> # Controls IP packet forwarding
> net.ipv4.ip_forward = 0
>
> # Controls source route verification
> net.ipv4.conf.default.rp_filter = 1
>
> # Do not accept source routing
> net.ipv4.conf.default.accept_source_route = 0
>
> # Controls the System Request debugging functionality of the kernel
> kernel.sysrq = 0
>
> # Controls whether core dumps will append the PID to the core filename.
> # Useful for debugging multi-threaded applications.
> kernel.core_uses_pid = 1
>
>
> My question is, should I remove the values in the current unmodified
> sysctl.conf that are not in the sysctl.conf that OpenVZ recommends, or
> should I just add the values that openvz recommends.
>
> Thanks for the clarification.
>
> Romeo
>
>
> -----
>
```
