
Subject: /etc/hosts

Posted by [Farkas Levente](#) on Mon, 11 Dec 2006 11:53:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

hi,
why put openvz into each VE's /etc/hosts the hostname itself too? ie:
127.0.0.1 host.example.com host localhost localhost.localdomain
and why do this on all reboot, why not accept
127.0.0.1 localhost localhost.localdomain
it has some reasons?
thanks.
yours.

--

Levente

"Si vis pacem para bellum!"

Subject: Re: /etc/hosts

Posted by [dev](#) on Mon, 11 Dec 2006 13:34:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

Farkas Levente wrote:

> hi,
> why put openvz into each VE's /etc/hosts the hostname itself too? ie:
> 127.0.0.1 host.example.com host localhost localhost.localdomain
> and why do this on all reboot, why not accept
> 127.0.0.1 localhost localhost.localdomain
> it has some reasons?
> thanks.
> yours.
>

If HOSTNAME set in VE config it is updated on every VE start.
hostname is bound to 127.0.0.1 for simplicity of updates on ip change i.e
it doesn't depend on ip in such a scheme.

Kirill

Subject: Re: /etc/hosts

Posted by [Farkas Levente](#) on Mon, 11 Dec 2006 14:43:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

Kirill Korotaev wrote:

> Farkas Levente wrote:
>> hi,
>> why put openvz into each VE's /etc/hosts the hostname itself too? ie:

>> 127.0.0.1 host.example.com host localhost localhost.localdomain
>> and why do this on all reboot, why not accept
>> 127.0.0.1 localhost localhost.localdomain
>> it has some reasons?
>> thanks.
>> yours.
>>
>
> If HOSTNAME set in VE config it is updated on every VE start.
> hostname is bound to 127.0.0.1 for simplicity of updates on ip change i.e
> it doesn't depend on ip in such a scheme.

ok, but in this case all tool like netstat, iptables etc.. assumes
127.0.0.1 as hostname and it's really annoying netstat -lt:

```
-----  
# netstat -lt  
tcp      0      0 host.example.com:smtp  *.*  LISTEN  
tcp      0      0 host.example.com:smtp  *.*  LISTEN  
# netstat -ltn  
tcp      0      0 127.0.0.1:smtp        *.*  LISTEN  
tcp      0      0 1.2.3.4:smtp          *.*  LISTEN  
-----
```

--
Levente "Si vis pacem para bellum!"

Subject: Re: /etc/hosts
Posted by [dev](#) on Tue, 12 Dec 2006 14:51:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

> Kirill Korotaev wrote:
>
>>Farkas Levente wrote:
>>
>>>hi,
>>>why put openvz into each VE's /etc/hosts the hostname itself too? ie:
>>>127.0.0.1 host.example.com host localhost localhost.localdomain
>>>and why do this on all reboot, why not accept
>>>127.0.0.1 localhost localhost.localdomain
>>>it has some reasons?
>>>thanks.
>>>yours.
>>>
>>
>>If HOSTNAME set in VE config it is updated on every VE start.
>>hostname is bound to 127.0.0.1 for simplicity of updates on ip change i.e
>>it doesn't depend on ip in such a scheme.

>
>
> ok, but in this case all tool like netstat, iptables etc.. assumes
> 127.0.0.1 as hostname and it's really annoying netstat -lt:

> -----
> # netstat -lt
> tcp 0 0 host.example.com:smtp *.* LISTEN
> tcp 0 0 host.example.com:smtp *.* LISTEN
> # netstat -ltn
> tcp 0 0 127.0.0.1:smtp *.* LISTEN
> tcp 0 0 1.2.3.4:smtp *.* LISTEN
> -----

Ah, I see...

There are 2 easy choices here:

- change your VE /etc/hosts and add a "real-IP hostname" line to it.
vzctl will notice it and will stop changing it.
actually one manage hostnames itself from VE this way.
- fix vzctl to add such lines, however, it is harder,
since will require /etc/hosts modification on each ipadd/ipdel/hostname-change
etc. and it is not clear how to leave the ability to manage /etc/hosts from inside VE.

Thanks,
Kirill
