
Subject: Unable to open pty: No such file or directory
Posted by [disaster](#) on Tue, 12 Dec 2006 12:42:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello!

I've an VPS which worked since a few month... since today i always receive: "Unable to open pty: No such file or directory"

I've also reinstalled the ubuntu template but it does not work always the same failure.

The funny thing is - if i create a new VPS the template works.

Kernel: 2.6.18 028test007.1
vzctl: 3.0.13-1

Stefan

Log:

```
# vzctl enter 185
enter into VE 185 failed
Unable to open pty: No such file or directory
```

strace vzctl enter 185

```
execve("/usr/sbin/vzctl", ["vzctl", "enter", "185"], [/ 16 vars */]) = 0
uname({sys="Linux", node="host-246-han", ...}) = 0
brk(0) = 0x509000
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x2b8f522c9000
access("/etc/ld.so.nohwcap", F_OK) = -1 ENOENT (No such file or directory)
open("/etc/ld.so.preload", O_RDONLY) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/x86_64/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat("/usr/lib/vzctl/lib/tls/x86_64", 0x7fff587f1a60) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat("/usr/lib/vzctl/lib/tls", 0x7fff587f1a60) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/x86_64/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat("/usr/lib/vzctl/lib/x86_64", 0x7fff587f1a60) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/libvzctl.so.0.0.2", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\300w\0\0"..., 640) = 640
fstat(3, {st_mode=S_IFREG|0755, st_size=743104, ...}) = 0
mmap(NULL, 1220008, PROT_READ|PROT_EXEC, MAP_PRIVATE, 3, 0) = 0x2b8f523cb000
mprotect(0x2b8f523f1000, 1064360, PROT_NONE) = 0
mmap(0x2b8f524cb000, 172032, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED, 3,
```

```

0) = 0x2b8f524cb000
close(3) = 0
open("/usr/lib/vzctl/lib/libdl.so.2", O_RDONLY) = -1 ENOENT (No such file or directory)
open("/etc/ld.so.cache", O_RDONLY) = 3
fstat(3, {st_mode=S_IFREG|0644, st_size=32168, ...}) = 0
mmap(NULL, 32168, PROT_READ, MAP_PRIVATE, 3, 0) = 0x2b8f524f5000
close(3) = 0
access("/etc/ld.so.nohwcap", F_OK) = -1 ENOENT (No such file or directory)
open("/lib/libdl.so.2", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\0\36\0\0"..., 640) = 640
fstat(3, {st_mode=S_IFREG|0644, st_size=12072, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2b8f524fd000
mmap(NULL, 1058728, PROT_READ|PROT_EXEC, MAP_PRIVATE, 3, 0) = 0x2b8f524fe000
mprotect(0x2b8f52501000, 1046440, PROT_NONE) = 0
mmap(0x2b8f525fe000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED, 3, 0)
= 0x2b8f525fe000
close(3) = 0
open("/usr/lib/vzctl/lib/libutil.so.1", O_RDONLY) = -1 ENOENT (No such file or directory)
access("/etc/ld.so.nohwcap", F_OK) = -1 ENOENT (No such file or directory)
open("/lib/libutil.so.1", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\0@24\0\0"..., 640) = 640
fstat(3, {st_mode=S_IFREG|0644, st_size=11344, ...}) = 0
mmap(NULL, 1057944, PROT_READ|PROT_EXEC, MAP_PRIVATE, 3, 0) = 0x2b8f52601000
mprotect(0x2b8f52603000, 1049752, PROT_NONE) = 0
mmap(0x2b8f52701000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED, 3, 0)
= 0x2b8f52701000
close(3) = 0
open("/usr/lib/vzctl/lib/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or directory)
access("/etc/ld.so.nohwcap", F_OK) = -1 ENOENT (No such file or directory)
open("/lib/libc.so.6", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\0340\324"..., 640) = 640
fstat(3, {st_mode=S_IFREG|0755, st_size=1295328, ...}) = 0
mmap(NULL, 2354760, PROT_READ|PROT_EXEC, MAP_PRIVATE, 3, 0) = 0x2b8f52704000
mprotect(0x2b8f52826000, 1166920, PROT_NONE) = 0
mmap(0x2b8f52904000, 241664, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED, 3,
0x100000) = 0x2b8f52904000
mmap(0x2b8f5293f000, 15944, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x2b8f5293f000
close(3) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2b8f52943000
arch_prctl(0x1002, 0x2b8f52943760) = 0
munmap(0x2b8f524f5000, 32168) = 0
brk(0) = 0x509000
brk(0x52a000) = 0x52a000
brk(0) = 0x52a000
rt_sigaction(SIGPIPE, {SIG_IGN}, NULL, 8) = 0

```

Page 3 of 9 ---- Generated from [OpenVZ Forum](#)

```

readv(10, [{"", 0}, {"root\0x\0", 7}], 2) = 7
read(10, NULL, 0) = 0
close(10) = 0
rt_sigaction(SIGCHLD, {0x405b58, [], SA_NOCLDSTOP|0x4000000}, NULL, 8) = 0
rt_sigaction(SIGPIPE, {SIG_IGN}, NULL, 8) = 0
clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2b8f529437f0) = 770
close(3) = 0
close(7) = 0
close(9) = 0
read(8, "\377\377\377\377", 4) = 4
fstat(1, {st_mode=S_IFCHR|0600, st_rdev=makedev(136, 0), ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2b8f524f5000
write(1, "enter into VE 185 failed\n", 25enter into VE 185 failed
) = 25
fcntl(6, F_GETFL) = 0 (flags O_RDONLY|O_LARGEFILE)
fcntl(6, F_SETFL, O_RDONLY|O_NONBLOCK) = 0
--- SIGCHLD (Child exited) @ 0 (0) ---
rt_sigreturn(0x11) = 0
read(6, "Unable to open pty: No such file"..., 10239) = 46
write(1, "Unable to open pty: No such file"..., 46Unable to open pty: No such file or directory
) = 46
read(6, "", 10239) = 0
wait4(770, [{WIFEXITED(s) && WEXITSTATUS(s) == 255}], 0, NULL) = 770
close(5) = 0
close(6) = 0
close(4) = 0
munmap(0x2b8f524f5000, 4096) = 0
exit_group(0xff00, 0xff00, 0x2b8f52926cc0, 0x2b8f52940e08, 0x2b8f52943760 <unfinished ... exit
status 0>

```

Subject: Re: Unable to open pty: No such file or directory

Posted by [dim](#) on Tue, 12 Dec 2006 13:33:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

I don't understand, what do you mean under:

disaster wrote on Tue, 12 December 2006 07:42

I've also reinstalled the ubuntu template but it does not work always the same failure.

OpenVZ template is used only when VE is created. After VE is created, external package management operates with VE, not it's template.

Quote:

The funny thing is - if i create a new VPS the template works.

Above states, that template was not updated, while VE was.

So, I think the issue is that you updated udev in VE and this udev version doesn't work over our kernel.

So, please, could you check is it true? Just check two udev versions, in broken VE and in a new one.

Subject: Re: Unable to open pty: No such file or directory

Posted by [disaster](#) on Tue, 12 Dec 2006 13:52:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

Sorry - you misunderstand me

I've done the following on the not working VPS:

```
vzctl stop $vpsoschange{vpsid}
```

```
vzctl umount $vpsoschange{vpsid}
```

```
vzctl destroy $vpsoschange{vpsid}
```

```
vzctl create $vpsoschange{vpsid} --ostemplate $template
```

and it doesn't work...

Subject: Re: Unable to open pty: No such file or directory

Posted by [dim](#) on Tue, 12 Dec 2006 14:09:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

`vzctl destroy VEID` should completely remove VE-related files, so, the followed `vzctl create VEID --ostemplate ...` should be equal to the creation of new one. I'm wonder, how is it possible to have issues in the first case and don't have them in the second.

So, I recommend you to destroy erroneous VE and check, do you have it's ID somewhere in /proc/mounts, /proc/user_beancounters or on the filesystem.

Subject: Re: Unable to open pty: No such file or directory

Posted by [disaster](#) on Tue, 12 Dec 2006 18:03:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello!

I've destroyed it and it is not visible in any /proc file. But if i recreate it, the template does not work. If i use a new VID it works again.

PS: udev nor other things was updated in the VPS.

I've had the same problem with another VPS a few days ago with the debian VPS - but the error message was:
cannot open /dev/.

So i think it must be a bug in 007 kernel...

Subject: Re: Unable to open pty: No such file or directory

Posted by [dim](#) on Wed, 13 Dec 2006 08:55:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

Could you give us access to the node?
If so, send credentials via PM.

Subject: Re: Unable to open pty: No such file or directory

Posted by [disaster](#) on Wed, 13 Dec 2006 09:42:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Sorry that is not possible I've posted some more Details in Bugzilla
http://bugzilla.openvz.org/show_bug.cgi?id=398

Subject: Re: Unable to open pty: No such file or directory

Posted by [disaster](#) on Wed, 13 Dec 2006 21:25:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

But perhaps i can do some tests which help...

Subject: Re: Unable to open pty: No such file or directory

Posted by [vzadmin](#) on Sun, 07 Dec 2008 01:21:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Error:
vzctl enter VEID

enter into VE VEID failed
Unable to open pty: No such file or directory

Here's the Fix:

```
vzctl exec VEID /sbin/MAKEDEV pty  
vzctl exec VEID /sbin/MAKEDEV tty  
vzctl enter VEID
```

To Fix this issue permanently:

1. Edit the file /etc/rc.sysinit of the VPS server
2. Comment the line
#/sbin/start_udev
3. Add the following lines after /sbin/start_udev:

```
/sbin/MAKEDEV tty  
/sbin/MAKEDEV pty
```

4. Reboot your VPS
vzctl restart VEID

Subject: Re: Unable to open pty: No such file or directory
Posted by [silenkov](#) on Mon, 15 Dec 2008 11:28:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ubuntu 8.04
vzctl exec VEID /sbin/MAKEDEV pty
vzctl exec VEID /sbin/MAKEDEV tty

these commands make links to devices on / directory instead of /dev/

may be
vzctl exec VEID /sbin/MAKEDEV /dev/pty
vzctl exec VEID /sbin/MAKEDEV /dev/tty
?

On our installation we successfully fixed this error simply by executing
apt-get remove --purge udev
without creating any device by MAKEDEV.

What is the purpose of this package inside VE?

Subject: Re: Unable to open pty: No such file or directory

Posted by [Pilat](#) on Mon, 22 Dec 2008 15:36:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quote:Here's the Fix:

```
vzctl exec VEID /sbin/MAKEDEV pty
vzctl exec VEID /sbin/MAKEDEV tty
vzctl enter VEID
```

It`s don`t work in ubuntu

Ubuntu 9.04

```
vzctl exec 3333 '/sbin/MAKEDEV /pty'
/sbin/MAKEDEV: warning: can't read /proc/devices
/sbin/MAKEDEV: don't know how to make device "/pty"
```

Quote:

On our installation we successfully fixed this error simply by executing
apt-get remove --purge udev
without creating any device by MAKEDEV.

FIX

```
vzctl exec 3333 'dpkg --force-depends --purge udev'
```

After entering in VE for resolve depends you may install udev and disable boot scripts in sysv -
udev & udev-finish.

Subject: Re: Unable to open pty: No such file or directory

Posted by [vzadmin](#) on Wed, 24 Dec 2008 02:27:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

Here's one more fix

```
vzctl exec veid update-rc.d -f udev remove
vzctl restart veid
```

Subject: Re: Unable to open pty: No such file or directory

Posted by [bereket](#) on Fri, 26 Aug 2011 14:47:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

i had similar problem. run the following commands on host node

you need to replace only <CTID> with the container id and make the .../etc/devices and .../dev if the don't exit

if your virtual machines are installed in /vz/private/

```
/sbin/MAKEDEV -d /vz/private/<CTID>/dev -x {p,t}ty{a,p}{0,1,2,3,4,5,6,7,8,9,a,b,c,d,e,f} console  
core full kmem kmsg mem null port ptmx random urandom zero ram0
```

```
/sbin/MAKEDEV -d /vz/private/<CTID>/etc/devices -x {p,t}ty{a,p}{0,1,2,3,4,5,6,7,8,9,a,b,c,d,e,f}  
console core full kmem kmsg mem null port ptmx random urandom zero ram0
```

but if your virtual machines are installed in /var/lib/vz/private/

```
/sbin/MAKEDEV -d /var/lib/vz/private/<CTID>/dev -x {p,t}ty{a,p}{0,1,2,3,4,5,6,7,8,9,a,b,c,d,e,f}  
console core full kmem kmsg mem null port ptmx random urandom zero ram0
```

```
/sbin/MAKEDEV -d /var/lib/vz/private/<CTID>/etc/devices -x  
{p,t}ty{a,p}{0,1,2,3,4,5,6,7,8,9,a,b,c,d,e,f} console core full kmem kmsg mem null port ptmx  
random urandom zero ram0
```

let me know if it works for you. it worked for me

Subject: Re: Unable to open pty: No such file or directory

Posted by [votsalo](#) on Fri, 23 Dec 2011 21:04:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

I ran into the pty problem when I tried to create a container from a template that I had created from a git repository, using git export. I wanted to use git to keep track of my unpacked templates, but apparently git does not handle device files. So I recreated my template using tar on my stopped template container, and I was able to use it to create other containers.
