
Subject: Running VEs on a Strato Hostsystem with natted public->private ip-addresses

Posted by [BAzfH](#) on Tue, 16 Jan 2007 16:50:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

i am having a problem I am stuck on with Openvz. First of all some pre-information that i find to be useful:

Host OS: Debian Etch (4.0 / testing)

Host Kernel: 2.6.18-1-openvz (patched with kernel-patch-openvz from debian/testing archive)

Host Interfaces:

eth0: X.X.X.X (public address)

eth0:0: Y.Y.Y.Y (public address)

The setup I desire is to have is: a VE inside openvz running Debian Etch, serving some services which are to be available on the eth0:0's ip-address. This should be achieved by doing some SNAT for outgoing traffic and some DNAT for incoming traffic on some specific ports. Therefore i thin venet is the best choice for me, also because i maybe would like to switch to have more then one VE, each providing *one* specific service.

So what i do is:

1. Create a VE with an private ip-address (tried IP-Addresses in all of the three possible classes)
2. Add iptables-rules on the host system according to this documentation:

http://wiki.openvz.org/Using_NAT_for_VE_with_private_IPs

That does result in such messages when starting an VE:

```
arp send: 10.0.0.101 is detected on another computer : 00:00:5e:00:01:02
```

Also network is *not* working. Inside of the VE i can do ICMP-flood other systems and getting replies, but i cannot do something more like e.g. connecting systems. It is not a DNS problem, cause I've checked that by connecting a specific service by its ip and port. I heard there may be a future enabled on the HSP switch for security concerns that is answering the arp send request which results in the above error message. But i quiet don't understand why this switch does get info about my internal ip address? Isn't it possible to configure it so, that only the host system is able to "see" these addresses? Switch does not need to, or am I wrong?

So what i want to know is: Is my approach right? Do i miss something? If you need more input to help me, feel free to ask for it. Did anyone setup openvz on a strato server who knows whats specific with Strato Servers who can guide me a bit?

Thanks in advance

Best Regards

Patrick / BAzfH

Subject: Re: Running VEs on a Strato Hostsystem with natted public->private ip-addresses

Posted by [dev](#) on Thu, 18 Jan 2007 14:39:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

arp send: 10.0.0.101 is detected on another computer : 00:00:5e:00:01:02

this messages means very clear statement: this IP address is already used on another machine. it's MAC address is shown to you.

So you either have selected wrong IP address (busy) or you have done something wrong with the configuration (which is unlikely, but still...)

Subject: [SOLVED BELOW] Re: Running VEs on a Strato Hostsystem with natted public->private ip-addresses

Posted by [jonwatson](#) on Sat, 10 Mar 2007 20:50:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

I'm having exactly the same problem, yet I know for certain that there is no other machine on the network with this IP.

I had an IP assigned to a running VE and then didn't need it anymore. So I stopped and destroyed the VE. From that point on, I have been able to use this IP again because whenever I try to start a new VE with that IP, I get the IP Address in use error.

I then abandoned that IP address altogether and created a new VE with a new IP address that I had never used before. I get the samee results.

Starting VE ...

VE is mounted

Adding IP address(es): 68.128.52.229

arp send: 68.128.52.229 is detected on another computer : 00:0c:30:c1:87:ff

vps-net_add WARNING: arp send -c 1 -w 1 -D -e 68.128.52.229 eth0 FAILED

If I understand correctly, when a VE starts, it sends a ping or something to the IP address it is going to use. If something responds, then it thinks the address is in use and fails.

The MAC address that is responding to the pings (or whatever they are) is the MAC address of my provider's gateway. I don't know why it responds to these pings, but I do know that the IP is not in use.

Is there some way to bypass this check or force OpenVZ to start regardless?

This little problem has rendered my box pretty much useless to serving up VPSes.

Any help is appreciated.

Thanks!

Subject: Re: Running VEs on a Strato Hostsystem with natted public->private ip-addresses

Posted by [rickb](#) on Sun, 11 Mar 2007 02:21:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quote:The MAC address that is responding to the pings (or whatever they are) is the MAC address of my provider's gateway. I don't know why it responds to these pings, but I do know that the IP is not in use.

From my experience, this means your gateway has an entry in its routing table for a network which contains that address.

Try to assign the address to eth0:1 of your HN, does it work?

Subject: Re: Running VEs on a Strato Hostsystem with natted public->private ip-addresses

Posted by [jonwatson](#) on Sun, 11 Mar 2007 04:51:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

rickb wrote on Sat, 10 March 2007 21:21Quote:The MAC address that is responding to the pings (or whatever they are) is the MAC address of my provider's gateway. I don't know why it responds to these pings, but I do know that the IP is not in use.

From my experience, this means your gateway has an entry in its routing table for a network which contains that address.

Try to assign the address to eth0:1 of your HN, does it work?

Did you mean the address that I'm trying to assign to the VE? If so, I just tried assigning it to eth0:1 on the HN and I got the same error. The same MAC is associated with the IP.

This little problem has totally stopped me dead in my tracks. I can't start any new VEs. I see tons of posts about this very problem in these forums, and the responses all seem to be that there actually is another machine in the network with that IP, but in this case I know 100% for certain that there isn't.

Can you think of anything else I can mess with?

Thanks for the help.

Jon

Subject: Re: Running VEs on a Strato Hostsystem with natted public->private ip-addresses

Posted by [dev](#) on Sun, 11 Mar 2007 07:37:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

1.

```
arp send: 68.128.52.229 is detected on another computer : 00:0c:30:c1:87:ff  
vps-net_add WARNING: arp send -c 1 -w 1 -D -e 68.128.52.229 eth0 FAILED
```

these messages are warning only. if you are 100% sure that this IP address is not in use - it is safe to forget about it.

Does your VE work fine after it's booted?

2. If you claim that 00:0c:30:c1:87:ff is the MAC of the gateway, then it can be Strato GW which is configured somehow to cache MAC/IP and reply himself on arp requests.

Ask your provider about this.

Subject: Re: Running VEs on a Strato Hostsystem with natted public->private ip-addresses

Posted by [dev](#) on Sun, 11 Mar 2007 07:40:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

BTW, do you have NAT'ted IP addresses as well (thread subject)? In this case you don't need ARPSEND on VE startup at all.

Though IP address 68.128.52.229 doesn't look local, which means you should have been granted to use it by your provider. Which one is correct?

Subject: Re: Running VEs on a Strato Hostsystem with natted public->private ip-addresses

Posted by [jonwatson](#) on Mon, 12 Mar 2007 02:48:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ah. warning only, OK. It's precisely because my VE networking doesn't work that I thought it was more than a warning.

How would one go about troubleshooting this issue? The VE is assigned the IP I intend and the virtual NIC within the VE shows it. Just no networking - no ping by IP or name....

Subject: Re: Running VEs on a Strato Hostsystem with natted public->private ip-addresses

Posted by [jonwatson](#) on Mon, 12 Mar 2007 02:51:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

dev wrote on Sun, 11 March 2007 02:40BTW, do you have NAT'ted IP addresses as well (thread subject)? In this case you don't need ARPSEND on VE startup at all.

Though IP address 68.128.52.229 doesn't look local, which means you should have been granted to use it by your provider. Which one is correct?

Ohh...yeah. I guess I'm in the wrong thread. I just searched for the same problem I'm having and dumped into the thread. I'm not running on a Strato nor am I running NATd.

You're correct in that I am running a public IP which has been assigned to me by my provider.

Subject: Re: Running VEs on a Strato Hostsystem with natted public->private ip-addresses

Posted by [jonwatson](#) on Mon, 12 Mar 2007 03:22:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

jonwatson wrote on Sun, 11 March 2007 21:48Ah. warning only, OK. It's precisely because my VE networking doesn't work that I thought it was more than a warning.

How would one go about troubleshooting this issue? The VE is assigned the IP I intend and the virtual NIC within the VE shows it. Just no networking - no ping by IP or name....

I am too stupid to live. After three days of looking at this I suddenly realized that the first octet of my IP range is 66 and not 68.

Someone please shoot me.

Subject: Re: Running VEs on a Strato Hostsystem with natted public->private ip-addresses

Posted by [dev](#) on Mon, 12 Mar 2007 08:57:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

I would prefer our users live, not die))

I'm glad it is resolved for you now.
