
Subject: [PATCH] Introduce and use get_task_mnt_ns()
Posted by [adobriyan](#) on Wed, 17 Jan 2007 15:36:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

Apply after "[PATCH] Fix NULL ->nsproxy dereference in /proc/*/mounts".

Similar to get_task_mm(): get a reference to task's mnt namespace if any.
Suggested by Pavel Emelianov.

Signed-off-by: Alexey Dobriyan <adobriyan@openvz.org>

```
fs/proc/base.c      | 15 ++-----
include/linux/nsproxy.h | 1 +
kernel/nsproxy.c     | 14 ++++++++
3 files changed, 17 insertions(+), 13 deletions(-)
```

--- a/fs/proc/base.c

+++ b/fs/proc/base.c

```
@@ -370,13 +370,7 @@ static int mounts_open(struct inode *ino
    int ret = -EINVAL;
```

```
    if (task) {
-   task_lock(task);
-   if (task->nsproxy) {
-       ns = task->nsproxy->mnt_ns;
-       if (ns)
-           get_mnt_ns(ns);
-   }
-   task_unlock(task);
+   ns = get_task_mnt_ns(task);
    put_task_struct(task);
    }
```

```
@@ -443,12 +437,7 @@ static int mountstats_open(struct inode
    struct task_struct *task = get_proc_task(inode);
```

```
    if (task) {
-   task_lock(task);
-   if (task->nsproxy)
-       mnt_ns = task->nsproxy->mnt_ns;
-   if (mnt_ns)
-       get_mnt_ns(mnt_ns);
-   task_unlock(task);
+   mnt_ns = get_task_mnt_ns(task);
    put_task_struct(task);
    }
```

```

--- a/include/linux/nsproxy.h
+++ b/include/linux/nsproxy.h
@@ -35,6 +35,7 @@ struct nsproxy *dup_namespaces(struct ns
int copy_namespaces(int flags, struct task_struct *tsk);
void get_task_namespaces(struct task_struct *tsk);
void free_nsproxy(struct nsproxy *ns);
+struct mnt_namespace * get_task_mnt_ns(struct task_struct *tsk);

static inline void put_nsproxy(struct nsproxy *ns)
{
--- a/kernel/nsproxy.c
+++ b/kernel/nsproxy.c
@@ -147,3 +147,17 @@ void free_nsproxy(struct nsproxy *ns)
    put_pid_ns(ns->pid_ns);
    kfree(ns);
}
+
+struct mnt_namespace * get_task_mnt_ns(struct task_struct *tsk)
+{
+ struct mnt_namespace *mnt_ns = NULL;
+
+ task_lock(tsk);
+ if (tsk->nsproxy)
+  mnt_ns = tsk->nsproxy->mnt_ns;
+ if (mnt_ns)
+  get_mnt_ns(mnt_ns);
+ task_unlock(tsk);
+
+ return mnt_ns;
+}

```

Subject: Re: [PATCH] Introduce and use get_task_mnt_ns()

Posted by [serge](#) on Wed, 17 Jan 2007 19:21:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quoting Alexey Dobriyan (adobriyan@openvz.org):

> Apply after "[PATCH] Fix NULL ->nsproxy dereference in /proc/*/mounts".

>

> Similar to get_task_mm(): get a reference to task's mnt namespace if any.

> Suggested by Pavel Emelianov.

>

> Signed-off-by: Alexey Dobriyan <adobriyan@openvz.org>

Yeah, that's nicer, thanks.

Acked-by: Serge Hallyn <serue@us.ibm.com>

```

> ---
>
> fs/proc/base.c      | 15 ++-----
> include/linux/nsproxy.h | 1 +
> kernel/nsproxy.c     | 14 ++++++
> 3 files changed, 17 insertions(+), 13 deletions(-)
>
> --- a/fs/proc/base.c
> +++ b/fs/proc/base.c
> @@ -370,13 +370,7 @@ static int mounts_open(struct inode *ino
> int ret = -EINVAL;
>
> if (task) {
> - task_lock(task);
> - if (task->nsproxy) {
> - ns = task->nsproxy->mnt_ns;
> - if (ns)
> - get_mnt_ns(ns);
> - }
> - task_unlock(task);
> + ns = get_task_mnt_ns(task);
> put_task_struct(task);
> }
>
> @@ -443,12 +437,7 @@ static int mountstats_open(struct inode
> struct task_struct *task = get_proc_task(inode);
>
> if (task) {
> - task_lock(task);
> - if (task->nsproxy)
> - mnt_ns = task->nsproxy->mnt_ns;
> - if (mnt_ns)
> - get_mnt_ns(mnt_ns);
> - task_unlock(task);
> + mnt_ns = get_task_mnt_ns(task);
> put_task_struct(task);
> }
>
> --- a/include/linux/nsproxy.h
> +++ b/include/linux/nsproxy.h
> @@ -35,6 +35,7 @@ struct nsproxy *dup_namespaces(struct ns
> int copy_namespaces(int flags, struct task_struct *tsk);
> void get_task_namespaces(struct task_struct *tsk);
> void free_nsproxy(struct nsproxy *ns);
> +struct mnt_namespace * get_task_mnt_ns(struct task_struct *tsk);
>
> static inline void put_nsproxy(struct nsproxy *ns)

```

```

> {
> --- a/kernel/nsproxy.c
> +++ b/kernel/nsproxy.c
> @@ -147,3 +147,17 @@ void free_nsproxy(struct nsproxy *ns)
>     put_pid_ns(ns->pid_ns);
>     kfree(ns);
> }
> +
> +struct mnt_namespace * get_task_mnt_ns(struct task_struct *tsk)
> +{
> + struct mnt_namespace *mnt_ns = NULL;
> +
> + task_lock(tsk);
> + if (tsk->nsproxy)
> +     mnt_ns = tsk->nsproxy->mnt_ns;
> + if (mnt_ns)
> +     get_mnt_ns(mnt_ns);
> + task_unlock(tsk);
> +
> + return mnt_ns;
> +}
>
> -
> To unsubscribe from this list: send the line "unsubscribe linux-kernel" in
> the body of a message to majordomo@vger.kernel.org
> More majordomo info at http://vger.kernel.org/majordomo-info.html
> Please read the FAQ at http://www.tux.org/lkml/

```
