

---

Subject: vzctl start id "VE start in progress", vzctl status "VEID exist mounted down",

Posted by [Stephen Fletcher](#) on Tue, 23 Jan 2007 05:35:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

vzctl version 3.0.14

root@stephens:~# uname -a

Linux stephens 2.6.18-028test010 #2 PREEMPT Thu Jan 11 18:20:08 EST 2007

i686 GNU/Linux

root@stephens:~# cat /proc/vz/\*

Version: 2.7

0 b 016 \*.\*

0 c 006 \*.\*

0 0 77

Version: 2.5

Version: 2.2

VEID	user	nice	system	uptime	idle
strv	uptime		used	maxlat	
totlat	numsched				

Version: 1.0

cat: /proc/vz/vzaquota: Is a directory

qid: path	usage	softlimit	hardlimit	time
expire				

777: /vz/private/777

1k-blocks	198888	1048576	1153434	0
-----------	--------	---------	---------	---

0

inodes	11473	200000	220000	0
--------	-------	--------	--------	---

0

root@stephens:~# lsmod | grep vz

vznetdev 16928 1

vzethdev 10764 0

vzdquota 41748 1 [permanent]

vzmon 41988 2 vznetdev,vzethdev

vzdev 3972 4 vznetdev,vzethdev,vzdquota,vzmon

ipv6 279776 15 vzmon

root@stephens:~# vzctl start 777

Starting VE ...

VE is mounted

Adding IP address(es): 192.168.99.2

Setting CPU units: 1000

VE start in progress...

root@stephens:~# vzctl status

VE id is not given

root@stephens:~# vzctl status 777

VEID 777 exist mounted down

```

root@stephens:~# vzctl enter 777
VE is not running
root@stephens:~# vzctl restore 777
Restoring VE ...
Error: No checkpointing support, unable to open /proc/rst: No such file or
directory
root@stephens:~# ifconfig venet0
venet0  Link encap:UNSPEC HWaddr
00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
RX packets:0 errors:0 dropped:0 overruns:0 frame:0
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)
root@stephens:~# ip route
<ethernet0ip>/27 dev eth0 proto kernel scope link src <ethernet0ip>
default via <localgwip> dev eth0

```

Help? :)

---



---

Subject: Re: vzctl start id "VE start in progress", vzctl status "VEID exist mounted down&qu  
Posted by [dev](#) on Tue, 23 Jan 2007 12:09:28 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Stephen,

Is there anything in dmesg?

Thanks,  
Kirill

```

> vzctl version 3.0.14
>
> root@stephens:~# uname -a
> Linux stephens 2.6.18-028test010 #2 PREEMPT Thu Jan 11 18:20:08 EST 2007
> i686 GNU/Linux
> root@stephens:~# cat /proc/vz/*
> Version: 2.7
>    0 b 016 *.*
>    0 c 006 *.*
>    0  0  77
> Version: 2.5
> Version: 2.2
>
>    VEID      user    nice    system    uptime      idle
> strv        uptime      used      maxlat

```

```
> totlat  numsched
> Version: 1.0
> cat: /proc/vz/vzaquota: Is a directory
> qid: path      usage    softlimit    hardlimit    time
> expire
> 777: /vz/private/777
> 1k-blocks      198888      1048576      1153434      0
> 0
> inodes         11473       200000       220000       0
> 0
> root@stephens:~# lsmod | grep vz
> vznetdev        16928  1
> vzethdev        10764  0
> vxdquota        41748  1 [permanent]
> vzmon           41988  2 vznetdev,vzethdev
> vzdev           3972  4 vznetdev,vzethdev,vxdquota,vzmon
> ipv6            279776 15 vzmon
>
> root@stephens:~# vzctl start 777
> Starting VE ...
> VE is mounted
> Adding IP address(es): 192.168.99.2
> Setting CPU units: 1000
> VE start in progress...
> root@stephens:~# vzctl status
> VE id is not given
> root@stephens:~# vzctl status 777
> VEID 777 exist mounted down
> root@stephens:~# vzctl enter 777
> VE is not running
> root@stephens:~# vzctl restore 777
> Restoring VE ...
> Error: No checkpointing support, unable to open /proc/rst: No such file or
> directory
> root@stephens:~# ifconfig venet0
> venet0  Link encap:UNSPEC HWaddr
> 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
>      UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
>      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
>      TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
>      collisions:0 txqueuelen:0
>      RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)
> root@stephens:~# ip route
> <ethernet0ip>/27 dev eth0 proto kernel scope link src <ethernet0ip>
> default via <localgwip> dev eth0
>
> Help? :)
>
```

---

---

Subject: RE: vzctl start id "VE start in progress", vzctl status"VEID exist mounted down&quo

Posted by [Stephen Fletcher](#) on Wed, 24 Jan 2007 05:24:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dmesg has theese two line as its last entry

[ 129.091000] VPS: 777: started

[ 132.285000] VPS: 777: stopped

-----Original Message-----

From: users-bounces@openvz.org [mailto:users-bounces@openvz.org] On Behalf Of Kirill Korotaev

Sent: Tuesday, 23 January 2007 11:19 PM

To: users@openvz.org

Subject: Re: [Users] vzctl start id "VE start in progress", vzctl status"VEID exist mounted down", vzctl enter "VE is not running"

Stephen,

Is there anything in dmesg?

Thanks,

Kirill

> vzctl version 3.0.14

>

> root@stephens:~# uname -a

> Linux stephens 2.6.18-028test010 #2 PREEMPT Thu Jan 11 18:20:08 EST

> 2007

> i686 GNU/Linux

> root@stephens:~# cat /proc/vz/\*

> Version: 2.7

> 0 b 016 \*.\*

> 0 c 006 \*.\*

> 0 0 77

> Version: 2.5

> Version: 2.2

>

> VEID user nice system uptime

idle

> strv uptime used maxlat

> totlat numsched

> Version: 1.0

> cat: /proc/vz/vzaquota: Is a directory

> qid: path usage softlimit hardlimit time

> expire

> 777: /vz/private/777

> 1k-blocks 198888 1048576 1153434 0

> 0

```

> inodes      11473      200000      220000      0
> 0
> root@stephens:~# lsmod | grep vz
> vznetdev      16928  1
> vzethdev      10764  0
> vxdquota      41748  1 [permanent]
> vzmon         41988  2 vznetdev,vzethdev
> vzdev         3972  4 vznetdev,vzethdev,vxdquota,vzmon
> ipv6         279776  15 vzmon
>
> root@stephens:~# vzctl start 777
> Starting VE ...
> VE is mounted
> Adding IP address(es): 192.168.99.2
> Setting CPU units: 1000
> VE start in progress...
> root@stephens:~# vzctl status
> VE id is not given
> root@stephens:~# vzctl status 777
> VEID 777 exist mounted down
> root@stephens:~# vzctl enter 777
> VE is not running
> root@stephens:~# vzctl restore 777
> Restoring VE ...
> Error: No checkpointing support, unable to open /proc/rst: No such
> file or directory root@stephens:~# ifconfig venet0
> venet0  Link encap:UNSPEC HWaddr
> 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
>      UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
>      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
>      TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
>      collisions:0 txqueuelen:0
>      RX bytes:0 (0.0 b) TX bytes:0 (0.0 b) root@stephens:~# ip
> route
> <ethernet0ip>/27 dev eth0 proto kernel scope link src <ethernet0ip>
> default via <localgwip> dev eth0
>
> Help? :)
>

```

---

Subject: RE: vzctl start id "VE start in progress", vzctl status"VEID exist mounted down&quo  
 Posted by [Stephen Fletcher](#) on Sun, 28 Jan 2007 01:52:26 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dmesg has theese two line as its last entry  
 [ 129.091000] VPS: 777: started

[ 132.285000] VPS: 777: stopped

-----Original Message-----

From: users-bounces@openvz.org [mailto:users-bounces@openvz.org] On Behalf Of Kirill Korotaev

Sent: Tuesday, 23 January 2007 11:19 PM

To: users@openvz.org

Subject: Re: [Users] vzctl start id "VE start in progress", vzctl status"VEID exist mounted down", vzctl enter "VE is not running"

Stephen,

Is there anything in dmesg?

Thanks,  
Kirill

```
> vzctl version 3.0.14
>
> root@stephens:~# uname -a
> Linux stephens 2.6.18-028test010 #2 PREEMPT Thu Jan 11 18:20:08 EST
> 2007
> i686 GNU/Linux
> root@stephens:~# cat /proc/vz/*
> Version: 2.7
> 0 b 016 *.*
> 0 c 006 *.*
> 0 0 77
> Version: 2.5
> Version: 2.2
>
> VEID    user    nice    system    uptime
idle
> strv      uptime      used      maxlat
> totlat  numsched
> Version: 1.0
> cat: /proc/vz/vzaquota: Is a directory
> qid: path      usage    softlimit  hardlimit    time
> expire
> 777: /vz/private/777
> 1k-blocks      198888      1048576      1153434      0
> 0
> inodes          11473      200000      220000      0
> 0
> root@stephens:~# lsmod | grep vz
> vznetdev          16928 1
> vzethdev           10764 0
> vxdquota           41748 1 [permanent]
```

```

> vzmon          41988 2 vznetdev,vzethdev
> vzdev          3972 4 vznetdev,vzethdev,vzquota,vzmon
> ipv6          279776 15 vzmon
>
> root@stephens:~# vzctl start 777
> Starting VE ...
> VE is mounted
> Adding IP address(es): 192.168.99.2
> Setting CPU units: 1000
> VE start in progress...
> root@stephens:~# vzctl status
> VE id is not given
> root@stephens:~# vzctl status 777
> VEID 777 exist mounted down
> root@stephens:~# vzctl enter 777
> VE is not running
> root@stephens:~# vzctl restore 777
> Restoring VE ...
> Error: No checkpointing support, unable to open /proc/rst: No such
> file or directory root@stephens:~# ifconfig venet0
> venet0  Link encap:UNSPEC HWaddr
> 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
>      UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
>      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
>      TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
>      collisions:0 txqueuelen:0
>      RX bytes:0 (0.0 b) TX bytes:0 (0.0 b) root@stephens:~# ip
> route
> <ethernet0ip>/27 dev eth0 proto kernel scope link src <ethernet0ip>
> default via <localgwip> dev eth0
>
> Help? :)
>

```

---

Subject: RE: vzctl start id "VE start in progress", vzctl status"VEID exist mounted down"

Posted by [Stephen Fletcher](#) on Tue, 30 Jan 2007 02:56:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Issue was due to running Ubuntu 6.10 Edgy as the guest. I tried re-symlinking <mountdir>/bin/sh to bash instead of dash but this did not help. Perhaps is due to Edgy using upstart daemon instead on regular init.

Soon as I tried Debian sarge as guest it worked fine.

-----Original Message-----

From: users-bounces@openvz.org [mailto:users-bounces@openvz.org] On Behalf  
Of Kirill Korotaev  
Sent: Tuesday, 23 January 2007 11:19 PM  
To: users@openvz.org  
Subject: Re: [Users] vzctl start id "VE start in progress", vzctl  
status"VEID exist mounted down", vzctl enter "VE is not running"

Stephen,

Is there anything in dmesg?

Thanks,  
Kirill

```
> vzctl version 3.0.14
>
> root@stephens:~# uname -a
> Linux stephens 2.6.18-028test010 #2 PREEMPT Thu Jan 11 18:20:08 EST
> 2007
> i686 GNU/Linux
> root@stephens:~# cat /proc/vz/*
> Version: 2.7
>   0 b 016 *.*
>   0 c 006 *.*
>   0  0  77
> Version: 2.5
> Version: 2.2
>
>   VEID      user      nice      system      uptime
idle
> strv          uptime          used          maxlat
> totlat  numsched
> Version: 1.0
> cat: /proc/vz/vzaquota: Is a directory
> qid: path      usage      softlimit      hardlimit      time
> expire
> 777: /vz/private/777
> 1k-blocks      198888      1048576      1153434      0
> 0
> inodes          11473      200000      220000      0
> 0
> root@stephens:~# lsmod | grep vz
> vznetdev          16928  1
> vzethdev           10764  0
> vzdquota           41748  1 [permanent]
> vzmon              41988  2 vznetdev,vzethdev
> vzdev               3972  4 vznetdev,vzethdev,vzdquota,vzmon
> ipv6               279776  15 vzmon
```



```
>
> root@stephens:~# vzctl start 777
> Starting VE ...
> VE is mounted
> Adding IP address(es): 192.168.99.2
> Setting CPU units: 1000
> VE start in progress...
> root@stephens:~# vzctl status
> VE id is not given
> root@stephens:~# vzctl status 777
> VEID 777 exist mounted down
> root@stephens:~# vzctl enter 777
> VE is not running
> root@stephens:~# vzctl restore 777
> Restoring VE ...
> Error: No checkpointing support, unable to open /proc/rst: No such
> file or directory root@stephens:~# ifconfig venet0
> venet0  Link encap:UNSPEC HWaddr
> 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
>      UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
>      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
>      TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
>      collisions:0 txqueuelen:0
>      RX bytes:0 (0.0 b) TX bytes:0 (0.0 b) root@stephens:~# ip
> route
> <ethernet0ip>/27 dev eth0 proto kernel scope link src <ethernet0ip>
> default via <localgwip> dev eth0
>
> Help? :)
>
```

---

---

Subject: Re: vzctl start id "VE start in progress", vzctl status"VEID exist mounted down&quo

Posted by [kir](#) on Tue, 30 Jan 2007 05:03:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Oh I see. There is an open bug about it already in our bugzilla.

[http://bugzilla.openvz.org/show\\_bug.cgi?id=436](http://bugzilla.openvz.org/show_bug.cgi?id=436)

Still, I want to resolve this by adding -z argument handling to upstart.

I have already asked about it (see

[http://bugzilla.openvz.org/show\\_bug.cgi?id=436#c6](http://bugzilla.openvz.org/show_bug.cgi?id=436#c6)), but got no reply so far. Perhaps you could ask, too.

Stephen Fletcher wrote:

> Issue was due to running Ubuntu 6.10 Edgy as the guest. I tried

```

> re-symlinking <mountdir>/bin/sh to bash instead of dash but this did not
> help. Perhaps is due to Edgy using upstart daemon instead on regular init.
>
> Soon as I tried Debian sarge as guest it worked fine.
>
>
> -----Original Message-----
> From: users-bounces@openvz.org [mailto:users-bounces@openvz.org] On Behalf
> Of Kirill Korotaev
> Sent: Tuesday, 23 January 2007 11:19 PM
> To: users@openvz.org
> Subject: Re: [Users] vzctl start id "VE start in progress", vzctl
> status"VEID exist mounted down", vzctl enter "VE is not running"
>
> Stephen,
>
> Is there anything in dmesg?
>
> Thanks,
> Kirill
>
>
>> vzctl version 3.0.14
>>
>> root@stephens:~# uname -a
>> Linux stephens 2.6.18-028test010 #2 PREEMPT Thu Jan 11 18:20:08 EST
>> 2007
>> i686 GNU/Linux
>> root@stephens:~# cat /proc/vz/*
>> Version: 2.7
>>      0 b 016 *.*
>>      0 c 006 *.*
>>      0  0  77
>> Version: 2.5
>> Version: 2.2
>>
>>   VEID      user      nice      system      uptime
>>
> idle
>
>> strv          uptime          used          maxlat
>> totlat  numsched
>> Version: 1.0
>> cat: /proc/vz/vzaquota: Is a directory
>> qid: path      usage      softlimit      hardlimit      time
>> expire
>> 777: /vz/private/777
>> 1k-blocks      198888      1048576      1153434      0

```

```

>> 0
>>   inodes      11473      200000      220000      0
>> 0
>> root@stephens:~# lsmod | grep vz
>> vznetdev      16928  1
>> vzethdev      10764  0
>> vxdquota      41748  1 [permanent]
>> vzmon         41988  2 vznetdev,vzethdev
>> vzdev         3972   4 vznetdev,vzethdev,vxdquota,vzmon
>> ipv6          279776  15 vzmon
>>
>> root@stephens:~# vzctl start 777
>> Starting VE ...
>> VE is mounted
>> Adding IP address(es): 192.168.99.2
>> Setting CPU units: 1000
>> VE start in progress...
>> root@stephens:~# vzctl status
>> VE id is not given
>> root@stephens:~# vzctl status 777
>> VEID 777 exist mounted down
>> root@stephens:~# vzctl enter 777
>> VE is not running
>> root@stephens:~# vzctl restore 777
>> Restoring VE ...
>> Error: No checkpointing support, unable to open /proc/rst: No such
>> file or directory root@stephens:~# ifconfig venet0
>> venet0   Link encap:UNSPEC HWaddr
>> 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
>>   UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
>>   RX packets:0 errors:0 dropped:0 overruns:0 frame:0
>>   TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
>>   collisions:0 txqueuelen:0
>>   RX bytes:0 (0.0 b) TX bytes:0 (0.0 b) root@stephens:~# ip
>> route
>> <ethernet0ip>/27 dev eth0 proto kernel scope link src <ethernet0ip>
>> default via <localgwip> dev eth0
>>
>> Help? :)
>>

```

---