
Subject: arpsend problem, have it not talk to about specific subnet

Posted by [duswil](#) on Sun, 22 Jan 2006 23:36:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

A machine on my hosting company's network is claming that they have every private/non-routable IP address.

Is there a way to have arpsend *not* use eth0 for private IP addresses? I have a specific subnet (172.16.0.0/16) that I would like to not have arpsend talk to the outside network about.

```
root@elyssa:~# vzctl start 502
```

```
Starting VPS ...
```

```
VPS is mounted
```

```
Adding IP address(es): 172.16.2.3
```

```
arpsend: 172.16.2.3 is detected on another computer : 00:07:84:46:74:0a
```

```
vps-net_add WARNING: arpsend -c 1 -w 1 -D -e 172.16.2.3 eth0 FAILED
```

```
Setting CPU units: 1000
```

```
Set hostname: mysql
```

```
File resolv.conf was modified
```

```
VPS start in progress...
```

Subject: Re: arpsend problem, have it not talk to about specific subnet

Posted by [duswil](#) on Sun, 22 Jan 2006 23:42:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

What calls arpsend anyway? I can't find a reference to it anywhere in any scripts.

Subject: Re: arpsend problem, have it not talk to about specific subnet

Posted by [duswil](#) on Mon, 23 Jan 2006 00:03:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

I found the reference to arpsend. It's in vzctl's source files. I'll see if there's anything that can be done with regard to private IPs or if it even matters.

Subject: Re: arpsend problem, have it not talk to about specific subnet

Posted by [duswil](#) on Mon, 23 Jan 2006 00:16:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
/usr/lib/vzctl/scripts/vps-functions
```

Subject: Re: arpsend problem, have it not talk to about specific subnet

Posted by [duswil](#) on Mon, 23 Jan 2006 00:23:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Right now, it doesn't look like it matters whether or not it asks about the IP address. It just warns and doesn't prevent anything from happening.

The reason I brought this to the forum is because I am having problems with NAT issues and this seemed to be a common theme for the VPSes that failed to be properly SNAT'd or MASQ'd.

I'll have to bark up a different tree. Hope this waste of time (this thread) helps someone else not waste time going this route.

Subject: Re: arpsend problem, have it not talk to about specific subnet

Posted by [dim](#) on Mon, 23 Jan 2006 10:34:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Issue may be due to some network interface up, but with no cable present. Workaround is ifdown such interface.

Subject: Re: arpsend problem, have it not talk to about specific subnet

Posted by [duswil](#) on Mon, 23 Jan 2006 17:17:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

The problem I'm having is this:

* VPSes with public IP addresses work just fine. They can be talked to from the outside, they can talk to the outside and get responses back (as a client to HTTP, ping, etc).

* VPSes with private IP addresses can't talk to the outside and get responses back.

I've tried tuning and tweaking my iptables scripts, but it doesn't seem to matter. I've tried using your SNAT HOWTO, but it doesn't seem to change it. Maybe I'm doing the SNAT wrong, but I don't think I am.

At first glance, it looks strictly like an SNAT/MASQ problem. I've set up plenty of MASQ scripts in my life, so I wouldn't think I would have such a hard time with it this go around.

The network configuration is this:

- * lo
- * eth0: public IP address
- * eth0:1: public IP address
- * venet0

I notice that there is the "POINTOPOINT" flag for venet0. Is there something special I would need

to do with regard to that? Any missing software, etc?

Thanks for the help!

Dusty
