
Subject: [PATCH] Relocate cron master file from pkgdatadir to pkgconfdir
Posted by [ldv](#) on Tue, 06 Mar 2007 00:35:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

Configuration files should not be placed in datadir, and the cron master file is marked with %config(noreplace) attribute.

Signed-off-by: Dmitry V. Levin <ldv@altlinux.org>

```
paths.am | 2 +-  
vzctl.spec | 5 +++--  
2 files changed, 4 insertions(+), 3 deletions(-)
```

```
diff --git a/paths.am b/paths.am  
index b8354c9..9f65692 100644  
--- a/paths.am  
+++ b/paths.am  
@@ -20,7 +20,7 @@ bashcdir = $(sysconfdir)/bash_completion.d  
endif
```

```
if ENABLE_CRON  
-cronddir = $(pkgdatadir)/cron  
+cronddir = $(pkgconfdir)/cron  
dst_cronddir= $(sysconfdir)/cron.d  
endif
```

```
diff --git a/vzctl.spec b/vzctl.spec  
index 9dc219f..d2253f3 100644  
--- a/vzctl.spec  
+++ b/vzctl.spec  
@@ -1,5 +1,4 @@  
%define _initddir %_sysconfdir/init.d  
-%define _crondir /usr/share/vzctl/cron  
%define _vzdir /vz  
%define _lockdir %{_vzdir}/lock  
%define _dumpdir %{_vzdir}/dump  
@@ -11,6 +10,7 @@  
%define _vpsconfdir %_sysconfdir/sysconfig/vz-scripts  
%define _netdir %_sysconfdir/sysconfig/network-scripts  
%define _logrdir %_sysconfdir/logrotate.d  
+%define _crondir %{_configdir}/cron  
%define _distconfdir %{_configdir}/dists  
%define _namesdir %{_configdir}/names  
%define _distscriptdir %{_distconfdir}/scripts  
@@ -76,13 +76,13 @@ rm -rf $RPM_BUILD_ROOT  
%files  
%defattr(-,root,root)  
%attr(755,root,root) %{_initddir}/vz
```

```
-%attr(644,root,root) %config(noreplace) %{_crondir}/vz
%ghost /etc/cron.d/vz
%dir %attr(755,root,root) %{_lockdir}
%dir %attr(755,root,root) %{_dumpdir}
%dir %attr(755,root,root) %{_cachedir}
%dir %attr(755,root,root) %{_veipdir}
%dir %attr(755,root,root) %{_configdir}
+%dir %attr(755,root,root) %{_crondir}
%dir %attr(755,root,root) %{_namesdir}
%dir %attr(755,root,root) %{_vpsconfdir}
%dir %attr(755,root,root) %{_distconfdir}
@@ -128,6 +128,7 @@ rm -rf $RPM_BUILD_ROOT
```

```
%config(noreplace) %{_configdir}/vz.conf
%config(noreplace) %{_distconfdir}/*.conf
+%attr(644,root,root) %config(noreplace) %{_crondir}/vz
%config %{_vpsconfdir}/ve-vps.basic.conf-sample
%config %{_vpsconfdir}/ve-light.conf-sample
%config %{_vpsconfdir}/0.conf
```

--

1.5.0.3.GIT

Subject: Re: [PATCH] Relocate cron master file from pkgdatadir to pkgconfdir
Posted by [kir](#) on Tue, 06 Mar 2007 08:16:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dmitry V. Levin wrote:

> Configuration files should not be placed in datadir

Agreed

> and the

> cron master file is marked with %config(noreplace) attribute.

>

Well, it is already marked with %config(noreplace).

So -- I do understand and agree with the patch, but I do not understand this comment about noreplace. Please clarify.

> Signed-off-by: Dmitry V. Levin <ldv@altlinux.org>

> ---

> paths.am | 2 +-
> vzctl.spec | 5 +++--

> 2 files changed, 4 insertions(+), 3 deletions(-)
>

> diff --git a/paths.am b/paths.am
> index b8354c9..9f65692 100644

> --- a/paths.am
> +++ b/paths.am

> @@ -20,7 +20,7 @@ bashcdir = \$(sysconfdir)/bash_completion.d

```

> endif
>
> if ENABLE_CRON
> -cronddir = $(pkgdatadir)/cron
> +cronddir = $(pkgconfdir)/cron
> dst_cronddir= $(sysconfdir)/cron.d
> endif
>
> diff --git a/vzctl.spec b/vzctl.spec
> index 9dc219f..d2253f3 100644
> --- a/vzctl.spec
> +++ b/vzctl.spec
> @@ -1,5 +1,4 @@
> %define _initddir %_sysconfdir/init.d
> -%define _cronddir /usr/share/vzctl/cron
> %define _vzdir /vz
> %define _lockdir %{_vzdir}/lock
> %define _dumpdir %{_vzdir}/dump
> @@ -11,6 +10,7 @@
> %define _vpsconfdir %_sysconfdir/sysconfig/vz-scripts
> %define _netdir %_sysconfdir/sysconfig/network-scripts
> %define _logrdir %_sysconfdir/logrotate.d
> +%define _cronddir %{_confdir}/cron
> %define _distconfdir %{_confdir}/dists
> %define _namesdir %{_confdir}/names
> %define _distscriptdir %{_distconfdir}/scripts
> @@ -76,13 +76,13 @@ rm -rf $RPM_BUILD_ROOT
> %files
> %defattr(-,root,root)
> %attr(755,root,root) %{_initddir}/vz
> -%attr(644,root,root) %config(noreplace) %{_cronddir}/vz
> %ghost /etc/cron.d/vz
> %dir %attr(755,root,root) %{_lockdir}
> %dir %attr(755,root,root) %{_dumpdir}
> %dir %attr(755,root,root) %{_cachedir}
> %dir %attr(755,root,root) %{_veipdir}
> %dir %attr(755,root,root) %{_confdir}
> +%dir %attr(755,root,root) %{_cronddir}
> %dir %attr(755,root,root) %{_namesdir}
> %dir %attr(755,root,root) %{_vpsconfdir}
> %dir %attr(755,root,root) %{_distconfdir}
> @@ -128,6 +128,7 @@ rm -rf $RPM_BUILD_ROOT
>
> %config(noreplace) %{_confdir}/vz.conf
> %config(noreplace) %{_distconfdir}/*.conf
> +%attr(644,root,root) %config(noreplace) %{_cronddir}/vz
> %config %{_vpsconfdir}/ve-vps.basic.conf-sample
> %config %{_vpsconfdir}/ve-light.conf-sample

```

```
> %config %{_vpsconfdir}/0.conf
```

```
>
```

```
> -----
```

```
>
```
