
Subject: Getting ACPI Sleep Support working
Posted by [DigiMan](#) **on** Thu, 05 Apr 2007 17:07:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

I noticed that by default, the ACPI Sleep support is disabled in the 2.6.18 kernels downloadable from OpenVZ (as well as the Debian repository mentioned in http://wiki.openvz.org/Installation_on_Debian). I'm currently trying to get it working (I do a lot of testing on my laptop which is why I need ACPI Sleep). After downloading the source and running make menuconfig, I couldn't find the option for ACPI Sleep.
http://wiki.openvz.org/Kernel_configuration mentions this, but I couldn't find where to enable it. Under ACPI, I didn't find an option to turn on ACPI Sleep. Any ideas? Thanks for your help.

Subject: Re: Getting ACPI Sleep Support working
Posted by [Vasily Tarasov](#) **on** Fri, 06 Apr 2007 08:53:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

ACPI_SLEEP is enabled there it's possible in OpenVZ configs. Look, for example at http://download.openvz.org/kernel/branches/2.6.18/current/co_nfigs/kernel-2.6.18-i686.config.ovz - ACPI_SLEEP is enabled, but there is no ACPI_SLEEP in http://download.openvz.org/kernel/branches/2.6.18/current/co_nfigs/kernel-2.6.18-i686-smp.config.ovz

The thing is that ACPI_SLEEP depends on (X86 && (!SMP || SUSPEND_SMP)). So, ACPI_SLEEP is only possible on x86 architectures with UP.

HTH,
Vasily.

Subject: Re: Getting ACPI Sleep Support working
Posted by [DigiMan](#) **on** Tue, 10 Apr 2007 15:06:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

I tried your recommendation but it still doesn't work. Here's the relevant output. Any ideas?
Thanks for your help.

```
root@Kano:~$ grep -i ACPI /usr/src/linux-source-2.6.18/.config
# Power management options (ACPI, APM)
# ACPI (Advanced Configuration and Power Interface) Support
CONFIG_ACPI=y
```

```
CONFIG_ACPI_SLEEP=y
CONFIG_ACPI_SLEEP_PROC_FS=y
# CONFIG_ACPI_SLEEP_PROC_SLEEP is not set
CONFIG_ACPI_AC=m
CONFIG_ACPI_BATTERY=m
CONFIG_ACPI_BUTTON=m
CONFIG_ACPI_VIDEO=y
CONFIG_ACPI_HOTKEY=m
CONFIG_ACPI_FAN=m
# CONFIG_ACPI.Dock is not set
CONFIG_ACPI_PROCESSOR=m
CONFIG_ACPI_THERMAL=m
CONFIG_ACPI_ASUS=m
CONFIG_ACPI_IBM=m
# CONFIG_ACPI_IBM.Dock is not set
CONFIG_ACPI_TOSHIBA=m
CONFIG_ACPI_BLACKLIST_YEAR=0
# CONFIG_ACPI_DEBUG is not set
CONFIG_ACPI_EC=y
CONFIG_ACPI_POWER=y
CONFIG_ACPI_SYSTEM=y
# CONFIG_ACPI_CONTAINER is not set
# CONFIG_ACPI_SBS is not set
CONFIG_HOTPLUG_PCI_ACPI=m
# CONFIG_HOTPLUG_PCI_ACPI_IBM is not set
root@Kano:~$ grep -i smp /usr/src/linux-source-2.6.18/.config
CONFIG_BROKEN_ON_SMP=y
# CONFIG_SMP is not set
# CONFIG_X86_BIGSMP is not set
CONFIG_X86_FIND_SMP_CONFIG=y
```

Subject: Re: Getting ACPI Sleep Support working
Posted by [Vasily Tarasov](#) on Thu, 12 Apr 2007 12:26:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

Please, post the version of kernel you're trying to compile (complete OpenVZ version) and .config file you're using (with missing ACPI_SLEEP, as you say), and I'll tell you why ACPI_SLEEP is missing.

Thank you,
Vasily.

Subject: Re: Getting ACPI Sleep Support working
Posted by [DigiMan](#) on Thu, 12 Apr 2007 14:22:06 GMT

Thank you for your reply.

The kernel version is:

```
root@deb:# apt-cache policy linux-source-2.6.18
linux-source-2.6.18:
  Installed: 2.6.18.dfsg.1-12
  Candidate: 2.6.18.dfsg.1-12
```

Instead of uploading the entire .config, I diff'ed it with
<http://download.openvz.org/kernel/branches/2.6.18/current/configs/kernel-2.6.18-i686.config.ovz>
since they are basically the same:

```
diff .config kernel-2.6.18-i686.config.ovz

0a1
> # i386
3,4c4,5
< # Linux kernel version: 2.6.18-1-openvz
< # Tue Apr 10 11:36:20 2007
---
> # Linux kernel version: 2.6.18-028test017-ovz
> # Fri Feb 16 14:45:51 2007
664d664
< # CONFIG_BLK_DEV_JMICRON is not set
750d749
< # CONFIG_SCSI_ARCMSR is not set
930a930
> # CONFIG_DGRS is not set
1234d1233
< # CONFIG_SENSORS_F75375S is not set
1280a1280
> # CONFIG_USB_DABUSB is not set
1416a1417,1418
> # CONFIG_USB_EMI62 is not set
> # CONFIG_USB_EMI26 is not set
1573d1574
< # CONFIG_ASFS_FS is not set
1803a1805
> CONFIG_UBC_IO_PRIO=y
```

HTH. Feel free to tell me if you need anything else.

Subject: Re: Getting ACPI Sleep Support working
Posted by [Vasily Tarasov](#) on Fri, 13 Apr 2007 14:07:30 GMT

Hello,

this is PURE DEBIAN kernel, but not OpenVZ kernel! Please, tell us OpenVZ kernel version... And attach full config of _OpenVZ_ kernel.

Vasily

Subject: Re: Getting ACPI Sleep Support working
Posted by [DigiMan](#) **on Fri, 13 Apr 2007 18:00:40 GMT**

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I followed the steps highlighted in http://wiki.openvz.org/Installation_on_Debian for compiling your own kernel (http://wiki.openvz.org/Installation_on_Debian#or_build_your_own_kernel-image_.28debian_way.29):

```
user@Kano:~$ apt-cache policy kernel-package linux-source-2.6.18 kernel-patch-openvz
libncurses5-dev
kernel-package:
  Installed: 10.068
  Candidate: 10.068
  Version table:
*** 10.068 0
  500 http://ftp.debian.org unstable/main Packages
  200 http://ftp.debian.org testing/main Packages
  100 /var/lib/dpkg/status
linux-source-2.6.18:
  Installed: 2.6.18.dfsg.1-12
  Candidate: 2.6.18.dfsg.1-12
  Version table:
*** 2.6.18.dfsg.1-12 0
  500 http://ftp.debian.org unstable/main Packages
  200 http://ftp.debian.org testing/main Packages
  100 /var/lib/dpkg/status
kernel-patch-openvz:
  Installed: 028.18.1
  Candidate: 028.18.1
  Version table:
*** 028.18.1 0
  500 http://ftp.debian.org unstable/main Packages
  200 http://ftp.debian.org testing/main Packages
  100 /var/lib/dpkg/status
libncurses5-dev:
  Installed: 5.5-5
```

Candidate: 5.5-5

Version table:

*** 5.5-5 0

500 http://ftp.debian.org unstable/main Packages
200 http://ftp.debian.org testing/main Packages
100 /var/lib/dpkg/status

My .config is attached below:

```
#  
# Automatically generated make config: don't edit  
# Linux kernel version: 2.6.18-1-openvz  
# Fri Apr 13 16:29:12 2007  
  
#  
CONFIG_X86_32=y  
CONFIG_GENERIC_TIME=y  
CONFIG_LOCKDEP_SUPPORT=y  
CONFIG_STACKTRACE_SUPPORT=y  
CONFIG_SEMAPHORE_SLEEPERS=y  
CONFIG_X86=y  
CONFIG_MMU=y  
CONFIG_GENERIC_ISA_DMA=y  
CONFIG_GENERIC_IOMAP=y  
CONFIG_GENERIC_HWEIGHT=y  
CONFIG_ARCH_MAY_HAVE_PC_FDC=y  
CONFIG_DMI=y  
CONFIG_DEFCONFIG_LIST="/lib/modules/$UNAME_RELEASE/.config"  
  
#  
# Code maturity level options  
#  
CONFIG_EXPERIMENTAL=y  
CONFIG_BROKEN_ON_SMP=y  
CONFIG_INIT_ENV_ARG_LIMIT=32  
  
#  
# General setup  
#  
CONFIG_LOCALVERSION=""  
# CONFIG_LOCALVERSION_AUTO is not set  
CONFIG_SWAP=y  
CONFIG_SYSVIPC=y  
CONFIG_IPC_NS=y  
# CONFIG_POSIX_MQUEUE is not set  
# CONFIG_BSD_PROCESS_ACCT is not set  
# CONFIG_TASKSTATS is not set  
CONFIG_UTS_NS=y  
# CONFIG_AUDIT is not set
```

```
# CONFIG_IKCONFIG is not set
# CONFIG_RELAY is not set
CONFIG_INITRAMFS_SOURCE=""
# CONFIG_CC_OPTIMIZE_FOR_SIZE is not set
# CONFIG_EMBEDDED is not set
CONFIG_UID16=y
CONFIG_TASK_IO_ACCOUNTING=y
CONFIG_SYSCTL=y
CONFIG_KALLSYMS=y
# CONFIG_KALLSYMS_ALL is not set
# CONFIG_KALLSYMS_EXTRA_PASS is not set
CONFIG_HOTPLUG=y
CONFIG_PRINTK=y
CONFIG_BUG=y
CONFIG_ELF_CORE=y
CONFIG_BASE_FULL=y
CONFIG_FUTEX=y
CONFIG_EPOLL=y
CONFIG_SHMEM=y
CONFIG_SLAB=y
CONFIG_VM_EVENT_COUNTERS=y
CONFIG_RT_MUTEXES=y
# CONFIG_TINY_SHMEM is not set
CONFIG_BASE_SMALL=0
# CONFIG_SLOB is not set

#
# Loadable module support
#
CONFIG_MODULES=y
CONFIG_MODULE_UNLOAD=y
# CONFIG_MODULE_FORCE_UNLOAD is not set
# CONFIG_MODVERSIONS is not set
# CONFIG_MODULE_SRCVERSION_ALL is not set
CONFIG_KMOD=y

#
# Block layer
#
CONFIG_LBD=y
# CONFIG_BLK_DEV_IO_TRACE is not set
# CONFIG_LSF is not set

#
# IO Schedulers
#
CONFIG_IOSCHED_NOOP=y
CONFIG_IOSCHED_AS=y
```

```
CONFIG_IOSCHED_DEADLINE=y
CONFIG_IOSCHED_CFQ=y
# CONFIG_DEFAULT_AS is not set
# CONFIG_DEFAULT_DEADLINE is not set
CONFIG_DEFAULT_CFQ=y
# CONFIG_DEFAULT_NOOP is not set
CONFIG_DEFAULT_IOSCHED="cfq"

#
# Processor type and features
#
# CONFIG_SMP is not set
CONFIG_X86_PC=y
# CONFIG_X86_ELAN is not set
# CONFIG_X86_VOYAGER is not set
# CONFIG_X86_NUMAQ is not set
# CONFIG_X86_SUMMIT is not set
# CONFIG_X86_BIGSMP is not set
# CONFIG_X86_VISWS is not set
# CONFIG_X86_GENERICARCH is not set
# CONFIG_X86_ES7000 is not set
# CONFIG_M386 is not set
# CONFIG_M486 is not set
# CONFIG_M586 is not set
# CONFIG_M586TSC is not set
# CONFIG_M586MMX is not set
CONFIG_M686=y
# CONFIG_MPENTIUMII is not set
# CONFIG_MPENTIUMIII is not set
# CONFIG_MPENTIUMM is not set
# CONFIG_MPENTIUM4 is not set
# CONFIG_MK6 is not set
# CONFIG_MK7 is not set
# CONFIG_MK8 is not set
# CONFIG_MCRUSOE is not set
# CONFIG_MEFFICEON is not set
# CONFIG_MWINCHIPC6 is not set
# CONFIG_MWINCHIP2 is not set
# CONFIG_MWINCHIP3D is not set
# CONFIG_MGEODEGX1 is not set
# CONFIG_MGEODE_LX is not set
# CONFIG_MCYRIXIII is not set
# CONFIG_MVIAC3_2 is not set
# CONFIG_X86_GENERIC is not set
CONFIG_X86_CMPXCHG=y
CONFIG_X86_XADD=y
CONFIG_X86_L1_CACHE_SHIFT=5
CONFIG_RWSEM_XCHGADD_ALGORITHM=y
```

```
CONFIG_GENERIC_CALIBRATE_DELAY=y
CONFIG_X86_PPRO_FENCE=y
CONFIG_X86_WP_WORKS_OK=y
CONFIG_X86_INVLPG=y
CONFIG_X86_BSWAP=y
CONFIG_X86_POPAD_OK=y
CONFIG_X86_CMPXCHG64=y
CONFIG_X86_GOOD_APIC=y
CONFIG_X86_USE_PPRO_CHECKSUM=y
CONFIG_X86_TSC=y
CONFIG_HPET_TIMER=y
CONFIG_HPET_EMULATE_RTC=y
CONFIG_SCHED_VCPU=y
CONFIG_FAIRSCHED=y
CONFIG_PREEMPT_NONE=y
# CONFIG_PREEMPT_VOLUNTARY is not set
# CONFIG_PREEMPT is not set
CONFIG_X86_UP_APIC=y
CONFIG_X86_UP_IOAPIC=y
CONFIG_X86_LOCAL_APIC=y
CONFIG_X86_IO_APIC=y
CONFIG_NMI_WATCHDOG=y
CONFIG_X86_MCE=y
# CONFIG_X86_MCE_NONFATAL is not set
CONFIG_X86_MCE_P4THERMAL=y
CONFIG_VM86=y
# CONFIG_TOSHIBA is not set
# CONFIG_I8K is not set
# CONFIG_X86_REBOOTFIXUPS is not set
CONFIG_MICROCODE=m
CONFIG_X86 MSR=y
# CONFIG_X86_CPUID is not set

#
# Firmware Drivers
#
# CONFIG_EDD is not set
CONFIG_DELL_RBU=m
CONFIG_DCDBAS=m
# CONFIG_NOHIGHMEM is not set
CONFIG_HIGHMEM4G=y
# CONFIG_HIGHMEM64G is not set
CONFIG_PAGE_OFFSET=0xC0000000
CONFIG_HIGHMEM=y
CONFIG_ARCH_FLATMEM_ENABLE=y
CONFIG_ARCH_SPARSEMEM_ENABLE=y
CONFIG_ARCH_SELECT_MEMORY_MODEL=y
CONFIG_SELECT_MEMORY_MODEL=y
```

```
CONFIG_FLATMEM_MANUAL=y
# CONFIG_DISCONTIGMEM_MANUAL is not set
# CONFIG_SPARSEMEM_MANUAL is not set
CONFIG_FLATMEM=y
CONFIG_FLAT_NODE_MEM_MAP=y
CONFIG_SPARSEMEM_STATIC=y
CONFIG_SPLIT_PTLOCK_CPUS=4
# CONFIG_RESOURCES_64BIT is not set
CONFIG_HIGHPTE=y
# CONFIG_MATH_EMULATION is not set
CONFIG_MTRR=y
# CONFIG_EFI is not set
# CONFIG_REGPARM is not set
# CONFIG_SECCOMP is not set
# CONFIG_HZ_100 is not set
# CONFIG_HZ_250 is not set
CONFIG_HZ_1000=y
CONFIG_HZ=1000
# CONFIG_KEXEC is not set
# CONFIG_CRASH_DUMP is not set
CONFIG_PHYSICAL_START=0x100000
CONFIG_COMPAT_VDSO=y
CONFIG_ARCH_ENABLE_MEMORY_HOTPLUG=y

#
# Power management options (ACPI, APM)
#
CONFIG_PM=y
CONFIG_PM_LEGACY=y
# CONFIG_PM_DEBUG is not set
CONFIG_SOFTWARE_SUSPEND=y
CONFIG_PM_STD_PARTITION=""

#
# ACPI (Advanced Configuration and Power Interface) Support
#
CONFIG_ACPI=y
CONFIG_ACPI_SLEEP=y
CONFIG_ACPI_SLEEP_PROC_FS=y
# CONFIG_ACPI_SLEEP_PROC_SLEEP is not set
CONFIG_ACPI_AC=m
CONFIG_ACPI_BATTERY=m
CONFIG_ACPI_BUTTON=m
CONFIG_ACPI_VIDEO=y
CONFIG_ACPI_HOTKEY=m
CONFIG_ACPI_FAN=m
# CONFIG_ACPI.Dock is not set
CONFIG_ACPI_PROCESSOR=m
```

```
CONFIG_ACPI_THERMAL=m
CONFIG_ACPI_ASUS=m
CONFIG_ACPI_IBM=m
# CONFIG_ACPI_IBM.Dock is not set
CONFIG_ACPI_TOSHIBA=m
CONFIG_ACPI_BLACKLIST_YEAR=0
# CONFIG_ACPI_DEBUG is not set
CONFIG_ACPI_EC=y
CONFIG_ACPI_POWER=y
CONFIG_ACPI_SYSTEM=y
CONFIG_X86_PM_TIMER=y
# CONFIG_ACPI_CONTAINER is not set
# CONFIG_ACPI_SBS is not set

#
# APM (Advanced Power Management) BIOS Support
#
# CONFIG_APM is not set

#
# CPU Frequency scaling
#
# CONFIG_CPU_FREQ is not set

#
# Bus options (PCI, PCMCIA, EISA, MCA, ISA)
#
CONFIG_PCI=y
# CONFIG_PCI_GOBIOS is not set
# CONFIG_PCI_GOMMCONFIG is not set
# CONFIG_PCI_GODIRECT is not set
CONFIG_PCI_GOANY=y
CONFIG_PCI_BIOS=y
CONFIG_PCI_DIRECT=y
CONFIG_PCI_MMCONFIG=y
# CONFIG_PCIEPORTBUS is not set
# CONFIG_PCI_MSI is not set
# CONFIG_PCI_DEBUG is not set
CONFIG_ISA_DMA_API=y
CONFIG_ISA=y
# CONFIG_EISA is not set
# CONFIG_MCA is not set
# CONFIG_SCx200 is not set

#
# PCCARD (PCMCIA/CardBus) support
#
# CONFIG_PCCARD is not set
```

```
#  
# PCI Hotplug Support  
#  
CONFIG_HOTPLUG_PCI=y  
# CONFIG_HOTPLUG_PCI_FAKE is not set  
CONFIG_HOTPLUG_PCI_COMPAQ=m  
# CONFIG_HOTPLUG_PCI_COMPAQ_NVRAM is not set  
CONFIG_HOTPLUG_PCI_IBM=m  
CONFIG_HOTPLUG_PCI_ACPI=m  
# CONFIG_HOTPLUG_PCI_ACPI_IBM is not set  
# CONFIG_HOTPLUG_PCI_CPCI is not set  
CONFIG_HOTPLUG_PCI_SHPC=m  
# CONFIG_HOTPLUG_PCI_SHPC_POLL_EVENT_MODE is not set  
  
#  
# Executable file formats  
#  
CONFIG_BINFMT_ELF=y  
CONFIG_BINFMT_AOUT=m  
# CONFIG_BINFMT_MISC is not set  
  
#  
# Networking  
#  
CONFIG_NET=y  
  
#  
# Networking options  
#  
# CONFIG_NETDEBUG is not set  
CONFIG_PACKET=m  
CONFIG_PACKET_MMAP=y  
CONFIG_UNIX=y  
CONFIG_XFRM=y  
# CONFIG_XFRM_USER is not set  
# CONFIG_NET_KEY is not set  
CONFIG_INET=y  
# CONFIG_IP_MULTICAST is not set  
CONFIG_IP_ADVANCED_ROUTER=y  
CONFIG_ASK_IP_FIB_HASH=y  
# CONFIG_IP_FIB_TRIE is not set  
CONFIG_IP_FIB_HASH=y  
CONFIG_IP_MULTIPLE_TABLES=y  
CONFIG_IP_ROUTE_FWMARK=y  
CONFIG_IP_ROUTE_MULTIPATH=y  
# CONFIG_IP_ROUTE_MULTIPATH_CACHED is not set  
CONFIG_IP_ROUTE_VERBOSE=y
```

```
# CONFIG_IP_PNP is not set
CONFIG_NET_IPIP=m
CONFIG_NET_IPGRE=m
# CONFIG_ARPD is not set
CONFIG_SYN_COOKIES=y
# CONFIG_INET_AH is not set
# CONFIG_INET_ESP is not set
# CONFIG_INET_IPCOMP is not set
# CONFIG_INET_XFRM_TUNNEL is not set
CONFIG_INET_TUNNEL=m
CONFIG_INET_XFRM_MODE_TRANSPORT=y
CONFIG_INET_XFRM_MODE_TUNNEL=y
CONFIG_INET_DIAG=y
CONFIG_INET_TCP_DIAG=y
# CONFIG_TCP_CONG_ADVANCED is not set
CONFIG_TCP_CONG_BIC=y

#
# IP: Virtual Server Configuration
#
# CONFIG_IP_VS is not set
CONFIG_IPV6=y
# CONFIG_IPV6_PRIVACY is not set
# CONFIG_IPV6_ROUTER_PREF is not set
# CONFIG_INET6_AH is not set
# CONFIG_INET6_ESP is not set
# CONFIG_INET6_IPCOMP is not set
# CONFIG_INET6_XFRM_TUNNEL is not set
# CONFIG_INET6_TUNNEL is not set
CONFIG_INET6_XFRM_MODE_TRANSPORT=y
CONFIG_INET6_XFRM_MODE_TUNNEL=y
# CONFIG_IPV6_TUNNEL is not set
# CONFIG_NETWORK_SECMARK is not set
CONFIG_NETFILTER=y
# CONFIG_NETFILTER_DEBUG is not set
# CONFIG_BRIDGE_NETFILTER is not set

#
# Core Netfilter Configuration
#
# CONFIG_NETFILTER_NETLINK is not set
CONFIG_NETFILTER_XTABLES=m
CONFIG_NETFILTER_XT_TARGET_CLASSIFY=m
CONFIG_NETFILTER_XT_TARGET_MARK=m
# CONFIG_NETFILTER_XT_TARGET_NFQUEUE is not set
# CONFIG_NETFILTER_XT_MATCH_COMMENT is not set
CONFIG_NETFILTER_XT_MATCH_CONNTRACK=m
# CONFIG_NETFILTER_XT_MATCH_DCCP is not set
```

```
# CONFIG_NETFILTER_XT_MATCH_ESP is not set
CONFIG_NETFILTER_XT_MATCH_HELPER=m
CONFIG_NETFILTER_XT_MATCH_LENGTH=m
CONFIG_NETFILTER_XT_MATCH_LIMIT=m
CONFIG_NETFILTER_XT_MATCH_MAC=m
CONFIG_NETFILTER_XT_MATCH_MARK=m
# CONFIG_NETFILTER_XT_MATCH_POLICY is not set
CONFIG_NETFILTER_XT_MATCH_MULTIPORT=m
# CONFIG_NETFILTER_XT_MATCH_PKTTYPE is not set
# CONFIG_NETFILTER_XT_MATCH_QUOTA is not set
# CONFIG_NETFILTER_XT_MATCH_REALM is not set
# CONFIG_NETFILTER_XT_MATCH_SCTP is not set
CONFIG_NETFILTER_XT_MATCH_STATE=m
# CONFIG_NETFILTER_XT_MATCH_STATISTIC is not set
# CONFIG_NETFILTER_XT_MATCH_STRING is not set
CONFIG_NETFILTER_XT_MATCH_TCPMSS=m
```

```
#
# IP: Netfilter Configuration
#
CONFIG_IP_NF_CONNTRACK=m
# CONFIG_IP_NF_CT_ACCT is not set
# CONFIG_IP_NF_CONNTRACK_MARK is not set
# CONFIG_IP_NF_CONNTRACK_EVENTS is not set
# CONFIG_IP_NF_CT_PROTO_SCTP is not set
CONFIG_IP_NF_FTP=m
CONFIG_IP_NF_IRC=m
# CONFIG_IP_NF_NETBIOS_NS is not set
CONFIG_IP_NF_TFTP=m
CONFIG_IP_NF_AMANDA=m
# CONFIG_IP_NF_PPTP is not set
# CONFIG_IP_NF_H323 is not set
# CONFIG_IP_NF_SIP is not set
# CONFIG_IP_NF_QUEUE is not set
CONFIG_IP_NF_IPTABLES=m
CONFIG_IP_NF_MATCH_IPRANGE=m
CONFIG_IP_NF_MATCH_TOS=m
CONFIG_IP_NF_MATCH_RECENT=m
# CONFIG_IP_NF_MATCH_ECN is not set
# CONFIG_IP_NF_MATCH_DSCP is not set
# CONFIG_IP_NF_MATCH_AH is not set
CONFIG_IP_NF_MATCH_TTL=m
# CONFIG_IP_NF_MATCH_OWNER is not set
# CONFIG_IP_NF_MATCH_ADDRTYPE is not set
# CONFIG_IP_NF_MATCH_HASHLIMIT is not set
CONFIG_IP_NF_FILTER=m
CONFIG_IP_NF_TARGET_REJECT=m
CONFIG_IP_NF_TARGET_LOG=m
```

```

# CONFIG_IP_NF_TARGET_ULOGL is not set
CONFIG_IP_NF_TARGET_TCPMSS=m
CONFIG_IP_NF_NAT=m
CONFIG_IP_NF_NAT_NEEDED=y
CONFIG_IP_NF_TARGET_MASQUERADE=m
CONFIG_IP_NF_TARGET_REDIRECT=m
CONFIG_IP_NF_TARGET_NETMAP=m
CONFIG_IP_NF_TARGET_SAME=m
# CONFIG_IP_NF_NAT_SNMP_BASIC is not set
CONFIG_IP_NF_NAT_IRC=m
CONFIG_IP_NF_NAT_FTP=m
CONFIG_IP_NF_NAT_TFTP=m
CONFIG_IP_NF_NAT_AMANDA=m
CONFIG_IP_NF_MANGLE=m
CONFIG_IP_NF_TARGET_TOS=m
# CONFIG_IP_NF_TARGET_ECN is not set
# CONFIG_IP_NF_TARGET_DSCP is not set
CONFIG_IP_NF_TARGET_TTL=m
# CONFIG_IP_NF_RAW is not set
# CONFIG_IP_NF_ARPTABLES is not set

#
# IPv6: Netfilter Configuration (EXPERIMENTAL)
#
# CONFIG_IP6_NF_QUEUE is not set
CONFIG_IP6_NF_IPTABLES=m
CONFIG_IP6_NF_MATCH_RT=m
CONFIG_IP6_NF_MATCH_OPTS=m
CONFIG_IP6_NF_MATCH_FRAG=m
CONFIG_IP6_NF_MATCH_HL=m
CONFIG_IP6_NF_MATCH_OWNER=m
CONFIG_IP6_NF_MATCH_IPV6HEADER=m
# CONFIG_IP6_NF_MATCH_AH is not set
CONFIG_IP6_NF_MATCH_EUI64=m
CONFIG_IP6_NF_FILTER=m
CONFIG_IP6_NF_TARGET_LOG=m
CONFIG_IP6_NF_TARGET_REJECT=m
CONFIG_IP6_NF_MANGLE=m
CONFIG_IP6_NF_TARGET_HL=m
# CONFIG_IP6_NF_RAW is not set

#
# Bridge: Netfilter Configuration
#
# CONFIG_BRIDGE_NF_EBTABLES is not set

#
# DCCP Configuration (EXPERIMENTAL)

```

```
#  
# CONFIG_IP_DCCP is not set  
  
#  
# SCTP Configuration (EXPERIMENTAL)  
#  
# CONFIG_IP_SCTP is not set  
  
#  
# TIPC Configuration (EXPERIMENTAL)  
#  
# CONFIG_TIPC is not set  
# CONFIG_ATM is not set  
CONFIG_BRIDGE=m  
CONFIG_VLAN_8021Q=m  
# CONFIG_DECNET is not set  
CONFIG_LLC=m  
# CONFIG_LLC2 is not set  
# CONFIG_IPX is not set  
# CONFIG_ATALK is not set  
# CONFIG_X25 is not set  
# CONFIG_LAPB is not set  
# CONFIG_ECONET is not set  
# CONFIG_WAN_ROUTER is not set  
  
#  
# QoS and/or fair queueing  
#  
CONFIG_NET_SCHED=y  
CONFIG_NET_SCH_CLK_JIFFIES=y  
# CONFIG_NET_SCH_CLK_GETTIMEofday is not set  
# CONFIG_NET_SCH_CLK_CPU is not set  
  
#  
# Queueing/Scheduling  
#  
CONFIG_NET_SCH_CBQ=m  
CONFIG_NET_SCH_HTB=m  
# CONFIG_NET_SCH_HFSC is not set  
CONFIG_NET_SCH_PRIO=m  
CONFIG_NET_SCH_RED=m  
CONFIG_NET_SCH_SFQ=m  
CONFIG_NET_SCH_TEQL=m  
CONFIG_NET_SCH_TBF=m  
CONFIG_NET_SCH_GRED=m  
CONFIG_NET_SCH_DSMARK=m  
# CONFIG_NET_SCH_NETEM is not set  
CONFIG_NET_SCH_INGRESS=m
```

```
#  
# Classification  
#  
CONFIG_NET_CLS=y  
# CONFIG_NET_CLS_BASIC is not set  
CONFIG_NET_CLS_TCINDEX=m  
CONFIG_NET_CLS_ROUTE4=m  
CONFIG_NET_CLS_ROUTE=y  
CONFIG_NET_CLS_FW=m  
CONFIG_NET_CLS_U32=m  
# CONFIG_CLS_U32_PERF is not set  
# CONFIG_CLS_U32_MARK is not set  
# CONFIG_NET_CLS_RSVP is not set  
# CONFIG_NET_CLS_RSVP6 is not set  
# CONFIG_NET_EMATCH is not set  
# CONFIG_NET_CLS_ACT is not set  
CONFIG_NET_CLS_POLICE=y  
# CONFIG_NET_CLS_IND is not set  
CONFIG_NET_ESTIMATOR=y  
  
#  
# Network testing  
#  
# CONFIG_NET_PKTGEN is not set  
# CONFIG_HAMRADIO is not set  
# CONFIG_IRDA is not set  
# CONFIG_BT is not set  
# CONFIG_IEEE80211 is not set  
  
#  
# Device Drivers  
#  
  
#  
# Generic Driver Options  
#  
CONFIG_STANDALONE=y  
CONFIG_PREVENT_FIRMWARE_BUILD=y  
CONFIG_FW_LOADER=y  
# CONFIG_DEBUG_DRIVER is not set  
# CONFIG_SYS_HYPERVISOR is not set  
  
#  
# Connector - unified userspace <-> kernelspace linker  
#  
# CONFIG_CONNECTOR is not set
```

```
#  
# Memory Technology Devices (MTD)  
#  
# CONFIG_MTD is not set  
  
#  
# Parallel port support  
#  
CONFIG_PARPORT=m  
CONFIG_PARPORT_PC=m  
# CONFIG_PARPORT_SERIAL is not set  
CONFIG_PARPORT_PC_FIFO=y  
# CONFIG_PARPORT_PC_SUPERIO is not set  
# CONFIG_PARPORT_GSC is not set  
# CONFIG_PARPORT_AX88796 is not set  
# CONFIG_PARPORT_1284 is not set  
  
#  
# Plug and Play support  
#  
# CONFIG_PNP is not set  
  
#  
# Block devices  
#  
CONFIG_BLK_DEV_FD=m  
# CONFIG_BLK_DEV_XD is not set  
# CONFIG_PARIDE is not set  
CONFIG_BLK_CPQ_DA=y  
CONFIG_BLK_CPQ_CISS_DA=y  
# CONFIG_CISS_SCSI_TAPE is not set  
CONFIG_BLK_DEV_DAC960=y  
# CONFIG_BLK_DEV_UMEM is not set  
# CONFIG_BLK_DEV_COW_COMMON is not set  
CONFIG_BLK_DEV_LOOP=m  
# CONFIG_BLK_DEV_CRYPTOLOOP is not set  
# CONFIG_BLK_DEV_NBD is not set  
CONFIG_BLK_DEV_SX8=y  
# CONFIG_BLK_DEV_UB is not set  
CONFIG_BLK_DEV_RAM=y  
CONFIG_BLK_DEV_RAM_COUNT=16  
CONFIG_BLK_DEV_RAM_SIZE=16384  
CONFIG_BLK_DEV_RAM_BLOCKSIZE=1024  
CONFIG_BLK_DEV_INITRD=y  
# CONFIG_CDROM_PKTCDVD is not set  
CONFIG_BLK_DEV_DRBD=m  
CONFIG ATA_OVER_ETH=m
```

```
#  
# ATA/ATAPI/MFM/RLL support  
#  
CONFIG_IDE=y  
CONFIG_BLK_DEV_IDE=y  
  
#  
# Please see Documentation/ide.txt for help/info on IDE drives  
#  
# CONFIG_BLK_DEV_IDE_SATA is not set  
# CONFIG_BLK_DEV_HD_IDE is not set  
CONFIG_BLK_DEV_IDEDISK=y  
# CONFIG_IDEDISK_MULTI_MODE is not set  
CONFIG_BLK_DEV_IDECD=m  
# CONFIG_BLK_DEV_IDETAPE is not set  
CONFIG_BLK_DEV_IDEFLOPPY=m  
CONFIG_BLK_DEV_IDESCSI=m  
# CONFIG_IDE_TASK_IOCTL is not set  
  
#  
# IDE chipset support/bugfixes  
#  
CONFIG_IDE_GENERIC=y  
CONFIG_BLK_DEV_CMD640=y  
# CONFIG_BLK_DEV_CMD640_ENHANCED is not set  
CONFIG_BLK_DEV_IDEPCI=y  
CONFIG_IDEPCI_SHARE_IRQ=y  
# CONFIG_BLK_DEV_OFFBOARD is not set  
CONFIG_BLK_DEV_GENERIC=y  
# CONFIG_BLK_DEV_OPTI621 is not set  
CONFIG_BLK_DEV_RZ1000=y  
CONFIG_BLK_DEV_IDEDMA_PCI=y  
# CONFIG_BLK_DEV_IDEDMA_FORCED is not set  
CONFIG_IDEDMA_PCI_AUTO=y  
# CONFIG_IDEDMA_ONLYDISK is not set  
# CONFIG_BLK_DEV_AEC62XX is not set  
# CONFIG_BLK_DEV_ALI15X3 is not set  
CONFIG_BLK_DEV_AMD74XX=y  
# CONFIG_BLK_DEV_ATIIXP is not set  
CONFIG_BLK_DEV_CMD64X=y  
# CONFIG_BLK_DEV_TRIFLEX is not set  
# CONFIG_BLK_DEV_CY82C693 is not set  
# CONFIG_BLK_DEV_CS5520 is not set  
# CONFIG_BLK_DEV_CS5530 is not set  
# CONFIG_BLK_DEV_CS5535 is not set  
CONFIG_BLK_DEV_HPT34X=y  
# CONFIG_HPT34X_AUTODMA is not set  
CONFIG_BLK_DEV_HPT366=y
```

```
# CONFIG_BLK_DEV_JMICRON is not set
# CONFIG_BLK_DEV_SC1200 is not set
CONFIG_BLK_DEV_PIIX=y
# CONFIG_BLK_DEV_IT821X is not set
# CONFIG_BLK_DEV_NS87415 is not set
CONFIG_BLK_DEV_PDC202XX_OLD=y
CONFIG_PDC202XX_BURST=y
CONFIG_BLK_DEV_PDC202XX_NEW=y
CONFIG_BLK_DEV_SVWKS=y
CONFIG_BLK_DEV_SIIMAGE=y
CONFIG_BLK_DEV_SIS5513=y
# CONFIG_BLK_DEV_SLC90E66 is not set
# CONFIG_BLK_DEV_TRM290 is not set
CONFIG_BLK_DEV_VIA82CXXX=y
# CONFIG_IDE_ARM is not set
# CONFIG_IDE_CHIPSETS is not set
CONFIG_BLK_DEV_IDEDMA=y
# CONFIG_IDEDMA_IVB is not set
CONFIG_IDEDMA_AUTO=y
# CONFIG_BLK_DEV_HD is not set

#
# SCSI device support
#
# CONFIG_RAID_ATTRS is not set
CONFIG_SCSI=y
CONFIG_SCSI_PROC_FS=y

#
# SCSI support type (disk, tape, CD-ROM)
#
CONFIG_BLK_DEV_SD=y
CONFIG_CHR_DEV_ST=m
# CONFIG_CHR_DEV_OSST is not set
CONFIG_BLK_DEV_SR=m
# CONFIG_BLK_DEV_SR_VENDOR is not set
CONFIG_CHR_DEV_SG=m
# CONFIG_CHR_DEV_SCH is not set

#
# Some SCSI devices (e.g. CD jukebox) support multiple LUNs
#
# CONFIG_SCSI_MULTI_LUN is not set
CONFIG_SCSI_CONSTANTS=y
CONFIG_SCSI_LOGGING=y

#
# SCSI Transport
```

```
#  
CONFIG_SCSI_SPI_ATTRS=y  
CONFIG_SCSI_FC_ATTRS=y  
CONFIG_SCSI_ISCSI_ATTRS=y  
CONFIG_SCSI_SAS_ATTRS=y  
CONFIG_SCSI_SAS_LIBSAS=y  
# CONFIG_SCSI_SAS_LIBSAS_DEBUG is not set  
  
#  
# SCSI low-level drivers  
#  
CONFIG_ISCSI_TCP=m  
CONFIG_BLK_DEV_3W_XXXX_RAID=y  
CONFIG_SCSI_3W_9XXX=y  
# CONFIG_SCSI_7000FASST is not set  
# CONFIG_SCSI_ACARD is not set  
# CONFIG_SCSI_AHA152X is not set  
# CONFIG_SCSI_AHA1542 is not set  
CONFIG_SCSI_AACRAID=y  
CONFIG_SCSI_AIC7XXX=y  
CONFIG_AIC7XXX_CMDS_PER_DEVICE=32  
CONFIG_AIC7XXX_RESET_DELAY_MS=15000  
# CONFIG_AIC7XXX_DEBUG_ENABLE is not set  
CONFIG_AIC7XXX_DEBUG_MASK=0  
# CONFIG_AIC7XXX_REG_PRETTY_PRINT is not set  
# CONFIG_SCSI_AIC7XXX_OLD is not set  
CONFIG_SCSI_AIC79XX=y  
CONFIG_AIC79XX_CMDS_PER_DEVICE=32  
CONFIG_AIC79XX_RESET_DELAY_MS=15000  
CONFIG_AIC79XX_ENABLE_RD_STRM=y  
# CONFIG_AIC79XX_DEBUG_ENABLE is not set  
CONFIG_AIC79XX_DEBUG_MASK=0  
# CONFIG_AIC79XX_REG_PRETTY_PRINT is not set  
CONFIG_SCSI_AIC94XX=m  
CONFIG_AIC94XX_DEBUG=y  
# CONFIG_SCSI_DPT_I2O is not set  
# CONFIG_SCSI_ADVANSYS is not set  
# CONFIG_SCSI_IN2000 is not set  
# CONFIG_SCSI_ARCMSR is not set  
CONFIG_MEGARAID_NEWGEN=y  
CONFIG_MEGARAID_MM=y  
CONFIG_MEGARAID_MAILBOX=y  
# CONFIG_MEGARAID_LEGACY is not set  
CONFIG_MEGARAID_SAS=y  
CONFIG_SCSI_SATA=y  
CONFIG_SCSI_SATA_AHCI=y  
CONFIG_SCSI_SATA_SVW=y  
CONFIG_SCSI_ATA_PIIIX=y
```

```
CONFIG_SCSI_SATA_MV=y
CONFIG_SCSI_SATA_NV=y
# CONFIG_SCSI_PDC_ADMA is not set
# CONFIG_SCSI_HPTIOP is not set
# CONFIG_SCSI_SATA_QSTOR is not set
CONFIG_SCSI_SATA_PROMISE=y
CONFIG_SCSI_SATA_SX4=y
CONFIG_SCSI_SATA_SIL=y
CONFIG_SCSI_SATA_SIL24=y
CONFIG_SCSI_SATA_SIS=y
# CONFIG_SCSI_SATA_ULI is not set
CONFIG_SCSI_SATA_VIA=y
CONFIG_SCSI_SATA_VITESSE=y
CONFIG_SCSI_SATA_INTEL_COMBINED=y
CONFIG_SCSI_BUSLOGIC=y
# CONFIG_SCSI OMIT_FLASHPOINT is not set
# CONFIG_SCSI_DMX3191D is not set
# CONFIG_SCSI_DTC3280 is not set
# CONFIG_SCSI_EATA is not set
# CONFIG_SCSI_FUTURE_DOMAIN is not set
CONFIG_SCSI_GDTH=y
# CONFIG_SCSI_GENERIC_NCR5380 is not set
# CONFIG_SCSI_GENERIC_NCR5380_MMIO is not set
CONFIG_SCSI_IPS=y
# CONFIG_SCSI_INITIO is not set
# CONFIG_SCSI_INIA100 is not set
# CONFIG_SCSI_PPA is not set
# CONFIG_SCSI_IMM is not set
# CONFIG_SCSI_NCR53C406A is not set
CONFIG_SCSI_SYM53C8XX_2=y
CONFIG_SCSI_SYM53C8XX_DMA_ADDRESSING_MODE=1
CONFIG_SCSI_SYM53C8XX_DEFAULT_TAGS=16
CONFIG_SCSI_SYM53C8XX_MAX_TAGS=64
CONFIG_SCSI_SYM53C8XX_MMIO=y
# CONFIG_SCSI_IPR is not set
# CONFIG_SCSI_PAS16 is not set
# CONFIG_SCSI_PSI240I is not set
# CONFIG_SCSI_QLOGIC_FAS is not set
# CONFIG_SCSI_QLOGIC_1280 is not set
CONFIG_SCSI_QUA_FC=y
CONFIG_SCSI_LPFC=y
# CONFIG_SCSI_SYM53C416 is not set
# CONFIG_SCSI_DC395x is not set
# CONFIG_SCSI_DC390T is not set
# CONFIG_SCSI_T128 is not set
# CONFIG_SCSI_U14_34F is not set
# CONFIG_SCSI_ULTRASTOR is not set
# CONFIG_SCSI_NSP32 is not set
```

```
# CONFIG_SCSI_DEBUG is not set

#
# Old CD-ROM drivers (not SCSI, not IDE)
#
# CONFIG_CD_NO_IDESCSI is not set

#
# Multi-device support (RAID and LVM)
#
CONFIG_MD=y
CONFIG_BLK_DEV_MD=y
CONFIG_MD_LINEAR=y
CONFIG_MD_RAID0=y
CONFIG_MD_RAID1=y
CONFIG_MD_RAID10=y
CONFIG_MD_RAID456=y
# CONFIG_MD_RAID5_RESHAPE is not set
CONFIG_MD_MULTIPATH=y
# CONFIG_MD_FAULTY is not set
CONFIG_BLK_DEV_DM=y
CONFIG_DM_CRYPT=y
CONFIG_DM_SNAPSHOT=y
CONFIG_DM_MIRROR=y
CONFIG_DM_ZERO=y
CONFIG_DM_MULTIPATH=y
CONFIG_DM_MULTIPATH_EMCA=y

#
# Fusion MPT device support
#
CONFIG_FUSION=y
CONFIG_FUSION_SPI=m
CONFIG_FUSION_FC=m
CONFIG_FUSION_SAS=m
CONFIG_FUSION_MAX_SGE=128
CONFIG_FUSION_CTL=m
CONFIG_FUSION_LAN=m

#
# IEEE 1394 (FireWire) support
#
# CONFIG_IEEE1394 is not set

#
# I2O device support
#
CONFIG_I2O=m
```

```
CONFIG_I2O_LCT_NOTIFY_ON_CHANGES=y
CONFIG_I2O_EXT_ADAPTER=y
CONFIG_I2O_CONFIG=m
CONFIG_I2O_CONFIG_OLD_IOCTL=y
# CONFIG_I2O_BUS is not set
CONFIG_I2O_BLOCK=m
CONFIG_I2O_SCSI=m
CONFIG_I2O_PROC=m

#
# Network device support
#
CONFIG_NETDEVICES=y
CONFIG_DUMMY=m
CONFIG_BONDING=m
# CONFIG_EQUALIZER is not set
CONFIG_TUN=m

#
# ARCnet devices
#
# CONFIG_ARCNET is not set

#
# PHY device support
#
# CONFIG_PHYLIB is not set

#
# Ethernet (10 or 100Mbit)
#
CONFIG_NET_ETHERNET=y
CONFIG_MII=m
# CONFIG_HAPPYMEAL is not set
# CONFIG_SUNGEM is not set
# CONFIG_CASSINI is not set
CONFIG_NET_VENDOR_3COM=y
# CONFIG_EL1 is not set
# CONFIG_EL2 is not set
# CONFIG_ELPLUS is not set
# CONFIG_EL16 is not set
# CONFIG_EL3 is not set
# CONFIG_3C515 is not set
CONFIG_VORTEX=m
# CONFIG_TYPHOON is not set
# CONFIG_LANCE is not set
# CONFIG_NET_VENDOR_SMC is not set
# CONFIG_NET_VENDOR_RACAL is not set
```

```
#  
# Tulip family network device support  
#  
CONFIG_NET_TULIP=y  
# CONFIG_DE2104X is not set  
CONFIG_TULIP=m  
# CONFIG_TULIP_MWI is not set  
# CONFIG_TULIP_MMIO is not set  
# CONFIG_TULIP_NAPI is not set  
# CONFIG_DE4X5 is not set  
# CONFIG_WINBOND_840 is not set  
# CONFIG_DM9102 is not set  
# CONFIG_ULI526X is not set  
# CONFIG_AT1700 is not set  
# CONFIG_DEPCA is not set  
# CONFIG_HP100 is not set  
# CONFIG_NET_ISA is not set  
CONFIG_NET_PCI=y  
CONFIG_PCNET32=m  
# CONFIG_AMD8111_ETH is not set  
# CONFIG_ADAPTEC_STARFIRE is not set  
# CONFIG_AC3200 is not set  
# CONFIG_APRICOT is not set  
# CONFIG_B44 is not set  
CONFIG_FORCEDETH=m  
# CONFIG_CS89x0 is not set  
CONFIG_EEPROM100=m  
CONFIG_E100=m  
# CONFIG_FEALNX is not set  
CONFIG_NATSEMI=m  
CONFIG_NE2K_PCI=m  
CONFIG_8139CP=m  
CONFIG_8139TOO=m  
CONFIG_8139TOO_PIO=y  
# CONFIG_8139TOO_TUNE_TWISTER is not set  
CONFIG_8139TOO_8129=y  
# CONFIG_8139_OLD_RX_RESET is not set  
CONFIG_SIS900=m  
# CONFIG_EPIC100 is not set  
# CONFIG_SUNDANCE is not set  
# CONFIG_TLAN is not set  
CONFIG_VIA_RHINE=m  
# CONFIG_VIA_RHINE_MMIO is not set  
# CONFIG_VIA_RHINE_NAPI is not set  
# CONFIG_NET_POCKET is not set  
  
#
```

```
# Ethernet (1000 Mbit)
#
# CONFIG_ACENIC is not set
# CONFIG_DL2K is not set
CONFIG_E1000=m
# CONFIG_E1000_NAPI is not set
# CONFIG_E1000_DISABLE_PACKET_SPLIT is not set
# CONFIG_NS83820 is not set
# CONFIG_HAMACHI is not set
# CONFIG_YELLOWFIN is not set
CONFIG_R8169=m
# CONFIG_R8169_NAPI is not set
# CONFIG_R8169_VLAN is not set
CONFIG_SIS190=m
CONFIG_SKGE=m
CONFIG_SKY2=m
CONFIG_SK98LIN=m
# CONFIG_VIA_VELOCITY is not set
CONFIG_TIGON3=m
CONFIG_BNX2=m

#
# Ethernet (10000 Mbit)
#
# CONFIG_CHELSIO_T1 is not set
# CONFIG_IXGB is not set
# CONFIG_S2IO is not set
# CONFIG_MYRI10GE is not set

#
# Token Ring devices
#
# CONFIG_TR is not set

#
# Wireless LAN (non-hamradio)
#
# CONFIG_NET_RADIO is not set

#
# Wan interfaces
#
# CONFIG_WAN is not set
# CONFIG_FDDI is not set
# CONFIG_HIPPI is not set
# CONFIG_PLIP is not set
CONFIG_PPP=m
# CONFIG_PPP_MULTILINK is not set
```

```
# CONFIG_PPP_FILTER is not set
CONFIG_PPP_ASYNC=m
# CONFIG_PPP_SYNC_TTY is not set
CONFIG_PPP_DEFLATE=m
CONFIG_PPP_BSDCOMP=m
# CONFIG_PPP_MPPE is not set
# CONFIG_PPPOE is not set
# CONFIG_SLIP is not set
CONFIG_NET_FC=y
# CONFIG_SHAPER is not set
CONFIG_NETCONSOLE=m
CONFIG_NETPOLL=y
# CONFIG_NETPOLL_RX is not set
# CONFIG_NETPOLL_TRAP is not set
CONFIG_NET_POLL_CONTROLLER=y

#
# ISDN subsystem
#
# CONFIG_ISDN is not set

#
# Telephony Support
#
# CONFIG_PHONE is not set

#
# Input device support
#
CONFIG_INPUT=y

#
# Userland interfaces
#
CONFIG_INPUT_MOUSEDEV=y
CONFIG_INPUT_MOUSEDEV_PSAUX=y
CONFIG_INPUT_MOUSEDEV_SCREEN_X=1024
CONFIG_INPUT_MOUSEDEV_SCREEN_Y=768
# CONFIG_INPUT_JOYDEV is not set
# CONFIG_INPUT_TSDEV is not set
CONFIG_INPUT_EVDEV=y
# CONFIG_INPUT_EBUG is not set

#
# Input Device Drivers
#
CONFIG_INPUT_KEYBOARD=y
CONFIG_KEYBOARD_ATKBD=y
```

```
# CONFIG_KEYBOARD_SUNKBD is not set
# CONFIG_KEYBOARD_LKKBD is not set
# CONFIG_KEYBOARD_XTKBD is not set
# CONFIG_KEYBOARD_NEWTON is not set
CONFIG_INPUT_MOUSE=y
CONFIG_MOUSE_PS2=y
# CONFIG_MOUSE_SERIAL is not set
# CONFIG_MOUSE_IMPORT is not set
# CONFIG_MOUSE_LOGIBM is not set
# CONFIG_MOUSE_PC110PAD is not set
# CONFIG_MOUSE_VSXXXAA is not set
# CONFIG_INPUT_JOYSTICK is not set
# CONFIG_INPUT_TOUCHSCREEN is not set
# CONFIG_INPUT_MISC is not set

#
# Hardware I/O ports
#
CONFIG_SERIO=y
CONFIG_SERIO_I8042=y
CONFIG_SERIO_SERPORT=y
# CONFIG_SERIO_CT82C710 is not set
# CONFIG_SERIO_PARKBD is not set
# CONFIG_SERIO_PCIPS2 is not set
CONFIG_SERIO_LIBPS2=y
# CONFIG_SERIO_RAW is not set
# CONFIG_GAMEPORT is not set

#
# Character devices
#
CONFIG_VT=y
CONFIG_VT_CONSOLE=y
CONFIG_HW_CONSOLE=y
# CONFIG_VT_HW_CONSOLE_BINDING is not set
# CONFIG_SERIAL_NONSTANDARD is not set

#
# Serial drivers
#
CONFIG_SERIAL_8250=y
CONFIG_SERIAL_8250_CONSOLE=y
CONFIG_SERIAL_8250_PCI=y
CONFIG_SERIAL_8250_NR_UARTS=4
CONFIG_SERIAL_8250_RUNTIME_UARTS=4
# CONFIG_SERIAL_8250_EXTENDED is not set

#
```

```
# Non-8250 serial port support
#
CONFIG_SERIAL_CORE=y
CONFIG_SERIAL_CORE_CONSOLE=y
# CONFIG_SERIAL_JSM is not set
CONFIG_UNIX98_PTYS=y
CONFIG_LEGACY_PTYS=y
CONFIG_LEGACY_PTY_COUNT=256
CONFIG_PRINTER=m
# CONFIG_LP_CONSOLE is not set
# CONFIG_PPDEV is not set
# CONFIG_TIPAR is not set

#
# IPMI
#
CONFIG_IPMI_HANDLER=m
# CONFIG_IPMI_PANIC_EVENT is not set
CONFIG_IPMI_DEVICE_INTERFACE=m
CONFIG_IPMI_SI=m
CONFIG_IPMI_WATCHDOG=m
# CONFIG_IPMI_POWEROFF is not set

#
# Watchdog Cards
#
# CONFIG_WATCHDOG is not set
# CONFIG_HW_RANDOM is not set
# CONFIG_NVRAM is not set
CONFIG_RTC=y
# CONFIG_DTLK is not set
# CONFIG_R3964 is not set
# CONFIG_APPLICOM is not set
# CONFIG_SONYPI is not set

#
# Ftape, the floppy tape device driver
#
# CONFIG_FTAPE is not set
# CONFIG_AGP is not set
# CONFIG_DRM is not set
# CONFIG_MWAVE is not set
# CONFIG_PC8736x_GPIO is not set
# CONFIG_NSC_GPIO is not set
# CONFIG_CS5535_GPIO is not set
# CONFIG_RAW_DRIVER is not set
# CONFIG_HPET is not set
# CONFIG_HANGCHECK_TIMER is not set
```

```
#  
# TPM devices  
#  
# CONFIG_TCG TPM is not set  
# CONFIG_TELCLOCK is not set  
  
#  
# I2C support  
#  
CONFIG_I2C=m  
CONFIG_I2C_CHARDEV=m  
  
#  
# I2C Algorithms  
#  
CONFIG_I2C_ALGOBIT=m  
CONFIG_I2C_ALGOPCF=m  
CONFIG_I2C_ALGOPCA=m  
  
#  
# I2C Hardware Bus support  
#  
CONFIG_I2C_ALI1535=m  
CONFIG_I2C_ALI1563=m  
CONFIG_I2C_ALI15X3=m  
CONFIG_I2C_AMD756=m  
CONFIG_I2C_AMD756_S4882=m  
CONFIG_I2C_AMD8111=m  
CONFIG_I2C_ELEKTOR=m  
CONFIG_I2C_I801=m  
CONFIG_I2C_I810=m  
CONFIG_I2C_PIIX4=m  
CONFIG_I2C_ISA=m  
CONFIG_I2C_NFORCE2=m  
# CONFIG_I2C_OCORES is not set  
CONFIG_I2C_PARPORT=m  
CONFIG_I2C_PARPORT_LIGHT=m  
CONFIG_I2C_PROSAVAGE=m  
CONFIG_I2C_SAVAGE4=m  
CONFIG_SCx200_ACB=m  
CONFIG_I2C_SIS5595=m  
CONFIG_I2C_SIS630=m  
CONFIG_I2C_SIS96X=m  
CONFIG_I2C_STUB=m  
CONFIG_I2C_VIA=m  
CONFIG_I2C_VIAPRO=m  
CONFIG_I2C_VOODOO3=m
```

```
CONFIG_I2C_PCA_ISA=m

#
# Miscellaneous I2C Chip support
#
CONFIG_SENSORS_DS1337=m
CONFIG_SENSORS_DS1374=m
CONFIG_SENSORS_EEPROM=m
CONFIG_SENSORS_PCF8574=m
CONFIG_SENSORS_PCA9539=m
CONFIG_SENSORS_PCF8591=m
CONFIG_SENSORS_MAX6875=m
# CONFIG_I2C_DEBUG_CORE is not set
# CONFIG_I2C_DEBUG_ALGO is not set
# CONFIG_I2C_DEBUG_BUS is not set
# CONFIG_I2C_DEBUG_CHIP is not set

#
# SPI support
#
# CONFIG_SPI is not set
# CONFIG_SPI_MASTER is not set

#
# Dallas's 1-wire bus
#
# Hardware Monitoring support
#
CONFIG_HWMON=y
CONFIG_HWMON_VID=m
# CONFIG_SENSORS_ABITUGURU is not set
CONFIG_SENSORS_ADM1021=m
CONFIG_SENSORS_ADM1025=m
CONFIG_SENSORS_ADM1026=m
CONFIG_SENSORS_ADM1031=m
CONFIG_SENSORS_ADM9240=m
CONFIG_SENSORS_ASB100=m
CONFIG_SENSORS_ATXP1=m
CONFIG_SENSORS_DS1621=m
# CONFIG_SENSORS_F71805F is not set
# CONFIG_SENSORS_F75375S is not set
CONFIG_SENSORS_FSCHER=m
CONFIG_SENSORS_FSCPOS=m
CONFIG_SENSORS_GL518SM=m
CONFIG_SENSORS_GL520SM=m
CONFIG_SENSORS_IT87=m
```

```
CONFIG_SENSORS_LM63=m
CONFIG_SENSORS_LM75=m
CONFIG_SENSORS_LM77=m
CONFIG_SENSORS_LM78=m
CONFIG_SENSORS_LM80=m
CONFIG_SENSORS_LM83=m
CONFIG_SENSORS_LM85=m
CONFIG_SENSORS_LM87=m
CONFIG_SENSORS_LM90=m
CONFIG_SENSORS_LM92=m
CONFIG_SENSORS_MAX1619=m
CONFIG_SENSORS_PC87360=m
CONFIG_SENSORS_SIS5595=m
CONFIG_SENSORS_SMSC47M1=m
# CONFIG_SENSORS_SMSC47M192 is not set
CONFIG_SENSORS_SMSC47B397=m
CONFIG_SENSORS_VIA686A=m
# CONFIG_SENSORS_VT8231 is not set
CONFIG_SENSORS_W83781D=m
# CONFIG_SENSORS_W83791D is not set
CONFIG_SENSORS_W83792D=m
CONFIG_SENSORS_W83L785TS=m
CONFIG_SENSORS_W83627HF=m
CONFIG_SENSORS_W83627EHF=m
# CONFIG_SENSORS_HDAPS is not set
# CONFIG_HWMON_DEBUG_CHIP is not set

#
# Misc devices
#
# CONFIG_IBM_ASM is not set

#
# Multimedia devices
#
# CONFIG_VIDEO_DEV is not set

#
# Digital Video Broadcasting Devices
#
# CONFIG_DVB is not set

#
# Graphics support
#
CONFIG_FIRMWARE_EDID=y
# CONFIG_FB is not set
```

```
#  
# Console display driver support  
#  
CONFIG_VGA_CONSOLE=y  
# CONFIG_VGACON_SOFT_SCROLLBACK is not set  
CONFIG_VIDEO_SELECT=y  
# CONFIG_MDA_CONSOLE is not set  
CONFIG_DUMMY_CONSOLE=y  
# CONFIG_BACKLIGHT_LCD_SUPPORT is not set  
  
#  
# Sound  
#  
# CONFIG_SOUND is not set  
  
#  
# USB support  
#  
CONFIG_USB_ARCH_HAS_HCD=y  
CONFIG_USB_ARCH_HAS_OHCI=y  
CONFIG_USB_ARCH_HAS_EHCI=y  
CONFIG_USB=m  
# CONFIG_USB_DEBUG is not set  
  
#  
# Miscellaneous USB options  
#  
CONFIG_USB_DEVICEFS=y  
# CONFIG_USB_BANDWIDTH is not set  
# CONFIG_USB_DYNAMIC_MINORS is not set  
# CONFIG_USB_SUSPEND is not set  
# CONFIG_USB_OTG is not set  
  
#  
# USB Host Controller Drivers  
#  
CONFIG_USB_EHCI_HCD=m  
# CONFIG_USB_EHCI_SPLIT_ISO is not set  
# CONFIG_USB_EHCI_ROOT_HUB_TT is not set  
# CONFIG_USB_EHCI_TT_NEWSCHED is not set  
# CONFIG_USB_ISP116X_HCD is not set  
CONFIG_USB_OHCI_HCD=m  
# CONFIG_USB_OHCI_BIG_ENDIAN is not set  
CONFIG_USB_OHCI_LITTLE_ENDIAN=y  
CONFIG_USB_UHCI_HCD=m  
# CONFIG_USB_SL811_HCD is not set  
  
#
```

```
# USB Device Class drivers
#
CONFIG_USB_ACM=m
CONFIG_USB_PRINTER=m

#
# NOTE: USB_STORAGE enables SCSI, and 'SCSI disk support'
#
#
# may also be needed; see USB_STORAGE Help for more information
#
CONFIG_USB_STORAGE=m
# CONFIG_USB_STORAGE_DEBUG is not set
CONFIG_USB_STORAGE_DATAFAB=y
CONFIG_USB_STORAGE_FREECOM=y
CONFIG_USB_STORAGE_ISD200=y
CONFIG_USB_STORAGE_DPCM=y
# CONFIG_USB_STORAGE_USBAT is not set
CONFIG_USB_STORAGE_SDDR09=y
# CONFIG_USB_STORAGE_SDDR55 is not set
CONFIG_USB_STORAGE_JUMPSHOT=y
# CONFIG_USB_STORAGE_ALAUDA is not set
# CONFIG_USB_LIBUSUAL is not set

#
# USB Input Devices
#
CONFIG_USB_HID=m
CONFIG_USB_HIDINPUT=y
# CONFIG_USB_HIDINPUT_POWERBOOK is not set
# CONFIG_HID_FF is not set
CONFIG_USB HIDDEV=y

#
# USB HID Boot Protocol drivers
#
CONFIG_USB_KBD=m
CONFIG_USB_MOUSE=m
# CONFIG_USB_AIPTEK is not set
CONFIG_USB_WACOM=m
# CONFIG_USB_ACECAD is not set
# CONFIG_USB_KBTAB is not set
# CONFIG_USB_POWERMATE is not set
# CONFIG_USB_TOUCHSCREEN is not set
# CONFIG_USB_YEALINK is not set
# CONFIG_USB_XPAD is not set
# CONFIG_USB_ATI_REMOTE is not set
```

```
# CONFIG_USB_ATI_REMOTE2 is not set
# CONFIG_USB_KEYSPAN_REMOTE is not set
# CONFIG_USB_APPLETOUCH is not set

#
# USB Imaging devices
#
# CONFIG_USB_MDC800 is not set
# CONFIG_USB_MICROTEK is not set

#
# USB Network Adapters
#
# CONFIG_USB_CATC is not set
# CONFIG_USB_KAWETH is not set
# CONFIG_USB_PEGASUS is not set
# CONFIG_USB_RTL8150 is not set
# CONFIG_USB_USBNET is not set
# CONFIG_USB_MON is not set

#
# USB port drivers
#
# CONFIG_USB_USS720 is not set

#
# USB Serial Converter support
#
# CONFIG_USB_SERIAL is not set

#
# USB Miscellaneous drivers
#
# CONFIG_USB_AUERSWALD is not set
# CONFIG_USB_RIO500 is not set
# CONFIG_USB_LEGOTOWER is not set
# CONFIG_USB_LCD is not set
# CONFIG_USB_LED is not set
# CONFIG_USB_CYPRESS_CY7C63 is not set
# CONFIG_USB_CYTHERM is not set
# CONFIG_USB_PHIDGETKIT is not set
# CONFIG_USB_PHIDGETSERVO is not set
# CONFIG_USB_IDMOUSE is not set
# CONFIG_USB_APPLEDISPLAY is not set
# CONFIG_USB_SISUSBVGA is not set
# CONFIG_USB_LD is not set
# CONFIG_USB_TEST is not set
```

```
#  
# USB DSL modem support  
#  
  
#  
# USB Gadget Support  
#  
# CONFIG_USB_GADGET is not set  
  
#  
# MMC/SD Card support  
#  
# CONFIG_MMC is not set  
  
#  
# LED devices  
#  
# CONFIG_NEW_LEDS is not set  
  
#  
# LED drivers  
#  
  
#  
# LED Triggers  
#  
  
#  
# InfiniBand support  
#  
# CONFIG_INFINIBAND is not set  
  
#  
# EDAC - error detection and reporting (RAS) (EXPERIMENTAL)  
#  
# CONFIG_EDAC is not set  
  
#  
# Real Time Clock  
#  
# CONFIG_RTC_CLASS is not set  
  
#  
# DMA Engine support  
#  
# CONFIG_DMA_ENGINE is not set  
  
#
```

```
# DMA Clients
#
#
# DMA Devices
#
#
# File systems
#
CONFIG_EXT2_FS=y
CONFIG_EXT2_FS_XATTR=y
CONFIG_EXT2_FS_POSIX_ACL=y
CONFIG_EXT2_FS_SECURITY=y
# CONFIG_EXT2_FS_XIP is not set
CONFIG_EXT3_FS=y
CONFIG_EXT3_FS_XATTR=y
CONFIG_EXT3_FS_POSIX_ACL=y
CONFIG_EXT3_FS_SECURITY=y
CONFIG_JBD=y
CONFIG_JBD_DEBUG=y
CONFIG_FS_MBCACHE=y
CONFIG_REISERFS_FS=y
# CONFIG_REISERFS_CHECK is not set
CONFIG_REISERFS_PROC_INFO=y
CONFIG_REISERFS_FS_XATTR=y
CONFIG_REISERFS_FS_POSIX_ACL=y
CONFIG_REISERFS_FS_SECURITY=y
CONFIG_JFS_FS=m
CONFIG_JFS_POSIX_ACL=y
CONFIG_JFS_SECURITY=y
# CONFIG_JFS_DEBUG is not set
# CONFIG_JFS_STATISTICS is not set
CONFIG_FS_POSIX_ACL=y
CONFIG_XFS_FS=m
CONFIG_XFS_QUOTA=y
# CONFIG_XFS_SECURITY is not set
CONFIG_XFS_POSIX_ACL=y
# CONFIG_XFS_RT is not set
# CONFIG_OCFS2_FS is not set
# CONFIG_MINIX_FS is not set
# CONFIG_ROMFS_FS is not set
CONFIG_INOTIFY=y
CONFIG_INOTIFY_USER=y
CONFIG_QUOTA=y
CONFIG_QUOTA_COMPAT=y
# CONFIG_QFMT_V1 is not set
CONFIG_QFMT_V2=y
```

```
CONFIG_SIM_FS=m
CONFIG_VZ_QUOTA=m
# CONFIG_VZ_QUOTA_UNLOAD is not set
CONFIG_VZ_QUOTA_UGID=y
CONFIG_QUOTACTL=y
CONFIG_DNOTIFY=y
# CONFIG_AUTOFS_FS is not set
CONFIG_AUTOFS4_FS=m
CONFIG_FUSE_FS=m

#
# CD-ROM/DVD Filesystems
#
CONFIG_ISO9660_FS=m
# CONFIG_JOLIET is not set
# CONFIG_ZISOFS is not set
# CONFIG_UDF_FS is not set

#
# DOS/FAT/NT Filesystems
#
CONFIG_FAT_FS=m
CONFIG_MSDOS_FS=m
CONFIG_VFAT_FS=m
CONFIG_FAT_DEFAULT_CODEPAGE=437
CONFIG_FAT_DEFAULT_IOCHARSET="iso8859-1"
# CONFIG_NTFS_FS is not set

#
# Pseudo filesystems
#
CONFIG_PROC_FS=y
CONFIG_PROC_KCORE=y
CONFIG_SYSFS=y
CONFIG_TMPFS=y
# CONFIG_HUGETLBFS is not set
# CONFIG_HUGETLB_PAGE is not set
CONFIG_RAMFS=y
# CONFIG_CONFIGFS_FS is not set

#
# Miscellaneous filesystems
#
# CONFIG_ADFS_FS is not set
# CONFIG_AFFS_FS is not set
# CONFIG_ASFS_FS is not set
# CONFIG_HFS_FS is not set
# CONFIG_HFSPLUS_FS is not set
```

```
# CONFIG_BEFS_FS is not set
# CONFIG_BFS_FS is not set
# CONFIG_EFS_FS is not set
CONFIG_CRAMFS=y
# CONFIG_VXFS_FS is not set
# CONFIG_HPFS_FS is not set
# CONFIG_QNX4FS_FS is not set
# CONFIG_SYSV_FS is not set
# CONFIG_UFS_FS is not set

#
# Network File Systems
#
CONFIG_NFS_FS=m
CONFIG_NFS_V3=y
CONFIG_NFS_V3_ACL=y
CONFIG_NFS_V4=y
# CONFIG_NFS_DIRECTIO is not set
CONFIG_NFSD=m
CONFIG_NFSD_V2_ACL=y
CONFIG_NFSD_V3=y
CONFIG_NFSD_V3_ACL=y
# CONFIG_NFSD_V4 is not set
CONFIG_NFSD_TCP=y
CONFIG_LOCKD=m
CONFIG_LOCKD_V4=y
CONFIG_EXPORTFS=m
CONFIG_NFS_ACL_SUPPORT=m
CONFIG_NFS_COMMON=y
CONFIG_SUNRPC=m
CONFIG_SUNRPC_GSS=m
CONFIG_RPCSEC_GSS_KRB5=m
# CONFIG_RPCSEC_GSS_SPKM3 is not set
CONFIG_SMB_FS=m
# CONFIG_SMB_NLS_DEFAULT is not set
CONFIG_CIFS=m
# CONFIG_CIFS_STATS is not set
# CONFIG_CIFS_WEAK_PW_HASH is not set
# CONFIG_CIFS_XATTR is not set
# CONFIG_CIFS_DEBUG2 is not set
# CONFIG_CIFS_EXPERIMENTAL is not set
# CONFIG_NCP_FS is not set
# CONFIG_CODA_FS is not set
# CONFIG_AFS_FS is not set
# CONFIG_9P_FS is not set

#
# Partition Types
```

```
#  
# CONFIG_PARTITION_ADVANCED is not set  
CONFIG_MSDOS_PARTITION=y  
  
#  
# Native Language Support  
#  
CONFIG_NLS=y  
CONFIG_NLS_DEFAULT="iso8859-1"  
CONFIG_NLS_CODEPAGE_437=m  
CONFIG_NLS_CODEPAGE_737=m  
CONFIG_NLS_CODEPAGE_775=m  
CONFIG_NLS_CODEPAGE_850=m  
CONFIG_NLS_CODEPAGE_852=m  
CONFIG_NLS_CODEPAGE_855=m  
CONFIG_NLS_CODEPAGE_857=m  
CONFIG_NLS_CODEPAGE_860=m  
CONFIG_NLS_CODEPAGE_861=m  
CONFIG_NLS_CODEPAGE_862=m  
CONFIG_NLS_CODEPAGE_863=m  
CONFIG_NLS_CODEPAGE_864=m  
CONFIG_NLS_CODEPAGE_865=m  
CONFIG_NLS_CODEPAGE_866=m  
CONFIG_NLS_CODEPAGE_869=m  
CONFIG_NLS_CODEPAGE_936=m  
CONFIG_NLS_CODEPAGE_950=m  
CONFIG_NLS_CODEPAGE_932=m  
CONFIG_NLS_CODEPAGE_949=m  
CONFIG_NLS_CODEPAGE_874=m  
CONFIG_NLS_ISO8859_8=m  
CONFIG_NLS_CODEPAGE_1250=m  
CONFIG_NLS_CODEPAGE_1251=m  
CONFIG_NLS_ASCII=m  
CONFIG_NLS_ISO8859_1=m  
CONFIG_NLS_ISO8859_2=m  
CONFIG_NLS_ISO8859_3=m  
CONFIG_NLS_ISO8859_4=m  
CONFIG_NLS_ISO8859_5=m  
CONFIG_NLS_ISO8859_6=m  
CONFIG_NLS_ISO8859_7=m  
CONFIG_NLS_ISO8859_9=m  
CONFIG_NLS_ISO8859_13=m  
CONFIG_NLS_ISO8859_14=m  
CONFIG_NLS_ISO8859_15=m  
CONFIG_NLS_KOI8_R=m  
CONFIG_NLS_KOI8_U=m  
CONFIG_NLS_UTF8=m
```

```
#  
# Instrumentation Support  
#  
CONFIG_PROFILING=y  
CONFIG_OPROFILE=m  
# CONFIG_KPROBES is not set  
  
#  
# Kernel hacking  
#  
CONFIG_TRACE_IRQFLAGS_SUPPORT=y  
# CONFIG_PRINTK_TIME is not set  
CONFIG_MAGIC_SYSRQ=y  
CONFIG_UNUSED_SYMBOLS=y  
CONFIG_SYSRQ_DEBUG=y  
CONFIG_DEBUG_KERNEL=y  
CONFIG_LOG_BUF_SHIFT=17  
# CONFIG_SCHEDSTATS is not set  
# CONFIG_DEBUG_SLAB is not set  
# CONFIG_DEBUG_RT_MUTEXES is not set  
# CONFIG_RT_MUTEX_TESTER is not set  
# CONFIG_DEBUG_SPINLOCK is not set  
# CONFIG_DEBUG_MUTEXES is not set  
# CONFIG_DEBUG_RWSEMS is not set  
# CONFIG_DEBUG_LOCK_ALLOC is not set  
# CONFIG_PROVE_LOCKING is not set  
# CONFIG_DEBUG_SPINLOCK_SLEEP is not set  
# CONFIG_DEBUG_LOCKING_API_SELFTESTS is not set  
# CONFIG_DEBUG_KOBJECT is not set  
# CONFIG_DEBUG_HIGHMEM is not set  
CONFIG_DEBUG_BUGVERBOSE=y  
# CONFIG_DEBUG_INFO is not set  
# CONFIG_DEBUG_FS is not set  
# CONFIG_DEBUG_VM is not set  
# CONFIG_FRAME_POINTER is not set  
# CONFIG_UNWIND_INFO is not set  
CONFIG_FORCED_INLINING=y  
# CONFIG_RCU_TORTURE_TEST is not set  
CONFIG_EARLY_PRINTK=y  
CONFIG_DEBUG_STACKOVERFLOW=y  
# CONFIG_DEBUG_STACK_USAGE is not set  
  
#  
# Page alloc debug is incompatible with Software Suspend on i386  
#  
# CONFIG_DEBUG_RODATA is not set  
CONFIG_4KSTACKS=y  
CONFIG_X86_FIND_SMP_CONFIG=y
```

```
CONFIG_X86_MPPARSE=y
CONFIG_DOUBLEFAULT=y

#
# OpenVZ
#
CONFIG_VE=y
CONFIG_VE_CALLS=m
CONFIG_VZ_GENCALLS=y
CONFIG_VE_NETDEV=m
CONFIG_VE_ETHDEV=m
CONFIG_VZ_DEV=m
CONFIG_VE_IPTABLES=y
CONFIG_VZ_WDOG=m
CONFIG_VZ_CHECKPOINT=m

#
# Security options
#
# CONFIG_KEYS is not set
# CONFIG_SECURITY is not set

#
# Cryptographic options
#
CONFIG_CRYPTO=y
# CONFIG_CRYPTO_HMAC is not set
# CONFIG_CRYPTO_NULL is not set
# CONFIG_CRYPTO_MD4 is not set
CONFIG_CRYPTO_MD5=m
# CONFIG_CRYPTO_SHA1 is not set
# CONFIG_CRYPTO_SHA256 is not set
# CONFIG_CRYPTO_SHA512 is not set
# CONFIG_CRYPTO_WP512 is not set
# CONFIG_CRYPTO_TGR192 is not set
CONFIG_CRYPTO_DES=m
# CONFIG_CRYPTO_BLOWFISH is not set
# CONFIG_CRYPTO_TWOFISH is not set
# CONFIG_CRYPTO_SERPENT is not set
# CONFIG_CRYPTO_AES is not set
# CONFIG_CRYPTO_AES_586 is not set
# CONFIG_CRYPTO_CAST5 is not set
# CONFIG_CRYPTO_CAST6 is not set
# CONFIG_CRYPTO_TEA is not set
# CONFIG_CRYPTO_ARC4 is not set
# CONFIG_CRYPTO_KHAZAD is not set
# CONFIG_CRYPTO_ANUBIS is not set
# CONFIG_CRYPTO_DEFLATE is not set
```

```
# CONFIG_CRYPTO_MICHAEL_MIC is not set
CONFIG_CRYPTO_CRC32C=m
# CONFIG_CRYPTO_TEST is not set

#
# Hardware crypto devices
#
# CONFIG_CRYPTO_DEV_PADLOCK is not set

#
# Library routines
#
CONFIG_CRC_CCITT=m
# CONFIG_CRC16 is not set
CONFIG_CRC32=y
CONFIG_LIBCRC32C=m
CONFIG_ZLIB_INFLATE=y
CONFIG_ZLIB_DEFLATE=m
CONFIG_TEXTSEARCH=y
CONFIG_TEXTSEARCH_KMP=m
CONFIG_PLIST=y

#
# User resources
#
CONFIG_USER_RESOURCE=y
CONFIG_USER_RSS_ACCOUNTING=y
CONFIG_UBC_IO_ACCT=y
CONFIG_USER_SWAP_ACCOUNTING=y
CONFIG_USER_RESOURCE_PROC=y
CONFIG_UBC_DEBUG=y
# CONFIG_UBC_DEBUG_IO is not set
CONFIG_UBC_DEBUG_KMEM=y
# CONFIG_UBC_KEEP_UNUSED is not set
# CONFIG_UBC_DEBUG_ITEMS is not set
# CONFIG_UBC_UNLIMITED is not set
CONFIG_GENERIC_HARDIRQS=y
CONFIG_GENERIC_IRQ_PROBE=y
CONFIG_X86 BIOS REBOOT=y
CONFIG_KTIME_SCALAR=y
```

Subject: Re: Getting ACPI Sleep Support working
Posted by [Vasily Tarasov](#) on Fri, 13 Apr 2007 19:35:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

As I can see CONFIG_ACPI_SLEEP=y in your .config, so this feature is compiled. So, what's the

problem?

Subject: Re: Getting ACPI Sleep Support working
Posted by [DigiMan](#) on Fri, 13 Apr 2007 20:51:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

The problem is that when I try to hibernate using the following command (which works fine with my normal kernel):

`klaptop_acpi_helper --hibernate`

it tells me:

"Your kernel does not appear to have ACPI sleep support.
hibernate: Aborting."

Even trying to force it fails. I also tried to use uswsusp instead and then rebuilt a new initrd but it still doesn't work.

Subject: Re: Getting ACPI Sleep Support working
Posted by [Vasily Tarasov](#) on Sat, 14 Apr 2007 13:52:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

Oh, ok, now I understand your problem.

Please, can you do the following: download 2.6.18 vanilla kernel from kernel.org, compile it with your config and then try "klaptop_acpi_helper --hibernate".

Thank you,
Vasily.
