
Subject: vzdump snapshot problem and workaround for it

Posted by [oleka](#) on Fri, 06 Apr 2007 20:09:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi everyone,

Just would like to share with you my experience using vzdump with snapshot backups.

My setup:

OS: Fedora Core5

vzdump version: 0.4-1 on FC5, vzdump-0.4-1.noarch.rpm

First of all, I had to update lvm rpm package on FC5 up to lvm2-2.02.17-1.fc5 (yum -y update lvm2).

Doing backup with the following command:

```
# vzdump --compress --dumpdir /backup/101 --snapshot 101
```

has given me this output:

```
starting backup for VPS 101 (/vz/private/101) Fri Apr 6 15:23:41 2007
creating lvm snapshot of /dev/mapper/VolGroup00-VZ ('/dev/VolGroup00/vzsnap')
  Rounding up size to full physical extent 512.00 MB
  Logical volume "vzsnap" created
mounting lvm snapshot
Use of uninitialized value in concatenation (.) or string at /usr/bin/vzdump line 463.
Use of uninitialized value in concatenation (.) or string at /usr/bin/vzdump line 465.
  Logical volume "vzsnap" successfully removed
creating backup for VPS 101 failed (0.02 minutes): wrong lvm mount point " at /usr/bin/vzdump
line 465.
```

Looking into vzdump perl scrip, I could not understand the logic those lines: 463 and 465 (variable \$lvmpath cannot get any value by script design).

Commenting them out has fixed the problem. And output I've gotten after the "fix":

```
starting backup for VPS 101 (/vz/private/101) Fri Apr 6 15:56:47 2007
creating lvm snapshot of /dev/mapper/VolGroup00-VZ ('/dev/VolGroup00/vzsnap')
  Rounding up size to full physical extent 512.00 MB
  Logical volume "vzsnap" created
mounting lvm snapshot
Creating archive '/backup/101/vzdump-101.tgz' (/vz/private/101)
tar: ./var/run/dbus/system_bus_socket: socket ignored
tar: ./var/lib/mysql/mysql.sock: socket ignored
tar: ./dev/log: socket ignored
Total bytes written: 365987840 (350MiB, 7.5MiB/s)
  Logical volume "vzsnap" successfully removed
```

backup for VPS 101 finished successful (0.78 minutes)

Hope, this little trick will help.

Subject: Re: vmdump snapshot problem and workaround for it

Posted by [jarcher](#) on Wed, 11 Apr 2007 08:27:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks for the post!

I am a little confused by the snapshot backup stuff. Is it creating an LVM snapshot that can later be mounted by a VPS, without first restoring? Or is the idea just to create a temporary snapshot to avoid downtime, then backup the snapshot?

Subject: Re: vmdump snapshot problem and workaround for it

Posted by [oleka](#) on Thu, 12 Apr 2007 02:29:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

jarcher wrote on Wed, 11 April 2007 04:27: I am a little confused by the snapshot backup stuff. Is it creating an LVM snapshot that can later be mounted by a VPS, without first restoring? VPS has nothing to do with LVM snapshot. Snapshot is done on HN (hardware node). vmdump creates a tar/tgz file which later can be used to restore the VPS with an original VEID or a different VEID (aka VPS cloning).

Quote: Or is the idea just to create a temporary snapshot to avoid downtime, then backup the snapshot?

Snapshot is a part of LVM functionality and vmdump just uses it to do backup without VPS downtime. The script just does the procedure well explained in this article:
http://tldp.org/HOWTO/LVM-HOWTO/snapshots_backup.html

Subject: Re: vmdump snapshot problem and workaround for it

Posted by [jarcher](#) on Thu, 12 Apr 2007 05:26:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

Okay, thanks for explaining. When I try this, it fails. Apparently there is some issue with volume group creation. I am running on Debian Etch 64 with the latest OpenVZ kernel (Apr 10).

Here is the output:

```

actual:/home/jim# vzdump --dumpdir /var/local/vps-bu --snapshot --compress 108
starting backup for VPS 108 (/mnt/compvps/vz/private/108) Thu Apr 12 01:23:17 2007
Use of uninitialized value in concatenation (.) or string at /usr/bin/vzdump line 455.
creating lvm snapshot of /dev/mapper/actual--vg001-vps--storage ('/dev/vzsnap')
Use of uninitialized value in concatenation (.) or string at /usr/bin/vzdump line 457.
Use of uninitialized value in concatenation (.) or string at /usr/bin/vzdump line 457.
"/dev//": Invalid path for Logical Volume
The origin name should include the volume group.
lvcreate: Create a logical volume

```

lvcreate

```

[-A|--autobackup {y|n}]
[--addtag Tag]
[--alloc AllocationPolicy]
[-C|--contiguous {y|n}]
[-d|--debug]
[-h|-?|--help]
[-i|--stripes Stripes [-I|--stripesize StripeSize]]
[-l|--extents LogicalExtentsNumber |
-L|--size LogicalVolumeSize[kKmMgGtT]}
[-M|--persistent {y|n}] [--major major] [--minor minor]
[-m|--mirrors Mirrors [--nosync] [--corelog]]
[-n|--name LogicalVolumeName]
[-p|--permission {r|rw}]
[-r|--readahead ReadAheadSectors]
[-R|--regionsize MirrorLogRegionSize]
[-t|--test]
[--type VolumeType]
[-v|--verbose]
[-Z|--zero {y|n}]
[--version]
VolumeGroupName [PhysicalVolumePath...]

```

lvcreate -s|--snapshot

```

[-c|--chunksize]
[-A|--autobackup {y|n}]
[--addtag Tag]
[--alloc AllocationPolicy]
[-C|--contiguous {y|n}]
[-d|--debug]
[-h|-?|--help]
[-i|--stripes Stripes [-I|--stripesize StripeSize]]
[-l|--extents LogicalExtentsNumber |
-L|--size LogicalVolumeSize[kKmMgGtT]}
[-M|--persistent {y|n}] [--major major] [--minor minor]
[-n|--name LogicalVolumeName]
[-p|--permission {r|rw}]
[-r|--readahead ReadAheadSectors]

```

```
[-t|--test]
[-v|--verbose]
[--version]
OriginalLogicalVolume[Path] [PhysicalVolumePath...]
```

```
umount: /vzsnap: not mounted
Volume group "vzsnap" not found
creating backup for VPS 108 failed (0.00 minutes): command '/sbin/lvcreate --size 500m
--snapshot --name vzsnap /dev/' failed with exit code 3 at /usr/bin/vzdump line 107.
```

```
actual:/home/jim#
```

Subject: Re: vzdump snapshot problem and workaround for it
Posted by [jarcher](#) on Thu, 12 Apr 2007 06:23:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

I did some more checking, and have this to add:

I think I found the trouble, which is in the `get_device` function. Now, just as a warning, my PERL is really, really rusty. I did some many years ago and quickly decided I'll stick to C/C++. But I'll do my best to provide helpful information to the developer of vzdump.

My VPS private areas live on a LVM2 LV, which is ultimately on an iSCSI SAN.

I run this:

```
actual:/home/jim# vzdump --dumpdir /var/local/vps-bu --snapshot 108
```

As soon as `get_device` is entered, `$dir` is set to:

```
/mnt/compvps/vz/private/108
```

So running `df` against the private area for the VPS results in:

Filesystem	1K-blocks	Used	Available	Use%	Mounted on
/dev/mapper/actual--vg001-vps--storage	100756920	6463816	89174948	7%	/mnt/compvps

So of course `$out` becomes:

```
/dev/mapper/actual--vg001-vps--storage
```

Parsing `$out` with the specified regex results in:

```
res[0]: /dev/mapper/actual--vg001-vps--storage
res[5]:
```

At this point, I don't follow this:

```
($vg, $lv) = @{$devmapper->{$dev}} if defined $devmapper->{$dev};
```

I see \$devmapper is defined as a global but I can't find \$dev, so I think what is happening is that since \$devmapper->\$dev is undefined, \$vg and \$lv are never being set, hence the errors I see reported.

Also, I added a few print statements and I see that the get_device function is being called 3 times, at least on my system.

I hope this helps someone.

```
sub get_device {
    my $dir = shift;

    open (TMP, "df '$dir'|");
    <TMP>; #skip first line
    my $out = <TMP>;
    close (TMP);

    my @res = split (/s+/, $out);

    my $dev = $res[0];
    my $mp = $res[5];
    my ($vg, $lv);

    ($vg, $lv) = @{$devmapper->{$dev}} if defined $devmapper->{$dev};

    return wantarray ? ($dev, $mp, $vg, $lv) : $dev;
}
```

Subject: Re: vzdump snapshot problem and workaround for it

Posted by [jarcher](#) on Thu, 12 Apr 2007 08:02:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

After thinking about it more, I think one of the issues here is the way the output of df is being parsed. When I run df, the output contains a newline. The regex used to parse splits on spaces. Here is the output from df on my system:

```
actual:/var/local/vps-bu# df /mnt/compvps/vz/private/108/
```

```
Filesystem      1K-blocks    Used Available Use% Mounted on
/dev/mapper/actual--vg001-vps--storage
100756920  6411820  89226944   7% /mnt/compvps
```

The output of `lvscan` may also be helpful:

```
actual:/var/local/vps-bu# lvscan
ACTIVE          '/dev/actual-vg001/vps-storage' [97.62 GB] inherit
ACTIVE          '/dev/VG-RAID/LV1' [144.35 GB] inherit
```

Subject: Re: vzdump snapshot problem and workaround for it
Posted by [jarcher](#) on Thu, 12 Apr 2007 08:48:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

If you call `df` with the `-P` option it fixes the wrapping problem:

```
actual:/# df -P /mnt/compvps/vz/private/108/
Filesystem      1024-blocks    Used Available Capacity Mounted on
/dev/mapper/actual--vg001-vps--storage 100756920  6416292  89222472    7% /mnt/compvps
actual:/#
```

That fixes the parsing of result from `df`.

But there is still an issue where it is misreading the name of the LV it needs to snapshot. `df` is not reporting the name of the LV correctly. Then again, I'm not sure if it is supposed to.

The VG name is: `actual-vg001`
The LV name is: `vps-storage`

So it seems `df` is adding an extra hyphen to any hyphen embedded in a name, and then delimiting the VG and LV with a hyphen, so VG-LG. I don't know where mapper comes from.

Subject: Re: vzdump snapshot problem and workaround for it
Posted by [oleka](#) on Thu, 12 Apr 2007 17:30:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

Looking at your original error output:

Quote:

umount: /vzsnap: not mounted

Volume group "vzsnap" not found

creating backup for VPS 108 failed (0.00 minutes): command '/sbin/lvcreate --size 500m --snapshot --name vzsnap /dev/' failed with exit code 3 at /usr/bin/vzdump line 107

two thoughts:

- outdated perl - I run with v.5.8.8 (could explain /dev/)
- you do not have enough Free PEs in volume group. Run vgdisplay and check for "Free PE / Size". You should have at least 512Mb available. If you have less, you have to repartition the server. On my server I have:

```
# vgdisplay
--- Volume group ---
VG Name                VolGroup00
System ID
Format                 lvm2
Metadata Areas         1
Metadata Sequence No  25
VG Access               read/write
VG Status               resizable
MAX LV                 0
Cur LV                 3
Open LV                 3
Max PV                 0
Cur PV                 1
Act PV                 1
VG Size                465.62 GB
PE Size                32.00 MB
Total PE               14900
Alloc PE / Size        13562 / 423.81 GB
Free PE / Size         1338 / 41.81 GB
```

And cannot tell about Debian specifics. I stick to FC so far

Subject: Re: vzdump snapshot problem and workaround for it

Posted by [jarcher](#) on Sat, 14 Apr 2007 20:14:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks very much!

I'll set the /dev// issue aside for right now and write about the PE allocation in the volume group. As you thought, my VG has no more capacity:

```
prod03:~# vgdisplay
--- Volume group ---
VG Name          prod03-vg001
System ID
Format           lvm2
Metadata Areas   2
Metadata Sequence No 4
VG Access        read/write
VG Status        resizable
MAX LV           0
Cur LV          1
Open LV          1
Max PV           0
Cur PV          2
Act PV           2
VG Size          195.24 GB
PE Size          4.00 MB
Total PE         49982
Alloc PE / Size  49982 / 195.24 GB
Free PE / Size   0 / 0
VG UUID          r9QqPU-rRQr-jlZr-U0Pa-bBle-2DYJ-fHcifB
```

If I understand correctly from investigating this, I can run:

```
# pvchange -s 8m
```

And this will increase the size of each extent, adding capacity, but not actual storage space, to the VG. To get more storage space I would actually have to add an additional PV to the VG, correct?

There does not seem to be a command to increase the number of extents, just the size of each extent. Is that correct?

If I don't add another PV, will I be able to create another LV in the VG? If so, where would the data live?

Subject: Re: vzdump snapshot problem and workaround for it

Posted by [oleka](#) on Tue, 17 Apr 2007 15:52:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi there,

Quote:

If I understand correctly from investigating this, I can run:

```
# pvchange -s 8m
```


And this will increase the size of each extent, adding capacity, but not actual storage space, to the VG. To get more storage space I would actually have to add an additional PV to the VG, correct?

There does not seem to be a command to increase the number of extents, just the size of each extent. Is that correct?

If I don't add another PV, will I be able to create another LV in the VG? If so, where would the data live?

Just have to mention to you that fiddling with logical volumes (e.g. changing partition size) can be very dangerous and you have to be absolutely sure what you're doing (there are tons of manuals/how-tos in the Inet). In your case I highly recommend to repartition your HN. More specific, create a separate partition for VZ VPSs and do not allocate all of your disk space (leave say several Gigs unoccupied). This will give you the needed Free PEs.

Subject: Re: vxdump snapshot problem and workaround for it

Posted by [jarcher](#) on Wed, 18 Apr 2007 06:37:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks for the suggestion. Actually, my OpenVZ install lives on a partition but the VPSs all live on an iSCSI attached SAN. I am using OpenFiler, which itself is based upon LVM. So I have the extra little confusion that a LV on the SAN looks like a physical device on the initiator (client).

I have learned to expand my VGs by adding PVs to them and how to expand the file system while it is mounted. I also learned how to shrink a file system, which was big fun.

I have not tried it on my OpenVZ machine yet, as I am waiting for a second machine to arrive for redundancy. Once I have the ability to migrate my VPSs around I'll have more flexibility.

Thanks for your help. I'll update the thread if I get a resolution.
