
Subject: Re: [PATCH 3/7] Containers (V8): Add generic multi-subsystem API to containers

Posted by [Srivatsa Vaddagiri](#) on Tue, 10 Apr 2007 14:44:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Fri, Apr 06, 2007 at 04:32:24PM -0700, menage@google.com wrote:

```
> +struct container_subsys {  
> + int (*create)(struct container_subsys *ss,  
> +     struct container *cont);  
> + void (*destroy)(struct container_subsys *ss, struct container *cont);  
> + int (*can_attach)(struct container_subsys *ss,  
> +     struct container *cont, struct task_struct *tsk);  
> + void (*attach)(struct container_subsys *ss, struct container *cont,  
> +     struct container *old_cont, struct task_struct *tsk);  
> + void (*fork)(struct container_subsys *ss, struct task_struct *task);  
> + void (*exit)(struct container_subsys *ss, struct task_struct *task);  
> + int (*populate)(struct container_subsys *ss,  
> +     struct container *cont);  
> + void (*bind)(struct container_subsys *ss, struct container *root);
```

Is the first argument into all the callbacks, struct container_subsys *ss, necessary?

```
> +struct container_subsys cpuset_subsys = {  
> + .name = "cpuset",  
> + .create = cpuset_create,  
> + .destroy = cpuset_destroy,  
> + .can_attach = cpuset_can_attach,  
> + .attach = cpuset_attach,  
> + .populate = cpuset_populate,  
> + .subsys_id = cpuset_subsys_id,  
> + .early_init = 1,  
> +};
```

We seem to be missing a register call here as well ..

--
Regards,
vatsa

Subject: Re: [ckrm-tech] [PATCH 3/7] Containers (V8): Add generic multi-subsystem API to containers

Posted by [Paul Menage](#) on Tue, 10 Apr 2007 15:45:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

On 4/10/07, Srivatsa Vaddagiri <vatsa@in.ibm.com> wrote:

>

> Is the first argument into all the callbacks, struct container_subsys *ss,
> necessary?

I added it to support library-like abstractions - where one subsystem
can have its container callbacks and file accesses all handled by a
library which converts to a higher-level abstraction. See the
res_group example patch to see how it can be used.

```
>  
> > +struct container_subsys cpuset_subsys = {  
> > +    .name = "cpuset",  
> > +    .create = cpuset_create,  
> > +    .destroy = cpuset_destroy,  
> > +    .can_attach = cpuset_can_attach,  
> > +    .attach = cpuset_attach,  
> > +    .populate = cpuset_populate,  
> > +    .subsys_id = cpuset_subsys_id,  
> > +    .early_init = 1,  
> > +};  
>  
> We seem to be missing a register call here as well ..
```

Registration is done at compile time in the new patch set, thanks to
the static declaration of subsystems and subsystem ids.
