
Subject: setting memory allocation

Posted by [Markus Hardiyanto](#) on Wed, 02 May 2007 08:25:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

I have a computer with P4 2,4Ghz processor and 1GB of RAM. I'm planning to split it into 3 VEs with this memory allocation:

VE1: 512MB

VE2: 256MB

VE3: 256MB

as I understand openvz allow a VE to use RAM more than the amount allocated to a VE, so I want the VEs able to use RAM upto:

VE1: 768MB

VE2: 384MB

VE3 384MB

how to set this? what configuration I must change? kmemsize? privvmpages?

thanks

Best Regards,
Markus

Send instant messages to your online friends <http://uk.messenger.yahoo.com>

Subject: Re: setting memory allocation

Posted by [Gregor Mosheh](#) on Wed, 02 May 2007 14:46:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

I'd like to take a shot at answering this, to "quiz myself" on how well I understand this stuff. So if my answers are incorrect or incomplete, please speak up!

> I have a computer with P4 2,4Ghz processor and 1GB of RAM. I'm planning to

> split it into 3 VEs with this memory allocation:

> VE1: 512MB

> VE2: 256MB

> VE3: 256MB

If by "memory allocation" you mean "the amount of RAM they're guaranteed to have available for use by apps" then try this:

RAM is 4k pages, so $131072 * 4k = 512M$

```
vzctl set 1 --save --vmguarpages 131072
vzctl set 1 --save --oomguarpages 131072
vzctl set 1 --save --privvmpages 131072:196608
```

But, if you really have only 1 GB of RAM, it may not be wise to allocate all of it. If all of the VEs really use all their RAM, the system will start swapping to make up more RAM (e.g. for the HN's own use) and nobody enjoys a system that's swapping.

-Gregor

Subject: Re: setting memory allocation

Posted by [Markus Hardiyanto](#) on Thu, 03 May 2007 03:05:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
# RAM is 4k pages, so 131072*4k = 512M
vzctl set 1 --save --vmguarpages 131072
vzctl set 1 --save --oomguarpages 131072
vzctl set 1 --save --privvmpages 131072:196608
```

i thought all the numbers in beancounters was in bytes.. so why you divided it with 4k?

Best Regards,
Markus

----- Original Message -----

From: Gregor Mosheh <gregor@hostgis.com>

To: users@openvz.org

Sent: Wednesday, May 2, 2007 9:46:52 PM

Subject: Re: [Users] setting memory allocation

I'd like to take a shot at answering this, to "quiz myself" on how well I understand this stuff. So if my answers are incorrect or incomplete, please speak up!

```
> I have a computer with P4 2,4Ghz processor and 1GB of RAM. I'm planning to
> split it into 3 VEs with this memory allocation:
> VE1: 512MB
> VE2: 256MB
> VE3: 256MB
```

If by "memory allocation" you mean "the amount of RAM they're guaranteed to have available for use by apps" then try this:

```
# RAM is 4k pages, so 131072*4k = 512M
vzctl set 1 --save --vmguarpages 131072
vzctl set 1 --save --oomguarpages 131072
vzctl set 1 --save --privvmpages 131072:196608
```

But, if you really have only 1 GB of RAM, it may not be wise to allocate all of it. If all of the VEs really use all their RAM, the system will start swapping to make up more RAM (e.g. for the HN's own use) and nobody enjoys a system that's swapping.

-Gregor

Send instant messages to your online friends <http://uk.messenger.yahoo.com>

Subject: Re: setting memory allocation

Posted by [Cranky](#) on Thu, 03 May 2007 04:23:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

On x86 and x86-64 systems pages are measured in 4k - OVZ uses this these pages for resource allocation.

I believe you can also use M and G suffixes on recent OVZ package releases to set privvmpages/oomguarpages/vmguarpages. For example, "vzctl set \$veid --vmguarpages 512M:600M" will translate to 131072:153600 (barrier:limit) pages automatically so you don't need to do the math.

Regards,

Andrew Cranson
Layershift Limited
www.layershift.com

ICQ: 161813538
MSN: andrew@transnexus.com
AIM: cransona

>>> Virtuozzo Virtual Private Servers now available from \$12.95/mo (US-based)

Layershift Limited is a company registered in England and Wales.
Company number: 6036217
EU VAT number: (application in progress)

Correspondence Address:
Layershift Limited, PO Box 222, Manchester, M12 5WB

Registered Office (please do not use for surface mail):
Layershift Limited, c/o Cranleys Chartered Accountants
24 Finns Business Park, Mill Lane, Crondall, Farnham, Surrey, GU10 5RX

Markus Hardiyanto wrote:

> # RAM is 4k pages, so 131072*4k = 512M
> vzctl set 1 --save --vmguarpages 131072
> vzctl set 1 --save --oomguarpages 131072
> vzctl set 1 --save --privvmpages 131072:196608
>
> i thought all the numbers in beancounters was in bytes.. so why you divided it with 4k?
> Best Regards,
> Markus
>
> ----- Original Message -----
> From: Gregor Mosheh <gregor@hostgis.com>
> To: users@openvz.org
> Sent: Wednesday, May 2, 2007 9:46:52 PM
> Subject: Re: [Users] setting memory allocation
>
> I'd like to take a shot at answering this, to "quiz myself" on how well I
> understand this stuff. So if my answers are incorrect or incomplete,
> please speak up!
>
>> I have a computer with P4 2,4Ghz processor and 1GB of RAM. I'm planning to
>> split it into 3 VEs with this memory allocation:
>> VE1: 512MB
>> VE2: 256MB
>> VE3: 256MB
>
> If by "memory allocation" you mean "the amount of RAM they're guaranteed
> to have available for use by apps" then try this:
>
> # RAM is 4k pages, so 131072*4k = 512M
> vzctl set 1 --save --vmguarpages 131072
> vzctl set 1 --save --oomguarpages 131072
> vzctl set 1 --save --privvmpages 131072:196608
>
> But, if you really have only 1 GB of RAM, it may not be wise to allocate
> all of it. If all of the VEs really use all their RAM, the system will
> start swapping to make up more RAM (e.g. for the HN's own use) and nobody
> enjoys a system that's swapping.
>
> -Gregor
>
> Send instant messages to your online friends <http://uk.messenger.yahoo.com>

Subject: Re: setting memory allocation
Posted by [Gregor Mosheh](#) on Thu, 03 May 2007 04:30:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

Andrew Cranson (Layershift Limited) wrote:

> I believe you can also use M and G
> suffixes on recent OVZ package releases

Good to hear someone else saying this; I wondered if I was just crazy for thinking M and G, that I'm imagined seeing them somewhere. ;)

On my very-outdated test system for my initial experiments, those didn't work at all. But I'd love to see it work using a modern version of OpenVZ on modern hardware. :)

-gregor

Subject: Re: setting memory allocation
Posted by [kir](#) on Thu, 03 May 2007 09:06:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

Markus Hardiyanto wrote:

```
> # RAM is 4k pages, so 131072*4k = 512M
> vzctl set 1 --save --vmguarpages 131072
> vzctl set 1 --save --oomguarpages 131072
> vzctl set 1 --save --privvmpages 131072:196608
>
> i thought all the numbers in beancounters was in bytes.. so why you divided it with 4k?
>
```

Those UBC params that end in -pages are measured in pages.

For more details, see

http://wiki.openvz.org/UBC_parameter_units

http://wiki.openvz.org/Memory_page
