

---

Subject: VEs and rebooting  
Posted by [pookey](#) on Tue, 08 May 2007 11:08:02 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I'm trying to put together how the VEs are meant to reboot.

I've noticed that there's a `/etc/cron.d/vz`, which runs

```
/usr/share/vzctl/scripts/vpsnetclean  
and  
/usr/share/vzctl/scripts/vpsreboot
```

My understanding is that `vpsreboot` should scan for `/vz/private/nnn/reboot`, and if it finds that file, it will start the VPS and delete it the file.

I've looked at the `init.d` script for rebooting within all of my VEs, there's a couple of debian ones (3.1 and 4) and a gentoo VE, however none of these `init.d` script (be it `reboot`, or `reboot.sh`) create the `/reboot` file.

These templates were downloaded from the official templates directory. Is the `reboot` `init` script responsible for creating the file, and if it is, why doesn't it do it on any of my VPSs? And what is in place to 'fix' the `init` script should the distro change it during an update?

Thanks,

--  
Ian P. Christian ~ <http://pookey.co.uk>

---

---

Subject: Re: VEs and rebooting  
Posted by [Vasily Tarasov](#) on Wed, 09 May 2007 08:20:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

your understanding is absolutely right.  
After switching to runlevel 6 (`reboot`) in VE `/reboot` file should be created. Unfortunately not all official precreated templates produce this action... If you consider it as a bug - feel free to report it at [bugzilla.openvz.org](http://bugzilla.openvz.org).

In such "buggy" templates you should manually add `init` script that will create `/reboot` file. During upgrade of VE, your newly added `init` script file will not be deleted/modified - so no problem. However the most

clean way is to create a package with this init script and install it via package system.

Thank you,  
Vasily

On Tue, 2007-05-08 at 12:08 +0100, Ian P. Christian wrote:

> I'm trying to put together how the VEs are meant to reboot.  
>  
> I've noticed that there's a /etc/cron.d/vz, which runs  
>  
> /usr/share/vzctl/scripts/vpsnetclean  
> and  
> /usr/share/vzctl/scripts/vpsreboot  
>  
> My understanding is that vpsreboot should scan for  
> /vz/private/nnn/reboot, and if it finds that file, it will start the VPS  
> and delete it the file.  
>  
> I've looked at the init.d script for rebooting within all of my VEs,  
> there's a couple of debian ones (3.1 and 4) and a gentoo VE, however  
> none of these init.d script (be it reboot, or reboot.sh) create the  
> /reboot file.  
>  
> These templates were downloaded from the official templates directory.  
> Is the reboot init script responsible for creating the file, and if it  
> is, why doesn't it do it on any of my VPSs? And what is in place to  
> 'fix' the init script should the distro change it during an update?  
>  
> Thanks,  
>  
>

---

Subject: Re: VEs and rebooting

Posted by [Gregor Mosheh](#) on Wed, 09 May 2007 09:05:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

> Ian P. Christian wrote:  
>> I've noticed that there's a /etc/cron.d/vz, which runs  
>> /usr/share/vzctl/scripts/vpsreboot  
>> My understanding is that vpsreboot should scan for  
>> /vz/private/nnn/reboot, and if it finds that file, it will start the VPS  
>> and delete it the file.

Pardon me if this question sounds dense. I'm looking at the vpsreboot code, since I'd like to understand everything there is to know about

VZ....

The vpsreboot cronjob runs every 5 minutes. It looks for a /reboot file in each VE's directory; if it exists and the VE is stopped, it starts the VE. Sounds good but... what exactly is the point of this functionality?

Is it used as part of the VZ startup sequence, or for watchdogging, ...?

--

HostGIS  
Cartographic development and hosting services  
707-822-9355  
<http://www.HostGIS.com/>

"Remember that no one cares if you can back up, only if you can restore."  
- AMANDA

---

Subject: Re: VEs and rebooting  
Posted by [Vasily Tarasov](#) on Wed, 09 May 2007 09:15:47 GMT  
[View Forum Message](#) <> [Reply to Message](#)

On Wed, 2007-05-09 at 03:05 -0600, Gregor Mosheh wrote:

> > Ian P. Christian wrote:

> >> I've noticed that there's a /etc/cron.d/vz, which runs

> >> /usr/share/vzctl/scripts/vpsreboot

> >> My understanding is that vpsreboot should scan for

> >> /vz/private/nnn/reboot, and if it finds that file, it will start the VPS

> >> and delete it the file.

>

> Pardon me if this question sounds dense. I'm looking at the vpsreboot

> code, since I'd like to understand everything there is to know about

> VZ....

>

> The vpsreboot cronjob runs every 5 minutes. It looks for a /reboot file in

> each VE's directory; if it exists and the VE is stopped, it starts the VE.

> Sounds good but... what exactly is the point of this functionality?

For example the root of VE performed `reboot` command inside VE. VE will stop, but somebody from outer world should start it again. vpsreboot is this somebody, who starts VE if it was rebooted. ;)

>

> Is it used as part of the VZ startup sequence, or for watchdogging, ...?

>

Subject: Re: VEs and rebooting

Posted by [Gregor Mosheh](#) on Wed, 09 May 2007 09:23:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

>> >> I've noticed that there's a /etc/cron.d/vz, which runs  
>> >> /usr/share/vzctl/scripts/vpsreboot  
>> Sounds good but... what exactly is the point of this functionality?

Vasily Tarasov wrote:

> For example the root of VE performed `reboot` command inside VE. VE will  
> stop, but somebody from outer world should start it again. vpsreboot is  
> this somebody, who starts VE if it was rebooted. ;)

Ahhh, okay. Running "init 6" in a VE stops the VE's processes and shuts it down, but has no mechanism of restarting it. Then a few minutes later vpsreboot boots it back up, simulating the rebooting part of a reboot. Of course!

Thanks for the explanation; it makes sense now that I have the missing piece filled in. :)

I'll make a note of this for the template caches I'm creating.

---