
Subject: backup VE with vzdump

Posted by [Andreas Wittig](#) on Wed, 23 May 2007 11:29:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi!

I'd like to have a complete backup of a VE. Is vzdump the right tool to do this? Which paramter, should I use --stop, --suspend or --snapshot? I dont't really understand the difference?

Is there anything else I should consider?

Regards!

Andreas

Subject: AW: backup VE with vzdump

Posted by [dietmar](#) on Wed, 23 May 2007 12:18:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

> I'd like to have a complete backup of a VE. Is vzdump the
> right tool to do this?

vzdump does complete backups, only the log files (/var/log/*)
and /tmp/ and /var/tmp are excluded (to save space)

> Which paramter, should I use --stop,
> --suspend or --snapshot?
> I dont't really understand the difference?
>

Please use --snapshot if the VE root is on a LVM2 partition

Else use --suspend

- Dietmar

Subject: Re: AW: backup VE with vzdump

Posted by [pookey](#) on Wed, 23 May 2007 12:24:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dietmar Maurer wrote:

> Please use --snapshot if the VE root is on a LVM2 partition
>
> Else use --suspend

but don't use either until you understand :)

look back on this list for posts about vzbackup, it's better explained elsewhere on list.

Subject: Re: AW: backup VE with vzdump
Posted by [Markus Hardiyanto](#) on Thu, 24 May 2007 05:21:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

does --suspend causing downtime of the VE? if yes how long? in the case a VE have used 40GB of disk space.

i tried to use --snapshot, but it seems that it wants to create new partition on the LVM, while all the space on my disk already allocated to /vz (it's on LVM)

i do have a second HDD which is formated to ext3, can i used it as the backup destination? and how to do it?

i know that there is an option for the backup destination on vzdump, but as i said before, vzdump tried to make new partition on LVM (which is on the main HDD not in the secondary. I intended to backup on the second HDD)

thank yous

Best Regards,
Markus

----- Original Message -----

From: Dietmar Maurer <dietmar@proxmox.com>

To: users@openvz.org

Sent: Wednesday, May 23, 2007 7:18:20 PM

Subject: AW: [Users] backup VE with vzdump

> I'd like to have a complete backup of a VE. Is vzdump the
> right tool to do this?

vzdump does complete backups, only the log files (/var/log/*)
and /tmp/ and /var/tmp are excluded (to save space)

> Which paramter, should I use --stop,
> --suspend or --snapshot?
> I don't really understand the difference?
>

Please use --snapshot if the VE root is on a LVM2 partition

Else use --suspend

- Dietmar

Send instant messages to your online friends <http://uk.messenger.yahoo.com>

Subject: AW: AW: backup VE with vzdump
Posted by [dietmar](#) on Thu, 24 May 2007 06:38:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

> does --suspend causing downtime of the VE? if yes how long?
> in the case a VE have used 40GB of disk space.

Several seconds delay, but services will continue to work.

>
> i tried to use --snapshot, but it seems that it wants to
> create new partition on the LVM, while all the space on my
> disk already allocated to /vz (it's on LVM)

The LVM snapshots need 500m free space.

> i do have a second HDD which is formatted to ext3, can i used
> it as the backup destination? and how to do it?

Use option --dumpdir, for example

```
vzdump --dumpdir /space/backup --suspend 777
```

> i know that there is an option for the backup destination on
> vzdump, but as i said before, vzdump tried to make new
> partition on LVM (which is on the main HDD not in the
> secondary. I intended to backup on the second HDD)

The LVM snapshot needs space on the VG you want to take the snapshot. (See LVM2 howto and mauanl pages).

So if you want to use snapshot you must provide some free space on that VG (Volume Group). You can do that by adding another partition/disk to that VG (man pvcreate).

- Dietmar
