Don't understand why, but at normal startup the function setup_net() in vz doesn't setup dev venet0 (still at trustix distr.)

```
#service vz start
Starting OpenVZ:                             [  OK  ]
Bringing up interface venet0:                [  OK  ]
Configuring interface venet0: net.ipv4.conf.venet0.send_redirects = 0
                                     [  OK  ]

#ifconfig | grep venet0
#
```

But, if I change this:

```
	__echo "Bringing up interface $VZDEV: " \
	ip link set $VZDEV up
	if [ $? -eq 0 ] ; then
		print_success
	else
		print_failure
	fi
```

to that:

```
	__echo "Bringing up interface $VZDEV: " \
	echo ''
	ip link set $VZDEV up
	if [ $? -eq 0 ] ; then
		print_success
	else
		print_failure
	fi
```

or just:

```
	__echo "Bringing up interface $VZDEV: "
	ip link set $VZDEV up
	if [ $? -eq 0 ] ; then
		print_success
	else
		print_failure
	fi
```

Then all ok.

```
#ifconfig | grep venet0
venet0    Link encap:UNSPEC  HWaddr 00-00-FF-FF-FF-FF-00-00-00-00-00-00-00-00-00-00
```

Subject: Re: vz initialization.
Posted by kir on Mon, 06 Feb 2006 05:38:40 GMT
View Forum Message <> Reply to Message

This is clearly a mistake, slash shouldn't be there.

I have filed bug #99, you can add yourself to Cc for this bug to track its progress.

Subject: Re: vz initialization.
Posted by Valmont on Mon, 06 Feb 2006 19:45:40 GMT
View Forum Message <> Reply to Message

Thanks. I think there is no need to tracking it. I just wished to know is this a mistake, or something special (I have problem at startup in past, but have no time to find out) .

Subject: Re: vz initialization.
Posted by kir on Mon, 06 Feb 2006 19:53:16 GMT
View Forum Message <> Reply to Message

The problem went unnoticed because in most of the modern distros such stuff is handled by hotplug infrastructure, so as soon as vznetdev module is loaded hotplug is noticing that and runs standard startup script for this interface.

Looks like the above is not true in your case that is why you catched it.

Subject: Re: vz initialization.
Posted by Valmont on Mon, 06 Feb 2006 20:22:18 GMT
View Forum Message <> Reply to Message

It's no so bad, if some issues can be found on non standart configurations .

Another question. Then I try to track problem, I found this:
(/etc/init.d/vz)

MODULES_OTHER="vzcompat"
NET_MODULES="vznetdev vznet"

I have no such modules, as vznet or vzcompat, and there is no such stuff at kernel sources.

What it is for?

//I hope, my english not very heavy to read... If yes, I can post it in other forum (International).

Subject: Re: vz initialization.
Posted by kir on Mon, 06 Feb 2006 20:46:57 GMT
View Forum Message <> Reply to Message

It's not a problem, those modules are used in other kernels, they are not needed in OpenVZ kernel.