
Posted by [seyko2](#) on Sat, 16 Jun 2007 15:34:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

<http://git.kernel.org/?p=linux/kernel/git/torvalds/linux-2.6.git;a=commitdiff;h=6d205f120547043de663315698dcf5f0eaa31b5c>

[PATCH] reiserfs: fix key decrementing

Vladimir Saveliev [Thu, 12 Apr 2007 06:28:44 +0000 (23:28 -0700)]

This patch fixes a bug in function decrementing a key of stat data item.

Offset of reiserfs keys are compared as signed values. To set key offset to maximal possible value maximal signed value has to be used.

This bug is responsible for severe reiserfs filesystem corruption which shows itself as warning vs-13060. reiserfsck fixes this corruption by filesystem tree rebuilding.

Signed-off-by: Vladimir Saveliev <vs@namesys.com>

Cc: <reiserfs-dev@namesys.com>

Signed-off-by: Andrew Morton <akpm@linux-foundation.org>

Signed-off-by: Linus Torvalds <torvalds@linux-foundation.org>

fs/reiserfs/item_ops.c patch | blob | history

```
diff --git a/fs/reiserfs/item_ops.c b/fs/reiserfs/item_ops.c
```

```
index b9b423b..9475557 100644 (file)
```

```
--- a/fs/reiserfs/item_ops.c
```

```
+++ b/fs/reiserfs/item_ops.c
```

```
@@ -23,7 +23,7 @@ static void sd_decrement_key(struct cpu_key *key)
```

```
{  
    key->on_disk_key.k_objectid--;  
    set_cpu_key_k_type(key, TYPE_ANY);  
-    set_cpu_key_k_offset(key, (loff_t) (-1));  
+    set_cpu_key_k_offset(key, (loff_t)(~0ULL >> 1));  
}
```

```
}
```

```
static int sd_is_left_mergeable(struct reiserfs_key *key, unsigned long bsize)
```

Posted by [dev](#) on Sat, 16 Jun 2007 17:43:24 GMT

[View Forum Message](#) <> [Reply to Message](#)
