

---

Subject: [PATCH] .gitignore update

Posted by [Alexey Dobriyan](#) on Wed, 04 Jul 2007 11:07:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

headers\_install by default puts headers into usr/include/ .  
They're auto-generated, so should be ignored.

Same for \*.orig, \*.rej .

Signed-off-by: Alexey Dobriyan <adobriyan@sw.ru>

---

```
.gitignore | 3 +++
usr/.gitignore | 1 +
2 files changed, 4 insertions(+)
```

```
--- a/.gitignore
+++ b/.gitignore
@@ -45,3 +45,6 @@ series
```

```
# cscope files
cscope.*
+
+*.orig
+*.rej
--- a/usr/.gitignore
+++ b/usr/.gitignore
@@ -5,3 +5,4 @@ gen_init_cpio
initramfs_data.cpio
initramfs_data.cpio.gz
initramfs_list
+include
```

---

---

Subject: Re: [PATCH] .gitignore update

Posted by [Segher Boessenkool](#) on Wed, 04 Jul 2007 13:23:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

> headers\_install by default puts headers into usr/include/ .  
> They're auto-generated, so should be ignored.  
>  
> Same for \*.orig, \*.rej .

If you have .orig or .rej files hanging around, it means you  
have an unresolved merge conflict. Better not ignore it.

Segher

---