

```
Error: ./arch/i386/kernel/apic.o .data refers to 000000bc R_386_32 .init.text
Error: ./arch/i386/kernel/cpu/mtrr/centaur.o .data refers to 00000008 R_386_32 .init.text
Error: ./arch/i386/kernel/cpu/mtrr/cyrix.o .data refers to 00000008 R_386_32 .init.text
Error: ./arch/i386/kernel/cpu/nexgen.o .text refers to 0000000b R_386_PC32 .init.text
Error: ./arch/i386/kernel/io_apic.o .text refers to 000017eb R_386_PC32 .init.text
Error: ./arch/i386/kernel/io_apic.o .text refers to 0000186a R_386_PC32 .init.text
Error: ./arch/i386/kernel/io_apic.o .text refers to 000018d4 R_386_PC32 .init.text
Error: ./arch/i386/kernel/io_apic.o .text refers to 00001932 R_386_PC32 .init.text
Error: ./arch/i386/kernel/io_apic.o .text refers to 00001982 R_386_PC32 .init.text
Error: ./arch/i386/kernel/reboot.o .text refers to 00000006 R_386_32 .init.data
Error: ./arch/i386/kernel/timers/timer.o .text refers to 00000030 R_386_32 .init.data
Error: ./arch/i386/kernel/timers/timer_hpet.o .data refers to 00000020 R_386_32 .init.text
Error: ./arch/i386/kernel/timers/timer_none.o .data refers to 00000004 R_386_32 .init.text
Error: ./arch/i386/kernel/timers/timer_pit.o .data refers to 00000004 R_386_32 .init.text
Error: ./arch/i386/kernel/timers/timer_tsc.o .data refers to 00000020 R_386_32 .init.text
Error: ./arch/i386/pci/fixup.o .pci_fixup_header refers to 0000000c R_386_32 .init.text
Error: ./drivers/acpi/pci_link.o .altinstructions refers to 00000000 R_386_32 .init.text
Error: ./drivers/block/cpqarray.o .text refers to 00000903 R_386_PC32 .init.text
Error: ./drivers/block/cpqarray.o .data refers to 00000150 R_386_32 .init.text
Error: ./drivers/ide/pci/alim15x3.o .data refers to 0000006c R_386_32 .init.text
Error: ./drivers/ide/pci/alim15x3.o .data refers to 00000074 R_386_32 .init.text
Error: ./drivers/ide/pci/alim15x3.o .data refers to 00000078 R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002ac R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002b4 R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002e4 R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002ec R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000031c R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000324 R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000354 R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000035c R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000038c R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000394 R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000003c4 R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000003cc R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000003fc R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000404 R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000434 R_386_32 .init.text
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000043c R_386_32 .init.text
```



```
Error: ./drivers/ide/pci/generic.o .data refers to 000002ec R_386_32 .init.text
Error: ./drivers/ide/pci/rz1000.o .data refers to 00000014 R_386_32 .init.text
Error: ./drivers/ide/pci/serverworks.o .data refers to 00000094 R_386_32 .init.text
Error: ./drivers/ide/pci/serverworks.o .data refers to 000000cc R_386_32 .init.text
Error: ./drivers/ide/pci/sis5513.o .data refers to 000003cc R_386_32 .init.text
Error: ./drivers/ide/pci/sis5513.o .data refers to 000003d4 R_386_32 .init.text
Error: ./drivers/ide/pci/slc90e66.o .data refers to 0000000c R_386_32 .init.text
Error: ./drivers/ide/pci/slc90e66.o .data refers to 00000014 R_386_32 .init.text
Error: ./drivers/ide/pci/triflex.o .data refers to 00000014 R_386_32 .init.text
Error: ./drivers/ide/pci/via82cxxx.o .data refers to 000002cc R_386_32 .init.text
Error: ./drivers/ide/pci/via82cxxx.o .data refers to 000002d4 R_386_32 .init.text
Error: ./drivers/ide/setup-pci.o .altinstructions refers to 00000000 R_386_32 .init.text
Error: ./drivers/md/dm.o .data refers to 00000020 R_386_32 .init.text
Error: ./drivers/pci/hotplug/acpiphp_glue.o .altinstructions refers to 000000c0 R_386_32
.init.text
Error: ./drivers/pci/hotplug/acpiphp_glue.o .altinstructions refers to 000000cc R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 00000000 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 00000024 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 00000030 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 0000003c R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 00000048 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 00000060 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 000000d8 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_res.o .altinstructions refers to 00000000 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_res.o .altinstructions refers to 0000000c R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_res.o .altinstructions refers to 00000018 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_res.o .altinstructions refers to 00000024 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_res.o .altinstructions refers to 00000030 R_386_32
.init.text
Error: ./drivers/pci/probe.o .altinstructions refers to 0000000c R_386_32 .init.text
Error: ./drivers/pci/probe.o .altinstructions refers to 00000018 R_386_32 .init.text
Error: ./drivers/pci/probe.o .altinstructions refers to 00000024 R_386_32 .init.text
Error: ./drivers/pci/quirks.o .pci_fixup_final refers to 0000009c R_386_32 .init.text
Error: ./drivers/pci/quirks.o .pci_fixup_final refers to 000000a4 R_386_32 .init.text
Error: ./drivers/pci/quirks.o .pci_fixup_final refers to 000000f4 R_386_32 .init.text
Error: ./drivers/pci/quirks.o .pci_fixup_final refers to 000000fc R_386_32 .init.text
```


Error: ./drivers/serial/8250.o .data refers to 00000118 R_386_32 .init.text
Error: ./fs/reiserfs/xattr.o .altinstructions refers to 00000018 R_386_32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000002b6 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000537 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000927 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000939 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000955 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000961 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000971 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000981 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000009ba R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000009cc R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000ac8 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000adf R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000b4e R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000b7d R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000e85 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000ea9 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000eb5 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000f32 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000fe9 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000011e9 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001201 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001211 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001221 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 0000128b R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000013b9 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000013d5 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 0000142b R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001441 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 0000147c R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 0000148d R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017aa R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017ba R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017d1 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017d8 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017e6 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017f6 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001806 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 0000187a R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001883 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001891 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000018a1 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001a72 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001a7c R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001a88 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001a96 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001aa6 R_386_PC32 .init.text

Error: ./init/do_mounts_rd.o .text refers to 00001ab6 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001ac6 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001ad6 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001ae6 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001af6 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001b06 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001b16 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001b2d R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001b37 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001b46 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001b56 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001b6d R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001b7e R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001b8f R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001baf R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001bc0 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001bd1 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001be2 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001bf3 R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 000002b6 R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 00000537 R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 00000938 R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 00000954 R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 00000b11 R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 00001073 R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 0000127f R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 000013c9 R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 000013df R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 0000141a R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 0000142b R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 00001784 R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 0000179d R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 000017ab R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 000017ba R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 000017ca R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 000017da R_386_PC32 .init.text
Error: ./init/initramfs.o .text refers to 000017ea R_386_PC32 .init.text
Error: ./init/main.o .text refers to 0000050b R_386_PC32 .init.text
Error: ./init/main.o .text refers to 0000051a R_386_PC32 .init.text
Error: ./mm/bootmem.o .altinstructions refers to 00000000 R_386_32 .init.text
Error: ./mm/slab.o .altinstructions refers to 0000000c R_386_32 .init.text

Posted by [vaverin](#) on Mon, 06 Aug 2007 15:08:44 GMT

[View Forum Message](#) <> [Reply to Message](#)
