

---

Posted by [Elec](#) on Mon, 06 Aug 2007 07:42:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Error: ./arch/i386/kernel/apic.o .data refers to 000000bc R\_386\_32 .init.text  
Error: ./arch/i386/kernel/cpu/mtrr/centaur.o .data refers to 00000008 R\_386\_32 .init.text  
Error: ./arch/i386/kernel/cpu/mtrr/cyrix.o .data refers to 00000008 R\_386\_32 .init.text  
Error: ./arch/i386/kernel/cpu/nexgen.o .text refers to 0000000b R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/io\_apic.o .text refers to 000017eb R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/io\_apic.o .text refers to 0000186a R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/io\_apic.o .text refers to 000018d4 R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/io\_apic.o .text refers to 00001932 R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/io\_apic.o .text refers to 00001982 R\_386\_PC32 .init.text  
Error: ./arch/i386/kernel/reboot.o .text refers to 00000006 R\_386\_32 .init.data  
Error: ./arch/i386/kernel/timers/timer.o .text refers to 00000030 R\_386\_32 .init.data  
Error: ./arch/i386/kernel/timers/timer\_hpet.o .data refers to 00000020 R\_386\_32 .init.text  
Error: ./arch/i386/kernel/timers/timer\_none.o .data refers to 00000004 R\_386\_32 .init.text  
Error: ./arch/i386/kernel/timers/timer\_pit.o .data refers to 00000004 R\_386\_32 .init.text  
Error: ./arch/i386/kernel/timers/timer\_tsc.o .data refers to 00000020 R\_386\_32 .init.text  
Error: ./arch/i386/pci/fixup.o .pci\_fixup\_header refers to 0000000c R\_386\_32 .init.text  
Error: ./drivers/acpi/pci\_link.o .altinstructions refers to 00000000 R\_386\_32 .init.text  
Error: ./drivers/block/cpqarray.o .text refers to 00000903 R\_386\_PC32 .init.text  
Error: ./drivers/block/cpqarray.o .data refers to 00000150 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/alim15x3.o .data refers to 0000006c R\_386\_32 .init.text  
Error: ./drivers/ide/pci/alim15x3.o .data refers to 00000074 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/alim15x3.o .data refers to 00000078 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002ac R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002b4 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002e4 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000002ec R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000031c R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000324 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000354 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000035c R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000038c R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000394 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000003c4 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000003cc R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 000003fc R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000404 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 00000434 R\_386\_32 .init.text  
Error: ./drivers/ide/pci/amd74xx.o .data refers to 0000043c R\_386\_32 .init.text

[illegible]

```

Error: ./drivers/ide/pci/generic.o .data refers to 000002ec R_386_32 .init.text
Error: ./drivers/ide/pci/rz1000.o .data refers to 00000014 R_386_32 .init.text
Error: ./drivers/ide/pci/serverworks.o .data refers to 00000094 R_386_32 .init.text
Error: ./drivers/ide/pci/serverworks.o .data refers to 000000cc R_386_32 .init.text
Error: ./drivers/ide/pci/sis5513.o .data refers to 000003cc R_386_32 .init.text
Error: ./drivers/ide/pci/sis5513.o .data refers to 000003d4 R_386_32 .init.text
Error: ./drivers/ide/pci/slc90e66.o .data refers to 0000000c R_386_32 .init.text
Error: ./drivers/ide/pci/slc90e66.o .data refers to 00000014 R_386_32 .init.text
Error: ./drivers/ide/pci/triflex.o .data refers to 00000014 R_386_32 .init.text
Error: ./drivers/ide/pci/via82cxxx.o .data refers to 000002cc R_386_32 .init.text
Error: ./drivers/ide/pci/via82cxxx.o .data refers to 000002d4 R_386_32 .init.text
Error: ./drivers/ide/setup-pci.o .altinstructions refers to 00000000 R_386_32 .init.text
Error: ./drivers/md/dm.o .data refers to 00000020 R_386_32 .init.text
Error: ./drivers/pci/hotplug/acpiphp_glue.o .altinstructions refers to 000000c0 R_386_32
.init.text
Error: ./drivers/pci/hotplug/acpiphp_glue.o .altinstructions refers to 000000cc R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 00000000 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 00000024 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 00000030 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 0000003c R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 00000048 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 00000060 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_ebda.o .altinstructions refers to 000000d8 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_res.o .altinstructions refers to 00000000 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_res.o .altinstructions refers to 0000000c R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_res.o .altinstructions refers to 00000018 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_res.o .altinstructions refers to 00000024 R_386_32
.init.text
Error: ./drivers/pci/hotplug/ibmphp_res.o .altinstructions refers to 00000030 R_386_32
.init.text
Error: ./drivers/pci/probe.o .altinstructions refers to 0000000c R_386_32 .init.text
Error: ./drivers/pci/probe.o .altinstructions refers to 00000018 R_386_32 .init.text
Error: ./drivers/pci/probe.o .altinstructions refers to 00000024 R_386_32 .init.text
Error: ./drivers/pci/quirks.o .pci_fixup_final refers to 0000009c R_386_32 .init.text
Error: ./drivers/pci/quirks.o .pci_fixup_final refers to 000000a4 R_386_32 .init.text
Error: ./drivers/pci/quirks.o .pci_fixup_final refers to 000000f4 R_386_32 .init.text
Error: ./drivers/pci/quirks.o .pci_fixup_final refers to 000000fc R_386_32 .init.text

```





```

Error: ./drivers/serial/8250.o .data refers to 00000118 R_386_32 .init.text
Error: ./fs/reiserfs/xattr.o .altinstructions refers to 00000018 R_386_32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000002b6 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000537 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000927 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000939 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000955 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000961 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000971 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000981 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000009ba R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000009cc R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000ac8 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000adf R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000b4e R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000b7d R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000e85 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000ea9 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000eb5 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000f32 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00000fe9 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000011e9 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001201 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001211 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001221 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 0000128b R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000013b9 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000013d5 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 0000142b R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001441 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 0000147c R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 0000148d R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017aa R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017ba R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017d1 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017d8 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017e6 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000017f6 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001806 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 0000187a R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001883 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001891 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 000018a1 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001a72 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001a7c R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001a88 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001a96 R_386_PC32 .init.text
Error: ./init/do_mounts_rd.o .text refers to 00001aa6 R_386_PC32 .init.text

```

Error: ./init/do\_mounts\_rd.o .text refers to 00001ab6 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001ac6 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001ad6 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001ae6 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001af6 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001b06 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001b16 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001b2d R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001b37 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001b46 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001b56 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001b6d R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001b7e R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001b8f R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001baf R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001bc0 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001bd1 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001be2 R\_386\_PC32 .init.text  
 Error: ./init/do\_mounts\_rd.o .text refers to 00001bf3 R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 000002b6 R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 00000537 R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 00000938 R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 00000954 R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 00000b11 R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 00001073 R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 0000127f R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 000013c9 R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 000013df R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 0000141a R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 0000142b R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 00001784 R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 0000179d R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 000017ab R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 000017ba R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 000017ca R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 000017da R\_386\_PC32 .init.text  
 Error: ./init/initramfs.o .text refers to 000017ea R\_386\_PC32 .init.text  
 Error: ./init/main.o .text refers to 0000050b R\_386\_PC32 .init.text  
 Error: ./init/main.o .text refers to 0000051a R\_386\_PC32 .init.text  
 Error: ./mm/bootmem.o .altinstructions refers to 00000000 R\_386\_32 .init.text  
 Error: ./mm/slab.o .altinstructions refers to 0000000c R\_386\_32 .init.text

---

Posted by [vaverin](#) on Mon, 06 Aug 2007 15:08:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

