
Posted by [kernelring](#) on Tue, 21 Feb 2006 21:08:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

ping ya.ru

ping: unknown host ya.ru

Posted by [dev](#) on Wed, 22 Feb 2006 10:52:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

iptables -L

Posted by [coolvds](#) on Wed, 22 Feb 2006 12:14:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

/etc/resolv.conf

nameserver IP

coolvds.com

Posted by [kernelring](#) on Thu, 23 Feb 2006 12:58:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

/etc/resolv.conf

nameserver IP

coolvds.com

:
; generated by /sbin/dhclient-script
search localdomain
nameserver 192.168.68.2

Posted by [coolvds](#) on Thu, 23 Feb 2006 14:02:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

dig @192.168.68.2 ya.ru

Posted by [kernelring](#) on Thu, 23 Feb 2006 16:13:27 GMT
[View Forum Message](#) <> [Reply to Message](#)

dig @192.168.68.2 ya.ru

;; connection timed out; no servers could be reached

Posted by [kernelring](#) on Thu, 23 Feb 2006 16:28:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

iptables -L

Posted by [dev](#) on Thu, 23 Feb 2006 16:29:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [dev](#) on Thu, 23 Feb 2006 16:32:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

iptables -F

Posted by [kernelring](#) on Thu, 23 Feb 2006 22:52:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
[root@localhost ~]# iptables -L
Chain INPUT (policy ACCEPT)
target  prot opt source          destination
RH-Firewall-1-INPUT  all  --  anywhere       anywhere
```

```
Chain FORWARD (policy ACCEPT)
target  prot opt source          destination
RH-Firewall-1-INPUT  all  --  anywhere       anywhere
```

```
Chain OUTPUT (policy ACCEPT)
```

target	prot	opt	source	destination
Chain RH-Firewall-1-INPUT (2 references)				
target	prot	opt	source	destination
ACCEPT	all	--	anywhere	anywhere
ACCEPT	icmp	--	anywhere	anywhere
ACCEPT	ipv6-crypt-	--	anywhere	anywhere
ACCEPT	ipv6-auth-	--	anywhere	anywhere
ACCEPT	udp	--	anywhere	224.0.0.251
ACCEPT	udp	--	anywhere	anywhere
ACCEPT	all	--	anywhere	anywhere
ACCEPT	tcp	--	anywhere	anywhere
ACCEPT	tcp	--	anywhere	anywhere
ACCEPT	tcp	--	anywhere	anywhere
ACCEPT	tcp	--	anywhere	anywhere
REJECT	all	--	anywhere	anywhere
				reject-with icmp-host-prohibited

Posted by [kernelring](#) on Thu, 23 Feb 2006 23:09:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

iptables -F

Posted by [dev](#) on Fri, 24 Feb 2006 07:02:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

(<http://openvz.org/documentation/faq>):

"ip_conntrack_enable_ve0=1".

options ip_conntrack ip_conntrack_enable_ve0=1

Posted by [kernelring](#) on Fri, 24 Feb 2006 22:38:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

(<http://openvz.org/documentation/faq>):

"ip_conntrack_enable_ve0=1".

options ip_conntrack ip_conntrack_enable_ve0=1

Posted by [dim](#) on Mon, 27 Feb 2006 15:47:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [vitaly](#) on Sat, 18 Nov 2006 17:43:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [dim](#) on Mon, 20 Nov 2006 08:12:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [vitaly](#) on Mon, 20 Nov 2006 08:33:00 GMT

[View Forum Message](#) <> [Reply to Message](#)
