
Subject: Pass environment variable via execve
Posted by [AngerMCS](#) on Thu, 16 Aug 2007 23:34:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

I have a "spawner" process that spawns other process within a vps. Problem is that the environment variables I pass with execve are not being passed to spawned processes. Does anyone know an easy way to do this?

Example code:

```
execve("/usr/sbin/vzctl", args, env);  
where args={"exec", "101", "/path/to/process", ...}
```

Thanks!

Subject: Re: Pass environment variable via execve
Posted by [Igor Sukhih](#) on Fri, 17 Aug 2007 07:34:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

AngerMCS wrote on Thu, 16 August 2007 19:34: I have a "spawner" process that spawns other process within a vps. Problem is that the environment variables I pass with execve are not being passed to spawned processes. Does anyone know an easy way to do this?

Example code:

```
execve("/usr/sbin/vzctl", args, env);  
where args={"exec", "101", "/path/to/process", ...}
```

Thanks!

As workaround It can be passed in command line
"FOO=bar /path/to/process"

Subject: Re: Pass environment variable via execve
Posted by [AngerMCS](#) on Fri, 17 Aug 2007 22:50:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

unfortunately that would require me to modify every single process that we spawn...

Anyone else have any ideas?

Edit: I tried recreating vzctl calls so that I could just use execve as though I were in the vps but that also failed.

```
syscall(511, 101);  
env_create.veid=101;  
env_create.flags=VE_ENTER;  
fd=open("/dev/vzctl", O_RDWR);  
ioctl(fd, VZCTL_ENV_CREATE, &env_create);  
close(fd);
```

The box ended up hardlocking...
