
Subject: *SOLVED* Make Kernel Module ztdummy available in VE

Posted by [schogge](#) on Fri, 24 Aug 2007 12:55:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I have installed and loaded the kernel module ztdummy (include in zaptel) on HN and want to give VE access to it.

My system:

Host: CentOS 5

Kernel: 2.6.18-8.1.4.el5.028stab035.1

Guest: CentOS 4

zaptel: zaptel-1.2.20.1

The test utility zttest shows this on HN:

```
# zttest
```

```
Opened pseudo zap interface, measuring accuracy...
```

```
99.975586% 99.926758% 99.975586% 99.975586% 99.926758%
```

I also gave VE access to /dev/zap by running

```
for x in `ls /dev/zap`; do /usr/sbin/vzctl set 200 --devnodes zap/${x}:rw --save; done
```

ls /dev/zap inside VE shows

```
ls /dev/zap/
```

```
channel ctl pseudo timer transcode
```

However asterisk is compiling without its conferencing tool MeetMe, which means ztdummy is missing on the system.

Is there a way to check if ztdummy works correctly in VE?

Any idea to get it running?

Thanks,

schogge

Subject: Re: Make Kernel Module ztdummy available in VE

Posted by [Alexandr Andreev](#) on Thu, 04 Oct 2007 15:01:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

1. Had you solve the problem?

Quote:However asterisk is compiling without its conferencing tool MeetMe, which means ztdummy

is missing on the system.

2. Probably you compiled zaptel in VE0, installed kernel modules, gave access to /dev/zap to VE's, and then entered VE, and tried to compile asteriks.

If so, you should also build and install zaptel inside VE, because asterisk requires zaptel headers and libraries to enable MeetMe support.

3. To check whether ztdummy loaded successful, run in your VE

```
# ztcfg -v  
# ztcfg -d  
# cat /proc/zaptel/1
```

Here is all asterisk features, depending on ZAPTEL:

```
# grep ZAPTEL menuselect.makedeps  
MENUSELECT_DEPENDS_app_flash=ZAPTEL  
MENUSELECT_DEPENDS_app_meetme=ZAPTEL  
MENUSELECT_DEPENDS_app_page=ZAPTEL APP_MEETME  
MENUSELECT_DEPENDS_app_rpt=ZAPTEL TONEZONE  
MENUSELECT_DEPENDS_app_zapbarge=ZAPTEL  
MENUSELECT_DEPENDS_app_zapras=ZAPTEL  
MENUSELECT_DEPENDS_app_zapscan=ZAPTEL  
MENUSELECT_DEPENDS_chan_iax2=ZAPTEL  
MENUSELECT_DEPENDS_chan_zap=RES_SMDI ZAPTEL_VLDTMF ZAPTEL TONEZONE PRI  
MENUSELECT_DEPENDS_codec_zap=ZAPTEL_TRANSCODE ZAPTEL  
MENUSELECT_DEPENDS_res_musiconhold=ZAPTEL
```

Subject: Re: Make Kernel Module ztdummy available in VE

Posted by [Emiliano](#) on Fri, 16 Nov 2007 10:20:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

Sorry guys to reopen this topic but I had the same problem.

Compiling zaptel on HN and VE was a success, but issuing modprobe on VE yields:

```
idra / # modprobe -v ztdummy  
insmod /lib/modules/2.6.18-028stab027/misc/zaptel.ko  
WARNING: Error inserting zaptel (/lib/modules/2.6.18-028stab027/misc/zaptel.ko): Operation not  
permitted  
insmod /lib/modules/2.6.18-028stab027/misc/ztdummy.ko  
FATAL: Error inserting ztdummy (/lib/modules/2.6.18-028stab027/misc/ztdummy.ko): Operation  
not permitted
```

The VE is a Gentoo system with kernel version 2.6.18-028stab027.

Any help is appreciable!

Subject: Re: Make Kernel Module ztdummy available in VE
Posted by [khorenko](#) on Fri, 16 Nov 2007 10:48:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

Well, loading modules from inside VE is prohibited, you have to load modules from HN (Hardware Node).

Subject: Re: Make Kernel Module ztdummy available in VE
Posted by [Emiliano](#) on Fri, 16 Nov 2007 13:18:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks for your reply.

Is it considered a bug or a known limitation of the OpenVZ architecture?

Tha is: is there anyone going to correct this?

Subject: Re: Make Kernel Module ztdummy available in VE
Posted by [khorenko](#) on Fri, 16 Nov 2007 13:47:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

Emiliano wrote on Fri, 16 November 2007 16:18Is it considered a bug or a known limitation of the OpenVZ architecture?

This is both limitation and the power of the OpenVZ. As all the VEs use the same kernel (OS level virtualization http://wiki.openvz.org/Introduction_to_virtualization), just imagine how simple is to write a bad kernel module, load it in any VE and crash the whole Node (Hardware Node)?

So this "limitation" defends VEs from each other.

So, this is not a bug, but the feature.

Subject: Re: Make Kernel Module ztdummy available in VE
Posted by [anishb](#) on Sat, 15 Dec 2007 04:37:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I am trying to compile zaptel inside a centos-4-minimal virtual environment so that Asterisk will compile with app_meetme. I am getting the following error:

```
[root@pbx zaptel-1.2.22.1]# make

make -C /usr/src/linux SUBDIRS=/usr/local/src/zaptel-1.2.22.1 HOTPLUG_FIRMWARE=yes
modules
make[1]: Entering directory `/usr/src/kernels/2.6.18-53.el5.028stab051.1-i686'
  CC [M] /usr/local/src/zaptel-1.2.22.1/zaptel-base.o
/usr/local/src/zaptel-1.2.22.1/zaptel-base.c:188: warning: 'fcstab' defined but not used
/bin/sh: line 1: 5234 Done(2)          gcc -m32 -E -D__GENKSYMS__
-Wp,-MD,/usr/local/src/zaptel-1.2.22.1/.zaptel-base.o.d -nostdinc -isystem
/usr/lib/gcc/i386-redhat-linux/3.4.6/include -D__KERNEL__ -linclude -include
include/linux/autoconf.h -Wall -Wundef -Wstrict-prototypes -Wno-trigraphs -fno-strict-aliasing
-fno-common -Wstrict-prototypes -Wundef -Werror-implicit-function-declaration -Os -pipe
-msoft-float -fno-builtin-sprintf -fno-builtin-log2 -fno-builtin-puts -mpreferred-stack-boundary=2
-fno-unit-at-a-time -march=i686 -mregparm=3 -ffreestanding -linclude/asm-i386/mach-generic
-linclude/asm-i386/mach-default -fomit-frame-pointer -Wdeclaration-after-statement
-DSTANDALONE_ZAPATA -DBUILDING_TZONE -DHOTPLUG_FIRMWARE
-I/usr/local/src/zaptel-1.2.22.1 -DMODULE -D"KBUILD_STR(s)=#s"
-D"KBUILD_BASENAME=KBUILD_STR(zaptel_base)"
-D"KBUILD_MODNAME=KBUILD_STR(zaptel)" /usr/local/src/zaptel-1.2.22.1/zaptel-base.c
      5236 Floating point exception| scripts/genksyms/genksyms -a i386
>/usr/local/src/zaptel-1.2.22.1/.tmp_zaptel-base.ver
make[2]: *** [/usr/local/src/zaptel-1.2.22.1/zaptel-base.o] Error 136
make[1]: *** [_module _/usr/local/src/zaptel-1.2.22.1] Error 2
make[1]: Leaving directory `/usr/src/kernels/2.6.18-53.el5.028stab051.1-i686'
make: *** [modules] Error 2
```

Anyone have any idea what the problem could be?

Subject: Re: Make Kernel Module ztdummy available in VE
Posted by [Khorenko](#) on Mon, 17 Dec 2007 14:34:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi.

i think this wiki will answer your question:

http://wiki.openvz.org/Building_LKM_against_OpenVZ_kernel_from_RPM

--

Konstantin.

Subject: Re: Make Kernel Module ztdummy available in VE
Posted by [ricoche](#) on Tue, 29 Jan 2008 07:59:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

Emiliano wrote on Fri, 16 November 2007 05:20

Compiling zaptel on HN and VE was a success,

I understand and successfully compiled Zaptel on the HN, but how does one do the same for VE when you cannot access the Kernel Source required to compile. Or can you?

Thanks,

Jim

Subject: Re: Make Kernel Module ztdummy available in VE

Posted by [ricoche](#) on Tue, 29 Jan 2008 08:13:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

Alexandr Andreev wrote on Thu, 04 October 2007 11:01

2. Probably you compiled zaptel in VE0, installed kernel modules, gave access to /dev/zap to VE's, and then entered VE, and tried to compile asteriks.

If so, you should also build and install zaptel inside VE, because asterisk requires zaptel headers and libraries to enable MeetMe support.

This is exactly what I did, but I am not sure how to install zaptel inside VE because it requires access to the Kernel source which I can't seem to install using "yum install ovzkernel-devel". I did this on the HN and it worked, but what to do with regards to the VE I am unsure.

Thanks,

Jim
