
Subject: + attach_pid-with-struct-pid-parameter.patch added to -mm tree

Posted by [Andrew Morton](#) on Thu, 11 Jan 2007 21:13:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

The patch titled
attach_pid() with struct pid parameter
has been added to the -mm tree. Its filename is
attach_pid-with-struct-pid-parameter.patch

*** Remember to use Documentation/SubmitChecklist when testing your code ***

See <http://www.zip.com.au/~akpm/linux/patches/stuff/added-to-mm.txt> to find
out what to do about this

Subject: attach_pid() with struct pid parameter
From: Sukadev Bhattiprolu <sukadev@us.ibm.com>

Implement a new version of attach_pid() with a struct pid parameter and wrap
find_attach_pid() around it. attach_pid() would also be used in subsequent
container patches.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Cc: Cedric Le Goater <clg@fr.ibm.com>
Cc: Dave Hansen <haveblue@us.ibm.com>
Cc: Serge Hallyn <serue@us.ibm.com>
Cc: <containers@lists.osdl.org>
Signed-off-by: Andrew Morton <akpm@osdl.org>

include/linux/pid.h | 28 ++++++-----
kernel/pid.c | 7 +-----
2 files changed, 20 insertions(+), 15 deletions(-)

diff -puN include/linux/pid.h~attach_pid-with-struct-pid-parameter include/linux/pid.h

--- a/include/linux/pid.h~attach_pid-with-struct-pid-parameter

+++ a/include/linux/pid.h

@@ -72,17 +72,6 @@ extern struct task_struct *FASTCALL(get_
extern struct pid *get_task_pid(struct task_struct *task, enum pid_type type);

/*
- * find_attach_pid() and detach_pid() must be called with the tasklist_lock
- * write-held.
- */
-extern int FASTCALL(find_attach_pid(struct task_struct *task,
- enum pid_type type, int nr));
-
-extern void FASTCALL(detach_pid(struct task_struct *task, enum pid_type));

```

-extern void FASTCALL(transfer_pid(struct task_struct *old,
-    struct task_struct *new, enum pid_type));
-
-/*
+ * look up a PID in the hash table. Must be called with the tasklist_lock
+ * or rcu_read_lock() held.
+ */
@@ -94,6 +83,23 @@ extern struct pid *FASTCALL(find_pid(int
extern struct pid *find_get_pid(int nr);
extern struct pid *find_ge_pid(int nr);

+/*
+ * attach_pid(), find_attach_pid() and detach_pid() must be called with the
+ * tasklist_lock write-held.
+ */
+extern int FASTCALL(attach_pid(struct task_struct *task, enum pid_type type,
+    struct pid *pid));
+
+static inline int find_attach_pid(struct task_struct *task, enum pid_type type,
+    int nr)
+{
+    return attach_pid(task, type, find_pid(nr));
+}
+
+extern void FASTCALL(detach_pid(struct task_struct *task, enum pid_type));
+extern void FASTCALL(transfer_pid(struct task_struct *old,
+    struct task_struct *new, enum pid_type));
+
+extern struct pid *alloc_pid(void);
+extern void FASTCALL(free_pid(struct pid *pid));

diff -puN kernel/pid.c~attach_pid-with-struct-pid-parameter kernel/pid.c
--- a/kernel/pid.c~attach_pid-with-struct-pid-parameter
+++ a/kernel/pid.c
@@ -247,14 +247,13 @@ struct pid * fastcall find_pid(int nr)
 }
 EXPORT_SYMBOL_GPL(find_pid);

-int fastcall find_attach_pid(struct task_struct *task, enum pid_type type,
-    int nr)
+int fastcall attach_pid(struct task_struct *task, enum pid_type type,
+    struct pid *pid)
 {
     struct pid_link *link;
-    struct pid *pid;

     link = &task->pids[type];
-    link->pid = pid = find_pid(nr);

```

```
+ link->pid = pid;
  hlist_add_head_rcu(&link->node, &pid->tasks[type]);

  return 0;
-
```

Patches currently in -mm which might be from sukadev@us.ibm.com are

rename-attach_pid-to-find_attach_pid.patch
attach_pid-with-struct-pid-parameter.patch

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>

Subject: Re: + attach_pid-with-struct-pid-parameter.patch added to -mm tree
Posted by [ebiederm](#) on Thu, 11 Jan 2007 21:48:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

akpm@osdl.org writes:

```
> The patch titled
>   attach_pid() with struct pid parameter
> has been added to the -mm tree. Its filename is
>   attach_pid-with-struct-pid-parameter.patch
>
> *** Remember to use Documentation/SubmitChecklist when testing your code ***
>
> See http://www.zip.com.au/~akpm/linux/patches/stuff/added-to-mm.txt to find
> out what to do about this
>
> -----
> Subject: attach_pid() with struct pid parameter
> From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
>
> Implement a new version of attach_pid() with a struct pid parameter and wrap
> find_attach_pid() around it. attach_pid() would also be used in subsequent
> container patches.
```

I guess these two patches work. But it sure looks like the long way around as a way of changing the argument to attach_pid.

As incremental step couldn't we just have changed the callers to:
attach_pid(task, type, find_pid(nr)).

Not that I think changing all of the callers to actually pass in the correct

struct pid is going to be much of a problem.

It just seems like a whole lot of unnecessary thrash to change them all to find_attach_pid and then back to attach_pid.

Eric

Containers mailing list

Containers@lists.osdl.org

<https://lists.osdl.org/mailman/listinfo/containers>
