
Subject: [PATCH] namespaces: update some function names

Posted by [serue](#) on Mon, 19 Feb 2007 22:41:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Any objections to asking for the following patch in Linus' tree?

Not so important right now, but when pid_ns gets pulled out of nsproxy
(eventually into struct pid_nr) the current naming is wrong.

-serge

From: Serge E. Hallyn <serue@us.ibm.com>

Subject: [PATCH] namespaces: update some function names

The {get,exit}_task_namespaces do not grab references to the individual
namespaces, only to the nsproxy. Reflect that in the function names.

Signed-off-by: Serge E. Hallyn <serue@us.ibm.com>

```
include/linux/nsproxy.h |  4 +---  
kernel/exit.c          |  6 +++---  
kernel/fork.c          |  2 +-  
kernel/nsproxy.c       |  2 +-  
4 files changed, 7 insertions(+), 7 deletions(-)
```

```
3a423064ce33e801d4e63f6b4198958cdaf68e19  
diff --git a/include/linux/nsproxy.h b/include/linux/nsproxy.h  
index 0b9f0dc..b9d9aae 100644  
--- a/include/linux/nsproxy.h  
+++ b/include/linux/nsproxy.h  
@@ -33,7 +33,7 @@ extern struct nsproxy init_nsproxy;
```

```
struct nsproxy *dup_namespaces(struct nsproxy *orig);  
int copy_namespaces(int flags, struct task_struct *tsk);  
-void get_task_namespaces(struct task_struct *tsk);  
+void get_task_nsproxy(struct task_struct *tsk);  
void free_nsproxy(struct nsproxy *ns);
```

```
static inline void put_nsproxy(struct nsproxy *ns)  
@@ -43,7 +43,7 @@ static inline void put_nsproxy(struct ns  
}  
}
```

```
-static inline void exit_task_namespaces(struct task_struct *p)  
+static inline void put_task_nsproxy(struct task_struct *p)
```

```

{
    struct nsproxy *ns = p->nsproxy;
    if (ns) {
diff --git a/kernel/exit.c b/kernel/exit.c
index bc71fdf..98f08cf 100644
--- a/kernel/exit.c
+++ b/kernel/exit.c
@@ -395,9 +395,9 @@ void daemonize(const char *name, ...)
    current->fs = fs;
    atomic_inc(&fs->count);

- exit_task_namespaces(current);
+ put_task_nsproxy(current);
    current->nsproxy = init_task.nsproxy;
- get_task_namespaces(current);
+ get_task_nsproxy(current);

    exit_files(current);
    current->files = init_task.files;
@@ -937,7 +937,7 @@ fastcall NORET_TYPE void do_exit(long co

tsk->exit_code = code;
proc_exit_connector(tsk);
- exit_task_namespaces(tsk);
+ put_task_nsproxy(tsk);
    exit_notify(tsk);
#ifndef CONFIG_NUMA
    mpol_free(tsk->mempolicy);
diff --git a/kernel/fork.c b/kernel/fork.c
index 80284eb..b8b76e5 100644
--- a/kernel/fork.c
+++ b/kernel/fork.c
@@ -1267,7 +1267,7 @@ static struct task_struct *copy_process(
    return p;

bad_fork_cleanup_namespaces:
- exit_task_namespaces(p);
+ put_task_nsproxy(p);
bad_fork_cleanup_keys:
    exit_keys(p);
bad_fork_cleanup_mm:
diff --git a/kernel/nsproxy.c b/kernel/nsproxy.c
index f5b9ee6..31fa63a 100644
--- a/kernel/nsproxy.c
+++ b/kernel/nsproxy.c
@@ -28,7 +28,7 @@ static inline void get_nsproxy(struct ns
    atomic_inc(&ns->count);
}

```

```
-void get_task_namespaces(struct task_struct *tsk)
+void get_task_nsproxy(struct task_struct *tsk)
{
    struct nsproxy *ns = tsk->nsproxy;
    if (ns) {
--
```

1.1.6

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
