
Subject: [PATCH] pidspace coda fs
Posted by [Sukadev Bhattiprolu](#) on Thu, 22 Feb 2007 23:33:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Subject: [PATCH] pidspace coda fs

Use container-safe interfaces for pid and pgid in coda.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Cc: Cedric Le Goater <clg@fr.ibm.com>
Cc: Dave Hansen <haveblue@us.ibm.com>
Cc: Serge Hallyn <serue@us.ibm.com>
Cc: containers@lists.osdl.org

fs/coda/upcall.c | 4 +++
1 file changed, 2 insertions(+), 2 deletions(-)

Index: lx26-20-mm1/fs/coda/upcall.c

=====
--- lx26-20-mm1.orig/fs/coda/upcall.c 2007-02-16 15:44:56.000000000 -0800
+++ lx26-20-mm1/fs/coda/upcall.c 2007-02-16 15:45:25.000000000 -0800
@@ -52,8 +52,8 @@ static void *alloc_upcall(int opcode, in
return ERR_PTR(-ENOMEM);

```
    inp->ih.opcode = opcode;  
- inp->ih.pid = current->pid;  
- inp->ih.pgid = process_group(current);  
+ inp->ih.pid = pid_nr(task_pid(current));  
+ inp->ih.pgid = pid_nr(task_pgrp(current));  
#ifdef CONFIG_CODA_FS_OLD_API  
    memset(&inp->ih.cred, 0, sizeof(struct coda_cred));  
    inp->ih.cred.cr_fsuid = current->fsuid;
```

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
