
Subject: [PATCH] pidspace coda fs
Posted by [Sukadev Bhattiprolu](#) on Thu, 22 Feb 2007 23:33:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Subject: [PATCH] pidspace coda fs

Use container-safe interfaces for pid and pgid in coda.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Cc: Cedric Le Goater <clg@fr.ibm.com>
Cc: Dave Hansen <haveblue@us.ibm.com>
Cc: Serge Hallyn <serue@us.ibm.com>
Cc: containers@lists.osdl.org

fs/coda/upcall.c | 4 ++--
1 file changed, 2 insertions(+), 2 deletions(-)

Index: lx26-20-mm1/fs/coda/upcall.c

```
=====
--- lx26-20-mm1.orig/fs/coda/upcall.c 2007-02-16 15:44:56.000000000 -0800
+++ lx26-20-mm1/fs/coda/upcall.c 2007-02-16 15:45:25.000000000 -0800
@@ -52,8 +52,8 @@ static void *alloc_upcall(int opcode, in
     return ERR_PTR(-ENOMEM);

     inp->ih.opcode = opcode;
-    inp->ih.pid = current->pid;
-    inp->ih.pgid = process_group(current);
+    inp->ih.pid = pid_nr(task_pid(current));
+    inp->ih.pgid = pid_nr(task_pgrp(current));
#ifdef CONFIG_CODA_FS_OLD_API
     memset(&inp->ih.cred, 0, sizeof(struct coda_cred));
     inp->ih.cred.cr_fsuid = current->fsuid;
```

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
