
Subject: [RFC][PATCH 13/14] Define CLONE_NEWPID flag
Posted by [Sukadev Bhattiprolu](#) on Wed, 21 Mar 2007 03:24:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

This was discussed on containers and we thought it would be useful to reserve this flag.

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Subject: [RFC][PATCH 13/14] Define CLONE_NEWPID flag

Define CLONE_NEWPID flag that will be used to clone pid namespaces.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

include/linux/sched.h | 1 +
1 file changed, 1 insertion(+)

Index: 2.6.21-rc3-mm2/include/linux/sched.h

```
=====
--- 2.6.21-rc3-mm2.orig/include/linux/sched.h
+++ 2.6.21-rc3-mm2/include/linux/sched.h
@@ -26,6 +26,7 @@
#define CLONE_STOPPED 0x02000000 /* Start in stopped state */
#define CLONE_NEWUTS 0x04000000 /* New utsname group? */
#define CLONE_NEWIPC 0x08000000 /* New ipcns */
+#define CLONE_NEWPID 0x10000000 /* New pid namespace */

/*
 * Scheduling policies
--
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>

Subject: Re: [RFC][PATCH 13/14] Define CLONE_NEWPID flag
Posted by [Cedric Le Goater](#) on Wed, 21 Mar 2007 12:50:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

sukadev@us.ibm.com wrote:

> This was discussed on containers and we thought it would be useful
> to reserve this flag.
> ---
>

```

> From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
> Subject: [RFC][PATCH 13/14] Define CLONE_NEWPID flag
>
> Define CLONE_NEWPID flag that will be used to clone pid namespaces.
>
> Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
> ---
> include/linux/sched.h | 1 +
> 1 file changed, 1 insertion(+)
>
> Index: 2.6.21-rc3-mm2/include/linux/sched.h
> =====
> --- 2.6.21-rc3-mm2.orig/include/linux/sched.h
> +++ 2.6.21-rc3-mm2/include/linux/sched.h
> @@ -26,6 +26,7 @@
> #define CLONE_STOPPED 0x02000000 /* Start in stopped state */
> #define CLONE_NEWUTS 0x04000000 /* New utsname group? */
> #define CLONE_NEWIPC 0x08000000 /* New ipcns */
> +#define CLONE_NEWPID 0x10000000 /* New pid namespace */
>
> /*
>  * Scheduling policies
>

```

I think we can send this one to -mm.

thanks,

C.

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>

Subject: Re: [RFC][PATCH 13/14] Define CLONE_NEWPID flag
Posted by [ebiederm](#) on Wed, 21 Mar 2007 17:30:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

Cedric Le Goater <clg@fr.ibm.com> writes:

```

> sukadev@us.ibm.com wrote:
>> This was discussed on containers and we thought it would be useful
>> to reserve this flag.
>> ---
>>
>> From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
>> Subject: [RFC][PATCH 13/14] Define CLONE_NEWPID flag

```

```

>>
>> Define CLONE_NEWPID flag that will be used to clone pid namespaces.
>>
>> Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
>> ---
>> include/linux/sched.h | 1 +
>> 1 file changed, 1 insertion(+)
>>
>> Index: 2.6.21-rc3-mm2/include/linux/sched.h
>> =====
>> --- 2.6.21-rc3-mm2.orig/include/linux/sched.h
>> +++ 2.6.21-rc3-mm2/include/linux/sched.h
>> @@ -26,6 +26,7 @@
>> #define CLONE_STOPPED 0x02000000 /* Start in stopped state */
>> #define CLONE_NEWUTS 0x04000000 /* New utsname group? */
>> #define CLONE_NEWIPC 0x08000000 /* New ipcns */
>> +#define CLONE_NEWPID 0x10000000 /* New pid namespace */
>>
>> /*
>>  * Scheduling policies
>>
>
> I think we can send this one to -mm.

```

Sounds good to me.

Eric

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>

Subject: Re: [RFC][PATCH 13/14] Define CLONE_NEWPID flag
Posted by [Herbert Poetzl](#) on Fri, 23 Mar 2007 01:30:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Wed, Mar 21, 2007 at 11:30:14AM -0600, Eric W. Biederman wrote:
> Cedric Le Goater <clg@fr.ibm.com> writes:
>
> > sukadev@us.ibm.com wrote:
> >> This was discussed on containers and we thought it would be useful
> >> to reserve this flag.
> >> ---
> >>
> >> From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
> >> Subject: [RFC][PATCH 13/14] Define CLONE_NEWPID flag
> >>

> >> Define CLONE_NEWPID flag that will be used to clone pid namespaces.

> >>

> >> Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

> >> ---

> >> include/linux/sched.h | 1 +

> >> 1 file changed, 1 insertion(+)

> >>

> >> Index: 2.6.21-rc3-mm2/include/linux/sched.h

> >> =====

> >> --- 2.6.21-rc3-mm2.orig/include/linux/sched.h

> >> +++ 2.6.21-rc3-mm2/include/linux/sched.h

> >> @@ -26,6 +26,7 @@

> >> #define CLONE_STOPPED 0x02000000 /* Start in stopped state */

> >> #define CLONE_NEWUTS 0x04000000 /* New utsname group? */

> >> #define CLONE_NEWIPC 0x08000000 /* New ipc */

> >> +#define CLONE_NEWPID 0x10000000 /* New pid namespace */

> >>

> >> /*

> >> * Scheduling policies

> >>

> >

> > I think we can send this one to -mm.

>

> Sounds good to me.

yep, we won't get around it :)

i.e. I'm fine with this

best,

Herbert

> Eric

>

> Containers mailing list

> Containers@lists.linux-foundation.org

> <https://lists.linux-foundation.org/mailman/listinfo/containers>

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
