Subject: How to reset the failcount (failcnt) in /dev/user_beancounters ? Posted by bjmg on Wed, 15 Mar 2006 11:33:37 GMT

View Forum Message <> Reply to Message

Hi,

How can I reaset the failcount in /dev/user_beancounters ?

In previous cases I just restarted the hardware node to be sure that everything is is a defined state.

Because this time I have to do this on a production system I don't want to reboot the hardware node. I hope there is a another way to do this without even restarting any of the VPSs. If so, please explain it to me (or just say it is described in document X).

Bernhard

Subject: Re: How to reset the failcount (failcnt) in /dev/user_beancounters ? Posted by kir on Wed, 15 Mar 2006 12:05:09 GMT View Forum Message <> Reply to Message

AFAIK there is no way to reset failcnt in /proc/user_beancounters without restarting an appropriate VPS. This is actually a valid behaviour since there can be many different programs reading those values, and they should not expect those values to suddenly go down to zero.

So what you should do is to collect the current values and later check against them. For the 'problematic' VPSs I usually employ a cron job which periodically cats /proc/user_beancounters to a file, together with a timestamp.

A simple shell script can also be written to mail a sysadmin about "bad" changes in /proc/user_beancounters.

Subject: Re: How to reset the failcount (failcnt) in /dev/user_beancounters ? Posted by bjmg on Wed, 15 Mar 2006 12:17:25 GMT View Forum Message <> Reply to Message

A simple restart of the VPS does not work. The failcounts are still on the same level. Anyway I'll just write a script that reports changes on failcounts to me.

Bernhard

Subject: Re: How to reset the failcount (failcnt) in /dev/user_beancounters ? Posted by kir on Wed, 15 Mar 2006 12:56:00 GMT View Forum Message <> Reply to Message

Quote: A simple restart of the VPS does not work.

That tells that there is some UBC leak (incorrect counting). What kernel are you using? Do you have some strange messages from the kernel? Can you post the output of /proc/user_beancounters for the given VPS when this VPS is stopped (some 'usage' counters should be > 0, thus failcnt is not being reset).

Subject: Re: How to reset the failcount (failcnt) in /dev/user_beancounters ? Posted by bjmg on Wed, 15 Mar 2006 13:35:58 GMT View Forum Message <> Reply to Message

Here is the data:

user_beancounters (before stop of VPS 22114):

22114: kmemsize	8006	290 12	162801	131972	572 1451	69828	20533210
lockedpages	0	0	6442	6442	0		
privvmpages	84085	1125	592 14	14989	159487	0	
shmpages	671	1978	1449	98 14	498	0	
dummy	0	0	0	0	0		
numproc	113	183	5332	5332	2 24		
physpages	37958	6560)9	0 21474	83647	0	
vmguarpages	0	0	144989	9 214748	33647	0	
oomguarpage	s 3968	32 66	342 1	44989 2	14748364	7	0
numtcpsock	30	127	5332	2 533	³ 2 134	7	
numflock	13	31	1000	1100	0		
numpty	2		512	512	0		
numsiginfo	0	50	1024	1024	0		
tcpsndbuf	31192				3990858	1549	9
tcprcvbuf	2228	300780			990858	0	
othersockbuf	187152				32915364	l ()
dgramrcvbuf	0	169328			075492	0	
numothersock					332 (•	
dcachesize	357099				29675520	0)
numfile	1084	1593	51520	5152	20 0		
dummy	0	0	0	0	0		
dummy	0	0	0	0	0		
dummy	0	0	0	0	0		
numiptent	143	143	200	200	0		

user_beancounters (after stop of VPS 22114)

22114: kmemsize	11	77 1216	52801 1	31972572	145169828	20533210
lockedpages	0	0	6442	6442	0	
privvmpages	0	112592	1449	89 1594	87 0	
shmpages	0	1978	14498	14498	0	
dummy	0	0	0	0 0		
numproc	0	183	5332	5332	24	

physpages	0	65609	0	21474	483647	,	0
vmguarpages	0	0	14498	9 214	174836	47	0
oomguarpages	1	4 663	42 14	4989	21474	83647	7 0
numtcpsock	0	127	5332	2 8	5332	134	7
numflock	0	31	1000	11(00	0	
numpty	0	5	512	512	()	
numsiginfo	0	50	1024	10	24	0	
tcpsndbuf	0	739696	221509		439908	358	1549
tcprcvbuf	0	300780	221509	86 4	39908	58	0
othersockbuf	0	430392	2 1107	5492	32915	5364	0
dgramrcvbuf	0	169328	3 1107	5492	1107	5492	0
numothersock	0	193	533	2	5332	С)
dcachesize	0	466733	28811	184	29675	520	0
numfile	0	1593	51520	51	520	0	
dummy	0	0	0	0	0		
dummy	0	0	0	0	0		
dummy	0	0	0	0	0		
numiptent	0	143	200	20	00	0	

user_beancounters (after start of VPS 22114):

22114: kmemsize					_	69828 20533210
lockedpages	0	0	6442	6442	0	
privvmpages	67938				159487	0
shmpages	26	1978	1449	8 1449	98 0	
dummy	0	0	0	0	0	
numproc	87	183	5332	5332	24	
physpages	24228	6560)9	0 214748	3647	0
vmguarpages	0	0	144989	9 214748	3647	0
oomguarpages	s 2424	2 66	342 1	44989 21	47483647	' 0
numtcpsock	20	127	5332	5332	2 1347	
numflock	16	31	1000	1100	0	
numpty	0	5	512	512	0	
numsiginfo	0	50	1024	1024	0	
tcpsndbuf	33420	73969	6 2215	0986 43	990858	1549
tcprcvbuf	0 30	0780	2215098	36 43990	0858	0
othersockbuf	158188	4303	392 110)75492 🗧	32915364	0
dgramrcvbuf	0	169328	11075	492 110)75492	0
numothersock	138	193	3 533	32 533	32 0	
dcachesize	345619	4667	33 288	11184 2	29675520	0
numfile	912	1593	51520	51520	0	
dummy	0	0	0	0	0	
dummy	0	0	0	0	0	
dummy	0	0	0	0	0	
numiptent	143	143	200	200	0	

uname:

Linux master.mediadesign-gruen.de 2.6.8-022stab070.1-enterprise #1 SMP Mon Feb 20 19:31:28 MSK 2006 i686 athlon i386 GNU/Linux

This is an excerpt of dmesg output: (not only from that stop - start event but all relevant infos I found)

VPS: 22114: started Unable to load interpreter Unable to load interpreter Unable to load interpreter VPS: 22114: stopped VPS: 22114: started Fatal resource shortage: numiptent, UB 22114. VPS: 22114: stopped VPS: 22114: started Out of socket memory VPS: 22114: stopped VPS: 22114: started TCP: time wait bucket table overflow VPS: 22114: stopped ... TCP: time wait bucket table overflow TCP: too many of orphaned sockets TCP: too many of orphaned sockets

TCP: too many of orphaned sockets VPS: 22114: stopped VPS: 22114: started [no problem memory problems since that point - but still high failcount] ... VPS: 22114: stopped VPS: 22114: started

[this is the restart I did for getting the infos above]

I hope this helps debugging it. I can also provide a psaux output (with VPS 22114 stoped).

Bernhard

Subject: Re: How to reset the failcount (failcnt) in /dev/user_beancounters ? Posted by kir on Wed, 15 Mar 2006 14:23:34 GMT View Forum Message <> Reply to Message

Thanks for the response!

Apparently, as a neighbour kernel hacker just explained me, this is not a bug.

The problem is tcp time wait buckets are still there after VPS is stopped, thus we are having >0 kmemsize. They should go away after a timeout (5 minutes or so), after that kmemsize will be set (zeroed) and fail counters should be reset to zero.

'oomguarpages > 0' is known bug; the good thing is fail counters will be reset even with oomguarpages > 0.

So, you have two options

(1) stop VPS and wait 5 minutes or so

(2) check the difference of failcnts, not their absolute values.

Subject: Re: How to reset the failcount (failcnt) in /dev/user_beancounters ? Posted by kir on Thu, 13 Jul 2006 08:03:01 GMT View Forum Message <> Reply to Message

The info from this thread has been summarized at wiki: UBC failcnt reset.