
Subject: [patch 04/22] r o bind mounts stub functions fix
Posted by [Cedric Le Goater](#) on Thu, 07 Jun 2007 15:25:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Cedric Le Goater <clg@fr.ibm.com>

Signed-off-by: Cedric Le Goater <clg@fr.ibm.com>

include/linux/fs.h | 9 +++++++
include/linux/mount.h | 11 -----
2 files changed, 9 insertions(+), 11 deletions(-)

Index: 2.6.22-rc4-mm2-robindmount/include/linux/fs.h

=====

--- 2.6.22-rc4-mm2-robindmount.orig/include/linux/fs.h
+++ 2.6.22-rc4-mm2-robindmount/include/linux/fs.h
@@ -1104,6 +1104,15 @@ struct super_block {
extern struct timespec current_fs_time(struct super_block *sb);

/*
+ * This shouldn't be used directly outside of the VFS,
+ * use mnt_want/drop_write() instead.
+ */
+static inline int __mnt_is_readonly(struct vfsmount *mnt)
+{
+ return (mnt->mnt_sb->s_flags & MS_RDONLY);
+}
+
+/*
+ * Snapshotting support.
+ */
enum {

Index: 2.6.22-rc4-mm2-robindmount/include/linux/mount.h

=====

--- 2.6.22-rc4-mm2-robindmount.orig/include/linux/mount.h
+++ 2.6.22-rc4-mm2-robindmount/include/linux/mount.h
@@ -74,17 +74,6 @@ static inline struct vfsmount *mntget(st
return mnt;
}

-#include <linux/fs.h>

-
-/*
- * This shouldn't be used directly outside of the VFS,
- * use mnt_want/drop_write() instead.
- */
-static inline int __mnt_is_readonly(struct vfsmount *mnt)
-{

```
- return (mnt->mnt_sb->s_flags & MS_RDONLY);  
-}  
-  
extern int mnt_want_write(struct vfsmount *mnt);  
extern void mnt_drop_write(struct vfsmount *mnt);  
extern void mntput_no_expire(struct vfsmount *mnt);  
  
--
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
