

---

Subject: Re: [PATCHSET] Sysfs cleanups from Eric W. Biederman  
Posted by [ebiederm](#) on Wed, 22 Aug 2007 14:04:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Tejun Heo <[htejun@gmail.com](mailto:htejun@gmail.com)> writes:

> Hello, all.

>

> This is subset of Eric W. Biederman's "Sysfs cleanups & tagged  
> directory support" patchset[1] with the following modifications.

As a base:

Acked-by: "Eric W. Biederman" <[ebiederm@xmission.com](mailto:ebiederm@xmission.com)>

>

> \* fix-i\_mutex-locking-in-sysfs\_get\_dentry patch is added at the top  
> and #14-Don\_t-use-lookup\_one\_len\_kern and  
> #15-vfs-Remove-lookup\_one\_len\_kern are dropped. This is because #14  
> contained had a bug where it might created dentry/inode for an  
> already deleted sysfs\_dirent. I think it's beneficial to keep  
> single lookup path.

I think I disagree with the bug spotting.

At least in net we the sysfs\_rename\_mutex which keeps parent directories from disappearing. Further we have a reference to the leaf sysfs\_dirent and are actively manipulating it, so the sysfs\_dirent should not disappear on us.

> \* Rewrote simplify-sysfs\_get\_dentry patch and  
> #08-Implement-\_\_sysfs\_get\_dentry,  
> #09-Move-sysfs\_get\_dentry-below-\_\_sysfs\_get\_dentry and  
> #10-Rewrite-sysfs\_get\_dentry-in-terms-of-\_\_sysfs\_get\_dentry are  
> omitted as \_\_sysfs\_get\_dentry() isn't used by anyone.

Right. \_\_sysfs\_get\_dentry is an optimization that has makes the best case for sysfs\_get\_dentry O(1) instead of O(depth). However this doesn't matter because sysfs\_get\_dentry is not on any fast path and the maximum depth of sysfs directories is fairly shallow and programmer controlled.

The only user other user of \_\_sysfs\_get\_dentry is in the tagged directory support, and even that user doesn't strictly need it. Although it is a bit silly to populate the dcache just so you can invalidate it a moment later...

Just doing the dget(sysfs\_sb->s\_root) is a bit clearer in sysfs\_get\_dentry then knowing implicitly that is what

\_\_sysfs\_get\_dentry does in the worst cased.

- > \* #16, 19-25 are omitted as it isn't clear yet how the tagged entry support will end up.
- >
- > \* readdir simplification fixed.
- >
- > \* sysfs\_mutex double locking fixed.
- >
- > The patchset is on top of the current -gregkh.

Eric

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---

---

Subject: Re: [PATCHSET] Sysfs cleanups from Eric W. Biederman  
Posted by [Tejun Heo](#) on Wed, 22 Aug 2007 14:45:28 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

Eric W. Biederman wrote:

- >> \* fix-i\_mutex-locking-in-sysfs\_get\_dentry patch is added at the top
- >> and #14-Don\_t-use-lookup\_one\_len\_kern and
- >> #15-vfs-Remove-lookup\_one\_len\_kern are dropped. This is because #14
- >> contained had a bug where it might created dentry/inode for an
- >> already deleted sysfs\_dirent. I think it's beneficial to keep
- >> single lookup path.
- >
- > I think I disagree with the bug spotting.
- >
- > At least in net we the sysfs\_rename\_mutex which keeps parent
- > directories from disappearing. Further we have a reference
- > to the leaf sysfs\_dirent and are actively manipulating it, so
- > the sysfs\_dirent should not disappear on us.

sysfs\_rename\_mutex() keeps out renaming and moving not removing. Also, reference prevents sysfs\_dirent from being released not from being removed. The different in lookup path is that it searches the children list - sd's are unlinked from children list on removal.

- >> \* Rewrote simplify-sysfs\_get\_dentry patch and
- >> #08-Implement-\_\_sysfs\_get\_dentry,
- >> #09-Move-sysfs\_get\_dentry-below-\_\_sysfs\_get\_dentry and
- >> #10-Rewrite-sysfs\_get\_dentry-in-terms-of-\_\_sysfs\_get\_dentry are

>> omitted as `__sysfs_get_dentry()` isn't used by anyone.  
>  
> Right. `__sysfs_get_dentry` is an optimization that has makes  
> the best case for `sysfs_get_dentry`  $O(1)$  instead of  $O(\text{depth})$ .  
> However this doesn't matter because `sysfs_get_dentry` is not  
> on any fast path and the maximum depth of `sysfs` directories  
> is fairly shallow and programmer controlled.

The reason why `sysfs_get_dentry()` climbed up first then climbed down was not because of performance. It was to support the original shadow implementation. Because there was no reliable way to reach a leaf node from the root, dentries of all shadows are pinned such that they can serve as the starting point for dentry lookup and the climbing up was to reach that starting point. Now that the dentry-multiplexing shadow support is gone, there's no need to do the climbing up.

> The only user other user of `__sysfs_get_dentry` is in the tagged  
> directory support, and even that user doesn't strictly need it.  
> Although it is a bit silly to populate the dcache just so you  
> can invalidate it a moment later...

Yeah, actually the only essential user of that kind of look up is `sysfs_drop_dentry()` which is in deletion path and can't fail due to allocation failure and has the logic open-coded. I have nothing against `__sysfs_get_dentry()`. It was just not needed by the patches I forwarded this time. Feel free to include it as you see fit.

I'm currently working on `kobj/sysfs` separation. As most internal implementation is `sd` based already, the changes are mostly confined to interface functions but it's still a big change. I think I'll be able to post the patches in this week or early next week at the latest.

Thanks.

--  
tejun

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---