
Subject: Re: [PATCH] Use same_thread_group() in signalfd.c
Posted by [Sukadev Bhattiprolu](#) on Wed, 29 Aug 2007 21:18:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

Pavel Emelianov [xemul@openvz.org] wrote:
| This is a lost hunk of previous patch that isolated the
| explicit usage of task->tgid in some places. The signalfd
| code uses the tsk->tgid comparison.
|
| Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

Acked-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

```
|  
| ---  
|  
| diff --git a/fs/signalfd.c b/fs/signalfd.c  
| index a8e293d..5bfd2c5 100644  
| --- a/fs/signalfd.c  
| +++ b/fs/signalfd.c  
| @@ -64,7 +64,7 @@ static int signalfd_lock(struct signalfd  
|     return 0;  
| }  
|  
| - if (lk->tsk->tgid == current->tgid)  
| + if (same_thread_group(lk->tsk, current->tgid))  
|     lk->tsk = current;  
|  
| return 1;
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
