
Subject: Re: [PATCH] Remove write-only variable from pktgen_thread
Posted by [Sukadev Bhattiprolu](#) on Wed, 29 Aug 2007 21:33:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

Pavel Emelianov [xemul@openvz.org] wrote:

| The pktgen_thread.pid is set to current->pid and is never used
| after this. So remove this at all.

| Found during isolating the explicit pid/tgid usage.

| Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

Good observation that its not being used :-)

Acked-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

| ---

```
diff --git a/net/core/pktgen.c b/net/core/pktgen.c
index 3a3154e..93695c2 100644
--- a/net/core/pktgen.c
+++ b/net/core/pktgen.c
@@ -380,7 +380,6 @@ struct pktgen_thread {
 /* Field for thread to receive "posted" events terminate, stop ifs
 etc. */

u32 control;
- int pid;
int cpu;

wait_queue_head_t queue;
@@ -3462,8 +3461,6 @@ static int pktgen_thread_worker(void *ar

init_waitqueue_head(&t->queue);

- t->pid = current->pid;
-
pr_debug("pktgen: starting pktgen/%d: pid=%d\n", cpu,
task_pid_nr(current));

max_before_softirq = t->max_before_softirq;
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>

Subject: Re: [PATCH] Remove write-only variable from pktgen_thread
Posted by [davem](#) on Fri, 31 Aug 2007 05:46:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

From: sukadev@us.ibm.com

Date: Wed, 29 Aug 2007 14:33:56 -0700

> Pavel Emelianov [xemul@openvz.org] wrote:
> | The pktgen_thread.pid is set to current->pid and is never used
> | after this. So remove this at all.
> |
> | Found during isolating the explicit pid/tgid usage.
> |
> | Signed-off-by: Pavel Emelyanov <xemul@openvz.org>
>
> Good observation that its not being used :-)
>
> Acked-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

Patch applied, thanks.

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
