Subject: Re: pid namespace .text overhead Posted by Sukadev Bhattiprolu on Tue, 11 Sep 2007 02:04:06 GMT View Forum Message <> Reply to Message

Cedric Le Goater [clg@fr.ibm.com] wrote:

| FYI,

I just did a compile test on a 2.6.23-rc4-mm1 kernel with and without the following patches on a x86_64 defconfig (I also had to remove CONFIG_IPV6 for some compile reason):

Thats a good point.

We have been a bit liberal with "inline" given that lot of the code was going to affect the "fast-path" clone().

Should we shoot for a time/space trade-off or can we make some inlines conditional (i.e inline when not configured for say embedded linux)?

Suka

Containers mailing list

Containers@lists.linux-foundation.org

https://lists.linux-foundation.org/mailman/listinfo/containers

Subject: Re: pid namespace .text overhead Posted by Cedric Le Goater on Tue, 11 Sep 2007 07:13:38 GMT View Forum Message <> Reply to Message

sukadev@us.ibm.com wrote:

- > Cedric Le Goater [clg@fr.ibm.com] wrote:
- > | FYI,
- > |
- > | I just did a compile test on a 2.6.23-rc4-mm1 kernel with and without
- > | the following patches on a x86_64 defconfig (I also had to remove
- > | CONFIG IPV6 for some compile reason) :
- >
- > Thats a good point.

>

- > We have been a bit liberal with "inline" given that lot of the code was
- > going to affect the "fast-path" clone().

are are some figures:

with without

text data | text data | filename

```
1186
        4 | 1099
                    4 | kernel/capability.o
        0 | 9941
                     0 | kernel/exit.o
10390
        140 | 10434
                     140 | kernel/fork.o
10611
        72 | 10518
10765
                     72 | kernel/futex.o
       56 | 939
                   56 | kernel/nsproxy.o
957
3446
      2292 | 2350
                    2228 | kernel/pid.o
        45 | 13641
                     45 | kernel/signal.o
13930
10177
        544 | 9819
                    544 | kernel/sys.o
        56 | 4809
                    56 | fs/proc/array.o
5083
                     184 | fs/proc/base.o
17097
       184 | 16748
       51471
```

- > Should we shoot for a time/space trade-off or can we make some inlines
- > conditional (i.e inline when not configured for say embedded linux)?

I'm sure the embedded guys will appreciate:)

Thanks!

C.

Containers mailing list Containers@lists.linux-foundation.org https://lists.linux-foundation.org/mailman/listinfo/containers

Subject: Re: pid namespace .text overhead Posted by Dave Hansen on Tue, 11 Sep 2007 15:36:08 GMT View Forum Message <> Reply to Message

On Mon, 2007-09-10 at 19:04 -0700, sukadev@us.ibm.com wrote:

> . T

> Thats a good point.

>

- > We have been a bit liberal with "inline" given that lot of the code
- > was
- > going to affect the "fast-path" clone().

>

- > Should we shoot for a time/space trade-off or can we make some inlines
- > conditional (i.e inline when not configured for say embedded linux)?

Can we make them switch somehow on -Os? That's what the embedded guys use.

-- Dave

Containers mailing list Containers@lists.linux-foundation.org https://lists.linux-foundation.org/mailman/listinfo/containers