
Subject: [PATCH 3/3] user.c: #ifdef ->mq_bytes
Posted by [Alexey Dobriyan](#) on Fri, 21 Sep 2007 09:40:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

for those who deselect POSIX message queues.

Reduces SLAB size of user_struct from 64 to 32 bytes here,
SLUB size -- from 40 bytes to 32 bytes.

Signed-off-by: Alexey Dobriyan <adobriyan@sw.ru>

```
include/linux/sched.h | 2 ++
kernel/user.c          | 2 --
2 files changed, 2 insertions(+), 2 deletions(-)
```

```
--- a/include/linux/sched.h
+++ b/include/linux/sched.h
@@ -583,8 +583,10 @@ struct user_struct {
    atomic_t inotify_watches; /* How many inotify watches does this user have? */
    atomic_t inotify_devs; /* How many inotify devs does this user have opened? */
    #endif
    #ifdef CONFIG_POSIX_MQUEUE
    /* protected by mq_lock */
    unsigned long mq_bytes; /* How many bytes can be allocated to mqueue? */
    #endif
    unsigned long locked_shm; /* How many pages of mlocked shm ? */
```

```
#ifdef CONFIG_KEYS
--- a/kernel/user.c
+++ b/kernel/user.c
@@ -44,7 +44,6 @@ struct user_struct root_user = {
    .processes = ATOMIC_INIT(1),
    .files = ATOMIC_INIT(0),
    .sigpending = ATOMIC_INIT(0),
-   .mq_bytes = 0,
    .locked_shm = 0,
    #ifdef CONFIG_KEYS
    .uid_keyring = &root_user_keyring,
```

Subject: Re: [PATCH 3/3] user.c: #ifdef ->mq_bytes
Posted by [Cedric Le Goater](#) on Fri, 21 Sep 2007 09:55:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Alexey !

Alexey Dobriyan wrote:

```

> for those who deselect POSIX message queues.
>
> Reduces SLAB size of user_struct from 64 to 32 bytes here,
> SLUB size -- from 40 bytes to 32 bytes.
>
> Signed-off-by: Alexey Dobriyan <adobriyan@sw.ru>
> ---
>
> include/linux/sched.h | 2 ++
> kernel/user.c          | 2 --
> 2 files changed, 2 insertions(+), 2 deletions(-)
>
> --- a/include/linux/sched.h
> +++ b/include/linux/sched.h
> @@ -583,8 +583,10 @@ struct user_struct {
>  atomic_t inotify_watches; /* How many inotify watches does this user have? */
>  atomic_t inotify_devs; /* How many inotify devs does this user have opened? */
> #endif
> +#ifdef CONFIG_POSIX_MQUEUE
>  /* protected by mq_lock */
>  unsigned long mq_bytes; /* How many bytes can be allocated to mqueue? */
> +#endif
>  unsigned long locked_shm; /* How many pages of mlocked shm ? */

```

while you are it, it seems possible to #ifdef locked_shm also. it's a bit more complex because the code is mm/ and there are some links with the hugetlbfs also.

Cheers,

C.

```

> #ifdef CONFIG_KEYS
> --- a/kernel/user.c
> +++ b/kernel/user.c
> @@ -44,7 +44,6 @@ struct user_struct root_user = {
>  .processes = ATOMIC_INIT(1),
>  .files = ATOMIC_INIT(0),
>  .sigpending = ATOMIC_INIT(0),
>  - .mq_bytes = 0,
>  .locked_shm = 0,
>  #ifdef CONFIG_KEYS
>  .uid_keyring = &root_user_keyring,
>
>  -
>
> To unsubscribe from this list: send the line "unsubscribe linux-kernel" in
> the body of a message to majordomo@vger.kernel.org
> More majordomo info at http://vger.kernel.org/majordomo-info.html

```

> Please read the FAQ at <http://www.tux.org/lkml/>

>
