
Subject: Using multicast in virtual servers

Posted by [Peter Hinse](#) on Tue, 25 Sep 2007 12:01:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi all,

we have several OpenVZ instances (CentOS 4.5) running on several physical servers (CentOS 5.0) as a QA-/testing environment for Java applications running in JBoss application server. Since we do have to test clustering, multicast has to work for all virtual servers, no matter which physical host they run on.

Right now, we use veth interfaces with local IPs (192.168.*.*) and tested multicast with ssmping (<http://www.venaas.no/multicast/ssmping/>) without success.

Any idea how to get this running?

Regards,

Peter

Subject: Re: Using multicast in virtual servers

Posted by [dev](#) on Tue, 25 Sep 2007 13:00:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

what OVZ kernel do you use?
we'll try to check with this tool as well.

Regards,
Kirill

> Hi all,

>

> we have several OpenVZ instances (CentOS 4.5) running on several
> physical servers (CentOS 5.0) as a QA-/testing environment for Java
> applications running in JBoss application server. Since we do have to
> test clustering, multicast has to work for all virtual servers, no
> matter which physical host they run on.

>

> Right now, we use veth interfaces with local IPs (192.168.*.*) and
> tested multicast with ssmping (<http://www.venaas.no/multicast/ssmping/>)
> without success.

>

> Any idea how to get this running?

>

> Regards,

>
> Peter

Subject: Re: Using multicast in virtual servers
Posted by [Peter Hinse](#) on Tue, 25 Sep 2007 13:00:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

Kirill Korotaev wrote:
> what OVZ kernel do you use?
> we'll try to check with this tool as well.

we use the rhel5 kernel series:

Linux bladeG4 2.6.18-8.1.8.el5.028stab039.1 #1 SMP Mon Jul 23 18:02:32
MSD 2007 x86_64 x86_64 x86_64 GNU/Linux

>
> Regards,
> Kirill
>
>> Hi all,
>>
>> we have several OpenVZ instances (CentOS 4.5) running on several
>> physical servers (CentOS 5.0) as a QA-/testing environment for Java
>> applications running in JBoss application server. Since we do have to
>> test clustering, multicast has to work for all virtual servers, no
>> matter which physical host they run on.
>>
>> Right now, we use veth interfaces with local IPs (192.168.*.*) and
>> tested multicast with ssm ping (<http://www.venaas.no/multicast/ssmping/>)
>> without success.
>>
>> Any idea how to get this running?
>>
>> Regards,
>>
>> Peter

Subject: Re: Using multicast in virtual servers
Posted by [dev](#) on Tue, 25 Sep 2007 14:03:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Peter,

Is the same setup working without openvz?

Have you used multicast before? Multicast is a bit complex to set up, requires support from routers/switches etc., so this might well be not openvz-related. But we setting up this test case right now to check ourselves.

Can you please also provide a bit more information about your configuration like whether you use bridge for veth-eth0 traffic bridging or routed networking, any configuration options (including sysctl) you used/changed etc.?

Thanks,
Kirill

Peter Hinse wrote:

> Kirill Korotaev wrote:

>

>>what OVZ kernel do you use?

>>we'll try to check with this tool as well.

>

>

> we use the rhel5 kernel series:

>

> Linux bladeG4 2.6.18-8.1.8.el5.028stab039.1 #1 SMP Mon Jul 23 18:02:32

> MSD 2007 x86_64 x86_64 x86_64 GNU/Linux

>

>

>>Regards,

>>Kirill

>>

>>

>>>Hi all,

>>>

>>>we have several OpenVZ instances (CentOS 4.5) running on several

>>>physical servers (CentOS 5.0) as a QA-/testing environment for Java

>>>applications running in JBoss application server. Since we do have to

>>>test clustering, multicast has to work for all virtual servers, no

>>>matter which physical host they run on.

>>>

>>>Right now, we use veth interfaces with local IPs (192.168.*.*) and

>>>tested multicast with ssmping (<http://www.venaas.no/multicast/ssmping/>)

>>>without success.

>>>

>>>Any idea how to get this running?

>>>

>>>Regards,

>>>

>>> Peter

Subject: Re: Using multicast in virtual servers
Posted by [Vitaliy Gusev](#) on Tue, 25 Sep 2007 14:18:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

On the Tuesday 25 September 2007 16:01 Peter Hinse, wrote:

> Hi all,
>
> we have several OpenVZ instances (CentOS 4.5) running on several
> physical servers (CentOS 5.0) as a QA-/testing environment for Java
> applications running in JBoss application server. Since we do have to
> test clustering, multicast has to work for all virtual servers, no
> matter which physical host they run on.
>
> Right now, we use veth interfaces with local IPs (192.168.*.*) and
> tested multicast with ssm ping (<http://www.venaas.no/multicast/ssmping/>)
> without success.
>
> Any idea how to get this running?
Please, print ssm ping command, output for ifconfig, route -n, etc.

>
> Regards,
>
> Peter

--
Thanks,
Vitaliy Gusev

Subject: Re: Using multicast in virtual servers
Posted by [Daniel Pittman](#) on Wed, 26 Sep 2007 03:18:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

Kirill Korotaev <dev@sw.ru> writes:

> Is the same setup working without openvz? Have you used multicast
> before? Multicast is a bit complex to set up, requires support from
> routers/switches etc., so this might well be not openvz-related. But
> we setting up this test case right now to check ourselves.
>
> Can you please also provide a bit more information about your
> configuration like whether you use bridge for veth-eth0 traffic
> bridging or routed networking, any configuration options (including
> sysctl) you used/changed etc.?

One thing that is worth noting: I found a bug in the ... veth code, I think, where it wouldn't pass a multicast packet through. The code checked with the 'is_broadcast' flag, for a matching mac, and assumed

that anything else was not for this host.

Perhaps this is a similar issue? I can try to dig out the fault report if it helps, but at the time it was simply changing is_broadcast to include an is_multicast test on the Ethernet MAC.

Regards,
Daniel

I hope that actually helps. :)

--

Daniel Pittman <daniel@cybersource.com.au> Phone: 03 9621 2377
Level 4, 10 Queen St, Melbourne Web: <http://www.cyber.com.au>
Cybersource: Australia's Leading Linux and Open Source Solutions Company

Subject: Re: Using multicast in virtual servers
Posted by [Andrey Mirkin](#) on Wed, 26 Sep 2007 06:47:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

On Wednesday 26 September 2007 07:18 Daniel Pittman wrote:

> One thing that is worth noting: I found a bug in the ... veth code, I
> think, where it wouldn't pass a multicast packet through. The code
> checked with the 'is_broadcast' flag, for a matching mac, and assumed
> that anything else was not for this host.

Actually the bug you mention about was fixed in 2.6.18-el5-028stab034.1.
So it seems that we have here another problem.

Best regards,
Andrey

Subject: Re: Using multicast in virtual servers
Posted by [dev](#) on Wed, 26 Sep 2007 07:13:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

Daniel Pittman wrote:

> Kirill Korotaev <dev@sw.ru> writes:

>

>

>>Is the same setup working without openvz? Have you used multicast
>>before? Multicast is a bit complex to set up, requires support from
>>routers/switches etc., so this might well be not openvz-related. But
>>we setting up this test case right now to check ourselves.

>>

>>Can you please also provide a bit more information about your
>>configuration like whether you use bridge for veth-eth0 traffic
>>bridging or routed networking, any configuration options (including
>>sysctl) you used/changed etc.?
>
>
> One thing that is worth noting: I found a bug in the ... veth code, I
> think, where it wouldn't pass a multicast packet through. The code
> checked with the 'is_broadcast' flag, for a matching mac, and assumed
> that anything else was not for this host.

plz make sure you really use and look at the sources of 028stab039 kernel.
this check in veth_xmit() was fixed in 028stab034 with this commit:
<http://git.openvz.org/?p=linux-2.6.18-openvz;a=commitdiff;h=993241dcdcf8ae22d339e08ed78db6e9760b1d89>

>
> Perhaps this is a similar issue? I can try to dig out the fault report
> if it helps, but at the time it was simply changing is_broadcast to
> include an is_multicast test on the Ethernet MAC.

and it started to work?

Thanks,
Kirill

Subject: Re: Using multicast in virtual servers
Posted by [Peter Hinse](#) on Wed, 26 Sep 2007 07:28:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

Kirill Korotaev wrote:

> Peter,
>
> Is the same setup working without openvz?
> Have you used multicast before? Multicast is a bit complex to set up,
> requires support from routers/switches etc., so this might well be not openvz-related.
> But we setting up this test case right now to check ourselves.

We use several JBoss clusters with multicast in our datacenters.
Multicast itself works between the physical hosts:

ssmpping joined (S,G) = (192.168.198.54,232.43.211.234)
pinging S from 192.168.198.53
 unicast from 192.168.198.54, seq=1 dist=0 time=1.513 ms
 multicast from 192.168.198.54, seq=1 dist=0 time=1.528 ms
 unicast from 192.168.198.54, seq=2 dist=0 time=0.107 ms
 multicast from 192.168.198.54, seq=2 dist=0 time=0.115 ms
 unicast from 192.168.198.54, seq=3 dist=0 time=0.097 ms

multicast from 192.168.198.54, seq=3 dist=0 time=0.104 ms
unicast from 192.168.198.54, seq=4 dist=0 time=0.113 ms
multicast from 192.168.198.54, seq=4 dist=0 time=0.123 ms
unicast from 192.168.198.54, seq=5 dist=0 time=0.102 ms
multicast from 192.168.198.54, seq=5 dist=0 time=0.113 ms
unicast from 192.168.198.54, seq=6 dist=0 time=0.119 ms
multicast from 192.168.198.54, seq=6 dist=0 time=0.130 ms

--- 192.168.198.54 statistics ---

6 packets transmitted, time 5276 ms

unicast:

6 packets received, 0% packet loss

rtt min/avg/max/std-dev = 0.097/0.341/1.513/0.524 ms

multicast:

6 packets received, 0% packet loss since first mc packet (seq 1) recvd

rtt min/avg/max/std-dev = 0.104/0.352/1.528/0.526 ms

If I try the ssmping/ssmping between two virtual instances on two different hosts (or from one virtual instance to a physical host and vice versa):

pinging S from 192.168.198.142

unicast from 192.168.198.132, seq=1 dist=1 time=2627.063 ms

unicast from 192.168.198.132, seq=2 dist=1 time=1626.828 ms

unicast from 192.168.198.132, seq=3 dist=1 time=626.718 ms

unicast from 192.168.198.132, seq=4 dist=1 time=0.100 ms

unicast from 192.168.198.132, seq=5 dist=1 time=0.101 ms

unicast from 192.168.198.132, seq=6 dist=1 time=0.150 ms

--- 192.168.198.132 statistics ---

6 packets transmitted, time 5372 ms

unicast:

6 packets received, 0% packet loss

rtt min/avg/max/std-dev = 0.100/813.493/2627.063/997.511 ms

multicast:

0 packets received, 100% packet loss

> Can you please also provide a bit more information about your configuration
> like whether you use bridge for veth-eth0 traffic bridging or routed networking,
> any configuration options (including sysctl) you used/changed etc.?

sysctl settings for the virtual interface on one of the host systems:

net.ipv4.conf.veth1981320.promote_secondaries = 0

net.ipv4.conf.veth1981320.force_igmp_version = 0

net.ipv4.conf.veth1981320.disable_policy = 0

net.ipv4.conf.veth1981320.disable_xfrm = 0

```
net.ipv4.conf.veth1981320.arp_accept = 0
net.ipv4.conf.veth1981320.arp_ignore = 0
net.ipv4.conf.veth1981320.arp_announce = 0
net.ipv4.conf.veth1981320.arp_filter = 0
net.ipv4.conf.veth1981320.tag = 0
net.ipv4.conf.veth1981320.log_martians = 0
net.ipv4.conf.veth1981320.bootp_relay = 0
net.ipv4.conf.veth1981320.medium_id = 0
net.ipv4.conf.veth1981320.proxy_arp = 1
net.ipv4.conf.veth1981320.accept_source_route = 1
net.ipv4.conf.veth1981320.send_redirects = 1
net.ipv4.conf.veth1981320.rp_filter = 0
net.ipv4.conf.veth1981320.shared_media = 1
net.ipv4.conf.veth1981320.secure_redirects = 1
net.ipv4.conf.veth1981320.accept_redirects = 1
net.ipv4.conf.veth1981320.mc_forwarding = 0
net.ipv4.conf.veth1981320.forwarding = 1
```

Network config on the VPS:

```
eth0    Link encap:Ethernet  HWaddr 00:0C:29:0A:3D:C6
        inet addr:192.168.198.132  Bcast:192.168.198.255
Mask:255.255.255.0
        inet6 addr: fe80::20c:29ff:fe0a:3dc6/64 Scope:Link
        UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
        RX packets:2855871 errors:0 dropped:0 overruns:0 frame:0
        TX packets:5495903 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:0
        RX bytes:1453942778 (1.3 GiB)  TX bytes:3721100335 (3.4 GiB)
```

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use
192.168.198.0	0.0.0.0	255.255.255.0	U	0	0	0 eth0
169.254.0.0	0.0.0.0	255.255.0.0	U	0	0	0 eth0
224.0.0.0	0.0.0.0	240.0.0.0	U	0	0	0 eth0

Any more information you need?

Regards,

Peter

Subject: Re: Using multicast in virtual servers
Posted by [dev](#) on Wed, 26 Sep 2007 07:35:36 GMT

uname -a
(from both VEs if you VE <-> VE multicasting)

Thanks,
Kirill
P.S. plz check my another today email about veth code.

Peter Hinse wrote:

> Kirill Korotaev wrote:

>

>>Peter,

>>

>>Is the same setup working without openvz?

>>Have you used multicast before? Multicast is a bit complex to set up,

>>requires support from routers/switches etc., so this might well be not openvz-related.

>>But we setting up this test case right now to check ourselves.

>

>

> We use several JBoss clusters with multicast in our datacenters.

> Multicast itself works between the physical hosts:

>

> ssm ping joined (S,G) = (192.168.198.54,232.43.211.234)

> ping S from 192.168.198.53

> unicast from 192.168.198.54, seq=1 dist=0 time=1.513 ms

> multicast from 192.168.198.54, seq=1 dist=0 time=1.528 ms

> unicast from 192.168.198.54, seq=2 dist=0 time=0.107 ms

> multicast from 192.168.198.54, seq=2 dist=0 time=0.115 ms

> unicast from 192.168.198.54, seq=3 dist=0 time=0.097 ms

> multicast from 192.168.198.54, seq=3 dist=0 time=0.104 ms

> unicast from 192.168.198.54, seq=4 dist=0 time=0.113 ms

> multicast from 192.168.198.54, seq=4 dist=0 time=0.123 ms

> unicast from 192.168.198.54, seq=5 dist=0 time=0.102 ms

> multicast from 192.168.198.54, seq=5 dist=0 time=0.113 ms

> unicast from 192.168.198.54, seq=6 dist=0 time=0.119 ms

> multicast from 192.168.198.54, seq=6 dist=0 time=0.130 ms

>

> --- 192.168.198.54 statistics ---

> 6 packets transmitted, time 5276 ms

> unicast:

> 6 packets received, 0% packet loss

> rtt min/avg/max/std-dev = 0.097/0.341/1.513/0.524 ms

> multicast:

> 6 packets received, 0% packet loss since first mc packet (seq 1) recvd

> rtt min/avg/max/std-dev = 0.104/0.352/1.528/0.526 ms

>

> If I try the ssm pingd/ssm ping between two virtual instances on two

```

> different hosts (or from one virtual instance to a physical host an vice
> versa):
>
> pinging S from 192.168.198.142
>  unicast from 192.168.198.132, seq=1 dist=1 time=2627.063 ms
>  unicast from 192.168.198.132, seq=2 dist=1 time=1626.828 ms
>  unicast from 192.168.198.132, seq=3 dist=1 time=626.718 ms
>  unicast from 192.168.198.132, seq=4 dist=1 time=0.100 ms
>  unicast from 192.168.198.132, seq=5 dist=1 time=0.101 ms
>  unicast from 192.168.198.132, seq=6 dist=1 time=0.150 ms
>
> --- 192.168.198.132 statistics ---
> 6 packets transmitted, time 5372 ms
> unicast:
>  6 packets received, 0% packet loss
>  rtt min/avg/max/std-dev = 0.100/813.493/2627.063/997.511 ms
> multicast:
>  0 packets received, 100% packet loss
>
>
>
>>Can you please also provide a bit more information about your configuration
>>like whether you use bridge for veth-eth0 traffic bridging or routed networking,
>>any configuration options (including sysctl) you used/changed etc.?
>
>
> sysctl settings for the virtual interface on one of the host systems:
>
> net.ipv4.conf.veth1981320.promote_secondaries = 0
> net.ipv4.conf.veth1981320.force_igmp_version = 0
> net.ipv4.conf.veth1981320.disable_policy = 0
> net.ipv4.conf.veth1981320.disable_xfrm = 0
> net.ipv4.conf.veth1981320.arp_accept = 0
> net.ipv4.conf.veth1981320.arp_ignore = 0
> net.ipv4.conf.veth1981320.arp_announce = 0
> net.ipv4.conf.veth1981320.arp_filter = 0
> net.ipv4.conf.veth1981320.tag = 0
> net.ipv4.conf.veth1981320.log_martians = 0
> net.ipv4.conf.veth1981320.bootp_relay = 0
> net.ipv4.conf.veth1981320.medium_id = 0
> net.ipv4.conf.veth1981320.proxy_arp = 1
> net.ipv4.conf.veth1981320.accept_source_route = 1
> net.ipv4.conf.veth1981320.send_redirects = 1
> net.ipv4.conf.veth1981320.rp_filter = 0
> net.ipv4.conf.veth1981320.shared_media = 1
> net.ipv4.conf.veth1981320.secure_redirects = 1
> net.ipv4.conf.veth1981320.accept_redirects = 1
> net.ipv4.conf.veth1981320.mc_forwarding = 0

```

```
> net.ipv4.conf.veth1981320.forwarding = 1
>
>
> Network config on the VPS:
>
> eth0    Link encap:Ethernet  HWaddr 00:0C:29:0A:3D:C6
>         inet addr:192.168.198.132  Bcast:192.168.198.255
> Mask:255.255.255.0
>         inet6 addr: fe80::20c:29ff:fe0a:3dc6/64 Scope:Link
>         UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
>         RX packets:2855871 errors:0 dropped:0 overruns:0 frame:0
>         TX packets:5495903 errors:0 dropped:0 overruns:0 carrier:0
>         collisions:0 txqueuelen:0
>         RX bytes:1453942778 (1.3 GiB)  TX bytes:3721100335 (3.4 GiB)
>
> Kernel IP routing table
> Destination    Gateway         Genmask         Flags Metric Ref    Use
> Iface
> 192.168.198.0  0.0.0.0        255.255.255.0  U    0    0    0 eth0
> 169.254.0.0    0.0.0.0        255.255.0.0    U    0    0    0 eth0
> 224.0.0.0      0.0.0.0        240.0.0.0      U    0    0    0 eth0
>
> Any more information you need?
>
> Regards,
>
> Peter
>
```

Subject: Re: Using multicast in virtual servers
Posted by [Peter Hinse](#) on Wed, 26 Sep 2007 07:39:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

Kirill Korotaev wrote:

```
> # uname -a
> (from both VEs if you VE <-> VE multicasting)
```

identical for both VEs:

```
Linux vps-mpp132 2.6.18-8.1.8.el5.028stab039.1 #1 SMP Mon Jul 23
18:02:32 MSD 2007 x86_64 x86_64 x86_64 GNU/Linux
```

```
Linux vps-mpp142 2.6.18-8.1.8.el5.028stab039.1 #1 SMP Mon Jul 23
18:02:32 MSD 2007 x86_64 x86_64 x86_64 GNU/Linux
```

Regards,

Peter

Subject: Re: Using multicast in virtual servers
Posted by [Vitaliy Gusev](#) on Wed, 26 Sep 2007 08:12:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Please, print output for ssmping in VE (which doesn't work), route for VE0, brctl show for VE0, ifconfig for VE0.

--
Thanks,
Vitaliy Gusev

Subject: Re: Using multicast in virtual servers
Posted by [Daniel Pittman](#) on Wed, 26 Sep 2007 08:31:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

Kirill Korotaev <dev@sw.ru> writes:

> Daniel Pittman wrote:

>> Kirill Korotaev <dev@sw.ru> writes:

>>

>>>Is the same setup working without openvz? Have you used multicast
>>>before? Multicast is a bit complex to set up, requires support from
>>>routers/switches etc., so this might well be not openvz-related. But
>>>we setting up this test case right now to check ourselves.

>>>

>>>Can you please also provide a bit more information about your
>>>configuration like whether you use bridge for veth-eth0 traffic
>>>bridging or routed networking, any configuration options (including
>>>sysctl) you used/changed etc.?

>>

>> One thing that is worth noting: I found a bug in the ... veth code, I
>> think, where it wouldn't pass a multicast packet through. The code
>> checked with the 'is_broadcast' flag, for a matching mac, and assumed
>> that anything else was not for this host.

>

> plz make sure you really use and look at the sources of 028stab039 kernel.
> this check in veth_xmit() was fixed in 028stab034 with this commit:

>

<http://git.openvz.org/?p=linux-2.6.18-openvz;a=commitdiff;h=993241dcdcf8ae22d339e08ed78db6e9760b1d89>

I suspected that you would remember. :)

>> Perhaps this is a similar issue? I can try to dig out the fault report
>> if it helps, but at the time it was simply changing is_broadcast to
>> include an is_multicast test on the Ethernet MAC.

>

> and it started to work?

I never got to test it; that particular job (enable CUPS server browse announcements in a VE) is still outstanding on my list because it was low priority. (sorry)

Daniel

--

Daniel Pittman <daniel@cybersource.com.au> Phone: 03 9621 2377
Level 4, 10 Queen St, Melbourne Web: <http://www.cyber.com.au>
Cybersource: Australia's Leading Linux and Open Source Solutions Company

Subject: Re: Using multicast in virtual servers

Posted by [Vitaliy Gusev](#) on Wed, 26 Sep 2007 08:52:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

On the Wednesday 26 September 2007 11:28 Peter Hinse, wrote:

> Kernel IP routing table

> Destination Gateway Genmask Flags Metric Ref Use

> Iface

> 192.168.198.0 0.0.0.0 255.255.255.0 U 0 0 0 eth0

> 169.254.0.0 0.0.0.0 255.255.0.0 U 0 0 0 eth0

> 224.0.0.0 0.0.0.0 240.0.0.0 U 0 0 0 eth0

try to set default gateway

--

Thanks,
Vitaliy Gusev

Subject: Re: Using multicast in virtual servers

Posted by [Peter Hinse](#) on Wed, 26 Sep 2007 09:00:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

Vitaliy Gusev wrote:

> Please, print output for ssmping in VE (which doesn't work), route for VE0,

> brctl show for VE0, ifconfig for VE0.

ssmping output in VE:

pinging S from 192.168.198.142
unicast from 192.168.198.132, seq=1 dist=1 time=2627.063 ms
unicast from 192.168.198.132, seq=2 dist=1 time=1626.828 ms
unicast from 192.168.198.132, seq=3 dist=1 time=626.718 ms
unicast from 192.168.198.132, seq=4 dist=1 time=0.100 ms
unicast from 192.168.198.132, seq=5 dist=1 time=0.101 ms
unicast from 192.168.198.132, seq=6 dist=1 time=0.150 ms

--- 192.168.198.132 statistics ---
6 packets transmitted, time 5372 ms
unicast:
6 packets received, 0% packet loss
rtt min/avg/max/std-dev = 0.100/813.493/2627.063/997.511 ms
multicast:
0 packets received, 100% packet loss

route for VE0:

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use
192.168.198.141	0.0.0.0	255.255.255.255	UH	0	0	0
veth1981410						
192.168.198.142	0.0.0.0	255.255.255.255	UH	0	0	0
veth1981420						
195.x.x.x	0.0.0.0	255.255.255.255	UH	0	0	0
veth1981411						
195.x.x.x	0.0.0.0	255.255.255.224	U	0	0	0 eth0
192.168.198.0	0.0.0.0	255.255.255.0	U	0	0	0 eth0
169.254.0.0	0.0.0.0	255.255.0.0	U	0	0	0 eth0
224.0.0.0	0.0.0.0	240.0.0.0	U	0	0	0 eth0
0.0.0.0	195.x.x.x	0.0.0.0	UG	0	0	0 eth0

ifconfig for VE0:

eth0 Link encap:Ethernet HWaddr 00:1A:64:32:0A:F8
inet addr:192.168.198.54 Bcast:192.168.198.255
Mask:255.255.255.0
inet6 addr: fe80::21a:64ff:fe32:af8/64 Scope:Link
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:19330162 errors:0 dropped:0 overruns:0 frame:0
TX packets:3542937 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:4931551683 (4.5 GiB) TX bytes:1232779800 (1.1 GiB)
Interrupt:98 Memory:da000000-da011100

eth0:1 Link encap:Ethernet HWaddr 00:1A:64:32:0A:F8
inet addr:195.x.x.x Bcast:195.x.x.x Mask:255.255.255.224

UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
Interrupt:98 Memory:da000000-da011100

lo Link encap:Local Loopback
inet addr:127.0.0.1 Mask:255.0.0.0
inet6 addr: ::1/128 Scope:Host
UP LOOPBACK RUNNING MTU:16436 Metric:1
RX packets:788 errors:0 dropped:0 overruns:0 frame:0
TX packets:788 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:246284 (240.5 KiB) TX bytes:246284 (240.5 KiB)

venet0 Link encap:UNSPEC HWaddr
00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
RX packets:0 errors:0 dropped:0 overruns:0 frame:0
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)

veth1981410 Link encap:Ethernet HWaddr 00:0C:29:91:B1:81
inet6 addr: fe80::20c:29ff:fe91:b181/64 Scope:Link
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:345225 errors:0 dropped:0 overruns:0 frame:0
TX packets:379368 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:221623267 (211.3 MiB) TX bytes:349531019 (333.3 MiB)

veth1981411 Link encap:Ethernet HWaddr 00:0C:29:91:B1:83
inet6 addr: fe80::20c:29ff:fe91:b183/64 Scope:Link
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:558932 errors:0 dropped:0 overruns:0 frame:0
TX packets:696100 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:75514675 (72.0 MiB) TX bytes:432185018 (412.1 MiB)

veth1981420 Link encap:Ethernet HWaddr 00:0C:29:F7:A0:88
inet6 addr: fe80::20c:29ff:fe91:a088/64 Scope:Link
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:4101690 errors:0 dropped:0 overruns:0 frame:0
TX packets:3166888 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:1071935233 (1022.2 MiB) TX bytes:3124980969 (2.9 GiB)

No bridging used right now.

Subject: Re: Using multicast in virtual servers
Posted by [Vitaliy Gusev](#) on Wed, 26 Sep 2007 09:58:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

On the Wednesday 26 September 2007 13:00 Peter Hinse, wrote:

```
> veth1981420 Link encap:Ethernet HWaddr 00:0C:29:F7:A0:88
>      inet6 addr: fe80::20c:29ff:fe7:a088/64 Scope:Link
>      UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
>      RX packets:4101690 errors:0 dropped:0 overruns:0 frame:0
>      TX packets:3166888 errors:0 dropped:0 overruns:0 carrier:0
>      collisions:0 txqueuelen:0
>      RX bytes:1071935233 (1022.2 MiB) TX bytes:3124980969 (2.9 GiB)
>
> No bridging used right now.
```

I use veth with bridges and it works.

Now I try without bridges.

--
Thanks,
Vitaliy Gusev

Subject: Re: Using multicast in virtual servers
Posted by [Vitaliy Gusev](#) on Wed, 26 Sep 2007 12:50:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
> On the Wednesday 26 September 2007 13:00 Peter Hinse, wrote:
> > veth1981420 Link encap:Ethernet HWaddr 00:0C:29:F7:A0:88
> >      inet6 addr: fe80::20c:29ff:fe7:a088/64 Scope:Link
> >      UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
> >      RX packets:4101690 errors:0 dropped:0 overruns:0 frame:0
> >      TX packets:3166888 errors:0 dropped:0 overruns:0 carrier:0
> >      collisions:0 txqueuelen:0
> >      RX bytes:1071935233 (1022.2 MiB) TX bytes:3124980969 (2.9 GiB)
> >
> > No bridging used right now.
>
```

You must use a bridge. Multicast packets is not forwarded.

--
Thanks,
Vitaliy Gusev

Subject: Re: Using multicast in virtual servers
Posted by [Peter Hinse](#) on Mon, 01 Oct 2007 17:00:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Vitaliy Gusev schrieb:

```
>> On the Wednesday 26 September 2007 13:00 Peter Hinse, wrote:
>>> veth1981420 Link encap:Ethernet HWaddr 00:0C:29:F7:A0:88
>>>      inet6 addr: fe80::20c:29ff:fe7:a088/64 Scope:Link
>>>      UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
>>>      RX packets:4101690 errors:0 dropped:0 overruns:0 frame:0
>>>      TX packets:3166888 errors:0 dropped:0 overruns:0 carrier:0
>>>      collisions:0 txqueuelen:0
>>>      RX bytes:1071935233 (1022.2 MiB) TX bytes:3124980969 (2.9 GiB)
>>>
>>> No bridging used right now.
> You must use a bridge. Multicast packets is not forwarded.
>
```

OK, multicast works with bridging enabled. Big thx for help!

Regards,

Peter
