

---

Subject: Is NFS virtualized fully?  
Posted by [Groening](#) on Fri, 31 Mar 2006 02:57:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

What parts of NFS are not virtualized for today?

---

---

Subject: Re: Is NFS virtualized fully?  
Posted by [dev](#) on Fri, 31 Mar 2006 09:52:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

There are 2 possible ways of using NFS within VPS:

1. mount in host and bindmount to VPS
  2. it is possible to be able to mount NFS from within VPS, but this requires 2-3 small patches. I had them somewhere for 2.6.8. They enable kernel\_threads in VPS and do such similar things.
- 

---

Subject: Re: Is NFS virtualized fully?  
Posted by [dowdle](#) on Wed, 12 Apr 2006 22:23:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Ok, I have the desired NFS mounts mounted on the physical host and I want to "bind mount" them inside of a VPS.

Er... how do I go about doing this?

I read the OpenVZ User's Guide and I saw bind mount mentioned a few times but it wasn't really clear.

HELP!

---

---

Subject: Re: Is NFS virtualized fully?  
Posted by [dev](#) on Thu, 13 Apr 2006 06:15:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Suggested by Babyface on IRC:

```
<Babyface> mount --bind /path /to/path
<Babyface> for example
<dowdle> That command is within the VPS?
<Babyface> mount --bind /nfsroot /vz/root/<vpsid>/mnt
<Babyface> no on hostnode
<dowdle> Ok, cool. Thanks I'll try that now.
<Babyface> and vps must be started before
<Babyface> or mounted
```

---

<Babyface> so better to create some kind of /etc/sysconfig/vz-scripts/<vpsid>.mount and .umount files  
<Babyface> then on vps startup it is automatically mounted  
<dowdle> Wow... that worked like instantly! Thanks very much.  
<dowdle> Ok, sure... about the mount and unmount scripts... as I want that to be automatic. So, if I create scripts with those names, they will be automatically parsed upon VPS startup?  
<Babyface> yes  
<dowdle> Right on.  
<dowdle> Thanks Babyface!  
<-- ckoehn has quit ("7:42pm| (@DenisGe) ich schneid nie wieder samstags nachts 2 uhr haare alleine")  
<Babyface> mount file should look like  
<Babyface> #!/bin/bash  
<Babyface> # if one of these files does not exist then something is really broken  
<Babyface> [ -f "\${VE\_CONFFILE}" ] || exit 1  
<Babyface> # mount nfsroot.  
<Babyface> mount --bind /nfsroot /vz/root/<vpsid>/mnt  
<Babyface> exit \${?}  
<Babyface> and must be executable  
<Babyface> umount like  
<Babyface> #!/bin/bash  
<Babyface> # if one of these files does not exist then something is really broken  
<Babyface> [ -f "\${VE\_CONFFILE}" ] || exit 1  
<Babyface> # umount nfsroot.  
<Babyface> umount /vz/root/<vpsid>/mnt  
<Babyface> exit \${?}  
<Babyface> also executable

---

---

Subject: Re: Is NFS virtualized fully?  
Posted by [jonsmirl](#) on Fri, 14 Apr 2006 17:22:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

What about NFS servers? My application needs to simulate a cluster of NFSv4 servers for testing purposes. The kernel has support for NFSv4 servers but you need to turn on experimental drivers to see it.

---