
Subject: [patch 2/2][NETNS49][IPV4][UDPLITE] activate udplite per network namespace

Posted by [Daniel Lezcano](#) on Tue, 09 Oct 2007 17:00:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

This patch activates the udplite protocol for multiple network namespaces.

Signed-off-by: Daniel Lezcano <dlezcano@fr.ibm.com>

net/ipv4/udplite.c | 12 +-----
1 file changed, 1 insertion(+), 11 deletions(-)

Index: linux-2.6-netns/net/ipv4/udplite.c

```
=====
--- linux-2.6-netns.orig/net/ipv4/udplite.c
+++ linux-2.6-netns/net/ipv4/udplite.c
@@ -30,18 +30,11 @@ static int udplite_v4_get_port(struct so

static int udplite_rcv(struct sk_buff *skb)
{
- if (skb->dev->nd_net != &init_net) {
- kfree_skb(skb);
- return 0;
- }
return __udp4_lib_rcv(skb, udplite_hash, IPPROTO_UDPLITE);
}

static void udplite_err(struct sk_buff *skb, u32 info)
{
- if (skb->dev->nd_net != &init_net)
- return;
-
return __udp4_lib_err(skb, info, udplite_hash);
}

@@ -83,7 +76,7 @@ static struct inet_protosw udplite4_prot
 .ops = &inet_dgram_ops,
 .capability = -1,
 .no_checksum = 0, /* must checksum (RFC 3828) */
- .flags = INET_PROTOSW_PERMANENT,
+ .flags = INET_PROTOSW_PERMANENT | INET_PROTOSW_NETNS,
};

#ifdef CONFIG_PROC_FS
@@ -99,9 +92,6 @@ static struct udp_seq_afinfo udplite4_se
```

```
static int udplite4_proc_net_init(struct net *net)
{
- if (net != &init_net)
- return -EPERM;
-
  if (udp_proc_register(net, &udplite4_seq_afinfo) /* udplite4_proc_init() */
      printk(KERN_ERR "%s: Cannot register /proc!\n", __FUNCTION__));

--
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
