
-2

Posted by [lizard](#) on Tue, 16 Oct 2007 05:17:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

HN OS - Debian etch r1
VE OS - Debian 4.0
ovz kernel 2.6.18-028stab039-1
vzctl - 3.0.18

```
#-- OpenVZ begin --#  
  
# On Hardware Node we generally need  
# packet forwarding enabled and proxy arp disabled  
net.ipv4.conf.default.forwarding=1  
net.ipv4.conf.default.proxy_arp = 0  
  
# Enables source route verification  
net.ipv4.conf.all.rp_filter = 1  
  
# Enables the magic-sysrq key  
kernel.sysrq = 1  
  
# TCP Explicit Congestion Notification  
#net.ipv4.tcp_ecn = 0  
  
# we do not want all our interfaces to send redirects  
net.ipv4.conf.default.send_redirects = 1  
net.ipv4.conf.all.send_redirects = 0  
  
#-- OpenVZ end --#
```

net.ipv4.ip_forward = 1

Posted by [khorenko](#) on Tue, 16 Oct 2007 06:35:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [lizard](#) on Tue, 16 Oct 2007 06:49:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [khorenko](#) on Tue, 16 Oct 2007 07:34:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
- `sysctl -a`  
- ip a l  
- ip r l  
- ip rule list  
- iptables -L  
- iptables -L -t nat  
- iptables -L -t mangle  
- ip r get <destination IP>  
- vzlist -a  
- cat /proc/vz/veip  
- cat /proc/vz/veinfo  
- cat /proc/user_beancounters
```

Posted by [lizard](#) on Wed, 17 Oct 2007 11:27:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [borys](#) on Thu, 29 Nov 2007 06:19:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
ifconfig eth0 | grep inet
```

```
venet0 Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
```

```
Mask:255.255.255.255
```

```
2.6.18-028stab027 #2
```

Posted by [borys](#) on Thu, 29 Nov 2007 06:24:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
sysctl net.ipv4.ip_forward=1
```
