
Subject: Fwd: boot error - unable to mount root fs on unknown-block(0, 0)

Posted by [Ian Johnson](#) on Thu, 18 Oct 2007 06:19:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

----- Forwarded message -----

From: Ian Johnson <johnson.ian@gmail.com>

Date: Oct 18, 2007 2:17 PM

Subject: Re: [Users] boot error - unable to mount root fs on unknown-block(0, 0)

To: frankb@frankb.us

Thank you very much!

I have created my own VE, however how can I login VE by ssh? I used the IP setting described in http://wiki.openvz.org/Installation_on_Debian.

Thanks again,

Ian

On 10/17/07, E Frank Ball III <frankb@frankb.us> wrote:

> On Wed, Oct 17, 2007 at 12:20:01PM +0800, Ian Johnson wrote:

> > > Where can I get the pre-built kernel image?

> > >

> > > <http://download.openvz.org/debian/dists/etch/main/binary-i386/base/>

> > >

> > > In your sources list add:

> > >

> > > deb <http://download.openvz.org/debian> etch main

> > >

> >

> > I added the line in source.list, but apt-cache search said it can not

> > open the website.

>

>

>

> "apt-cache search linux-image-2.6.18-openvz" shows the openvz kernels

> for me.

>

>

>

> > > I'm using linux-image-2.6.18-openvz-13-39.1d2-686_028.39.1d2_i386.deb

> > >

> >

> > I opened the link given above and found the image file, but I don't

> > know how to use it after download the image file.

> >

> > Could you give me some advices?
>
>
> If you manually downloaded it then install it with
> "dpkg -i linux-image-2.6.18-openvz-13-39.1d2-686_028.39.1d2_i386.deb"
>
>
> --
>
> E Frank Ball frankb@frankb.us
>

Subject: Re: Fwd: boot error - unable to mount root fs on unknown-block(0, 0)
Posted by [dev](#) on Thu, 18 Oct 2007 08:35:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ian,

just like to any other usual machine using
ssh from your workstation.

1. assign IP address to some VE using
ve0# vzctl set <VEID> --ipadd <VEIP> --save

2. just in case, check that VE is pingable from your workstation:
ws# ping <VEIP>

3. just in case, check that VE is running sshd service:
ve0# vzctl exec <VEID> ps axf | grep sshd

if it is not running sshd then enter to VE using vzctl enter command
and install/start sshd service.

4. don't forget to set root user password
ve0: vzctl set <VEID> --userpasswd root:mypassword

5. now you can login to VE as to usual machine using it's IP

Kirill

Ian jonhson wrote:

> ----- Forwarded message -----
> From: Ian jonhson <jonhson.ian@gmail.com>
> Date: Oct 18, 2007 2:17 PM
> Subject: Re: [Users] boot error - unable to mount root fs on unknown-block(0, 0)
> To: frankb@frankb.us

>
>
> Thank you very much!
>
> I have created my own VE, however how can I login VE by ssh? I used
> the IP setting described in
> http://wiki.openvz.org/Installation_on_Debian.
>
> Thanks again,
>
> Ian
>
> On 10/17/07, E Frank Ball III <frankb@frankb.us> wrote:
>
>>On Wed, Oct 17, 2007 at 12:20:01PM +0800, Ian jonhson wrote:
>> > > Where can I get the pre-built kernel image?
>> > >
>> > > <http://download.openvz.org/debian/dists/etch/main/binary-i386/base/>
>> > >
>> > > In your sources list add:
>> > >
>> > > deb <http://download.openvz.org/debian> etch main
>> > >
>> >
>> > I added the line in source.list, but apt-cache search said it can not
>> > open the website.
>>
>>
>>
>>"apt-cache search linux-image-2.6.18-openvz" shows the openvz kernels
>>for me.
>>
>>
>>
>> > > I'm using linux-image-2.6.18-openvz-13-39.1d2-686_028.39.1d2_i386.deb
>> > >
>> >
>> > I opened the link given above and found the image file, but I don't
>> > know how to use it after download the image file.
>> >
>> > Could you give me some advices?
>>
>>
>>If you manually downloaded it then install it with
>>"dpkg -i linux-image-2.6.18-openvz-13-39.1d2-686_028.39.1d2_i386.deb"
>>
>>
>>--

>>
>> E Frank Ball frankb@frankb.us
>>
>

Subject: Re: Fwd: boot error - unable to mount root fs on unknown-block(0, 0)
Posted by [lan jhonsen](#) on Thu, 18 Oct 2007 09:57:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thank you very much~~

But it seems that I can not connect internet in VE. It is OK when ping to its host system, however when ping external IP address, it dumps. I google the internet to find how to set the network in VE, but I can not find any hint to do it.

Could anybody give some advices how to configure network?

Thanks again,

lan

On 10/18/07, Kirill Korotaev <dev@sw.ru> wrote:

> lan,
>
> just like to any other usual machine using
> ssh from your workstation.
>
> 1. assign IP address to some VE using
> ve0# vzctl set <VEID> --ipadd <VEIP> --save
>
> 2. just in case, check that VE is pingable from your workstation:
> ws# ping <VEIP>
>
> 3. just in case, check that VE is running sshd service:
> ve0# vzctl exec <VEID> ps axf | grep sshd
>
> if it is not running sshd then enter to VE using vzctl enter command
> and install/start sshd service.
>
> 4. don't forget to set root user password
> ve0: vzctl set <VEID> --userpasswd root:mypassword
>
> 5. now you can login to VE as to usual machine using it's IP
>
> Kirill
>

>

> Ian jonhson wrote:

> > ----- Forwarded message -----

> > From: Ian jonhson <jonhson.ian@gmail.com>

> > Date: Oct 18, 2007 2:17 PM

> > Subject: Re: [Users] boot error - unable to mount root fs on unknown-block(0, 0)

> > To: frankb@frankb.us

> >

> >

> > Thank you very much!

> >

> > I have created my own VE, however how can I login VE by ssh? I used

> > the IP setting described in

> > http://wiki.openvz.org/Installation_on_Debian.

> >

> > Thanks again,

> >

> > Ian

> >

> > On 10/17/07, E Frank Ball III <frankb@frankb.us> wrote:

> >

> >> On Wed, Oct 17, 2007 at 12:20:01PM +0800, Ian jonhson wrote:

> >> > > Where can I get the pre-built kernel image?

> >> > >

> >> > > <http://download.openvz.org/debian/dists/etch/main/binary-i386/base/>

> >> > >

> >> > > In your sources list add:

> >> > >

> >> > > deb <http://download.openvz.org/debian> etch main

> >> > >

> >> > >

> >> > > I added the line in source.list, but apt-cache search said it can not

> >> > > open the website.

> >>

> >>

> >>

> >> "apt-cache search linux-image-2.6.18-openvz" shows the openvz kernels

> >> for me.

> >>

> >>

> >>

> >> > I'm using linux-image-2.6.18-openvz-13-39.1d2-686_028.39.1d2_i386.deb

> >> > >

> >> > >

> >> > > I opened the link given above and found the image file, but I don't

> >> > > know how to use it after download the image file.

> >> > >

> >> > > Could you give me some advices?

> >>
> >>
> >> If you manually downloaded it then install it with
> >> "dpkg -i linux-image-2.6.18-openvz-13-39.1d2-686_028.39.1d2_i386.deb"
> >>
> >>
> >>--
> >>
> >> E Frank Ball frankb@frankb.us
> >>
> >

Subject: Re: Fwd: boot error - unable to mount root fs on unknown-block(0, 0)
Posted by [kir](#) on Thu, 18 Oct 2007 10:35:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

Have you enabled IP forwarding (as per
http://wiki.openvz.org/Quick_installation#sysctl)? Are you using real IP
for your VE?

Ian jonhson wrote:

> Thank you very much~~
>
> But it seems that I can not connect internet in VE. It is OK when ping
> to its host system, however when ping external IP address, it dumps. I
> google the internet to find how to set the network in VE, but I can
> not find any hint to do it.
>
> Could anybody give some advices how to configure network?
>
> Thanks again,
>
> Ian
>
> On 10/18/07, Kirill Korotaev <dev@sw.ru> wrote:
>
>> Ian,
>>
>> just like to any other usual machine using
>> ssh from your workstation.
>>
>> 1. assign IP address to some VE using
>> ve0# vzctl set <VEID> --ipadd <VEIP> --save
>>
>> 2. just in case, check that VE is pingable from your workstation:
>> ws# ping <VEIP>
>>

```

>> 3. just in case, check that VE is running sshd service:
>> ve0# vzctl exec <VEID> ps axf | grep sshd
>>
>> if it is not running sshd then enter to VE using vzctl enter command
>> and install/start sshd service.
>>
>> 4. don't forget to set root user password
>> ve0: vzctl set <VEID> --userpasswd root:mypassword
>>
>> 5. now you can login to VE as to usual machine using it's IP
>>
>> Kirill
>>
>>
>> Ian jonhson wrote:
>>
>>> ----- Forwarded message -----
>>> From: Ian jonhson <jonhson.ian@gmail.com>
>>> Date: Oct 18, 2007 2:17 PM
>>> Subject: Re: [Users] boot error - unable to mount root fs on unknown-block(0, 0)
>>> To: frankb@frankb.us
>>>
>>>
>>> Thank you very much!
>>>
>>> I have created my own VE, however how can I login VE by ssh? I used
>>> the IP setting described in
>>> http://wiki.openvz.org/Installation\_on\_Debian.
>>>
>>> Thanks again,
>>>
>>> Ian
>>>
>>> On 10/17/07, E Frank Ball III <frankb@frankb.us> wrote:
>>>
>>>
>>>> On Wed, Oct 17, 2007 at 12:20:01PM +0800, Ian jonhson wrote:
>>>>
>>>>> > Where can I get the pre-built kernel image?
>>>>>
>>>>> http://download.openvz.org/debian/dists/etch/main/binary-i386/base/
>>>>>
>>>>> In your sources list add:
>>>>>
>>>>> deb http://download.openvz.org/debian etch main
>>>>>
>>>>>
>>>>> I added the line in source.list, but apt-cache search said it can not

```

>>>> open the website.
>>>>
>>>>
>>>> "apt-cache search linux-image-2.6.18-openvz" shows the openvz kernels
>>>> for me.
>>>>
>>>>
>>>>
>>>>
>>>>> I'm using linux-image-2.6.18-openvz-13-39.1d2-686_028.39.1d2_i386.deb
>>>>>
>>>>>
>>>>> I opened the link given above and found the image file, but I don't
>>>>> know how to use it after download the image file.
>>>>>
>>>>> Could you give me some advices?
>>>>>
>>>>> If you manually downloaded it then install it with
>>>>> "dpkg -i linux-image-2.6.18-openvz-13-39.1d2-686_028.39.1d2_i386.deb"
>>>>>
>>>>>
>>>>> --
>>>>>
>>>>> E Frank Ball frankb@frankb.us
>>>>>
>>>>>

Subject: Re: Fwd: boot error - unable to mount root fs on unknown-block(0, 0)
Posted by [kir](#) on Thu, 18 Oct 2007 10:40:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

Or, in case of Debian which you use, more relevant howto is
http://wiki.openvz.org/Installation_on_Debian#modify_needed_settings

Kir Kolyshkin wrote:

> Have you enabled IP forwarding (as per
> http://wiki.openvz.org/Quick_installation#sysctl)? Are you using real
> IP for your VE?
>
> Ian jonhson wrote:
>> Thank you very much~~
>>
>> But it seems that I can not connect internet in VE. It is OK when ping
>> to its host system, however when ping external IP address, it dumps. I
>> google the internet to find how to set the netwrok in VE, but I can
>> not find any hint to do it.
>>

>> Could anybody give some advices how to configure network?
>>
>> Thanks again,
>>
>> Ian
>>
>> On 10/18/07, Kirill Korotaev <dev@sw.ru> wrote:
>>
>>> Ian,
>>>
>>> just like to any other usual machine using
>>> ssh from your workstation.
>>>
>>> 1. assign IP address to some VE using
>>> ve0# vzctl set <VEID> --ipadd <VEIP> --save
>>>
>>> 2. just in case, check that VE is pingable from your workstation:
>>> ws# ping <VEIP>
>>>
>>> 3. just in case, check that VE is running sshd service:
>>> ve0# vzctl exec <VEID> ps axf | grep sshd
>>>
>>> if it is not running sshd then enter to VE using vzctl enter command
>>> and install/start sshd service.
>>>
>>> 4. don't forget to set root user password
>>> ve0: vzctl set <VEID> --userpasswd root:mypassword
>>>
>>> 5. now you can login to VE as to usual machine using it's IP
>>>
>>> Kirill
>>>
>>>
>>> Ian jonhson wrote:
>>>
>>>> ----- Forwarded message -----
>>>> From: Ian jonhson <jonhson.ian@gmail.com>
>>>> Date: Oct 18, 2007 2:17 PM
>>>> Subject: Re: [Users] boot error - unable to mount root fs on
>>>> unknown-block(0, 0)
>>>> To: frankb@frankb.us
>>>>
>>>>
>>>> Thank you very much!
>>>>
>>>> I have created my own VE, however how can I login VE by ssh? I used
>>>> the IP setting described in
>>>> http://wiki.openvz.org/Installation_on_Debian.

>>>>
>>>> Thanks again,
>>>>
>>>> Ian
>>>>
>>>> On 10/17/07, E Frank Ball III <frankb@frankb.us> wrote:
>>>>
>>>>
>>>>> On Wed, Oct 17, 2007 at 12:20:01PM +0800, Ian jonhson wrote:
>>>>>
>>>>>> > Where can I get the pre-built kernel image?
>>>>>>
>>>>>> <http://download.openvz.org/debian/dists/etch/main/binary-i386/base/>
>>>>>>
>>>>>> In your sources list add:
>>>>>>
>>>>>> deb <http://download.openvz.org/debian> etch main
>>>>>>
>>>>>>
>>>>>> I added the line in source.list, but apt-cache search said it can
>>>>>> not
>>>>>> open the website.
>>>>>>
>>>>>
>>>>> "apt-cache search linux-image-2.6.18-openvz" shows the openvz kernels
>>>>> for me.
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>> I'm using
>>>>>> linux-image-2.6.18-openvz-13-39.1d2-686_028.39.1d2_i386.deb
>>>>>>
>>>>>>
>>>>>> I opened the link given above and found the image file, but I don't
>>>>>> know how to use it after download the image file.
>>>>>>
>>>>>> Could you give me some advices?
>>>>>>
>>>>> If you manually downloaded it then install it with
>>>>> "dpkg -i linux-image-2.6.18-openvz-13-39.1d2-686_028.39.1d2_i386.deb"
>>>>>
>>>>>
>>>>> --
>>>>>
>>>>> E Frank Ball frankb@frankb.us
>>>>>
>>>>>

Subject: Re: Fwd: boot error - unable to mount root fs on unknown-block(0, 0)

Posted by [lan johnson](#) on Thu, 18 Oct 2007 11:10:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

> Have you enabled IP forwarding (as per
> http://wiki.openvz.org/Quick_installation#sysctl)? Are you using real IP
> for your VE?

In where I should enable the IP forwarding, host system or VE (System image file)?

I enabled the IP forwarding in /etc/sysctl.conf in host system (by copying configuration directly from http://wiki.openvz.org/Quick_installation#sysctl), but it isn't work; it is same when enabled in VE.

I used the real IP. For example, host IP address is 192.168.8.54, and I set the IP of VE is 192.168.8.55. Both are effective IP addresses.

Then, I started VE.

Under above setting, I entered VE and run apt-get update. However, I got error message.

No matter what IPs I pinged, all can not make connection.

What should I do next? Could anybody give me some advices?

Thanks,

Ian

Subject: Re: Fwd: boot error - unable to mount root fs on unknown-block(0, 0)

Posted by [lan johnson](#) on Fri, 19 Oct 2007 05:30:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I guess maybe some configuration in VE is wrong. So I reseted my VE network as follows.

If there are something wrong, please correct me. Thank you very much.

I booted my system and selected the openvz environment, then

```
# cat /etc/network/interfaces
```

```
...
```

The primary network interface

```
allow-hotplug eth0
iface eth0 inet static
    address 192.168.8.54
    netmask 255.255.255.0
    network 10.61.0.0
    broadcast 10.61.0.255
    gateway 192.168.8.1
    dns-nameservers 10.61.0.254
    dns-search anqin-test-debian4
auto eth0
```

Before I started VE, I set the network by vzctl command,

```
# vzctl set 777 --ipadd 192.168.8.60 --nameserver 10.61.0.254
--hostname anqin-test-debian4 --save
```

OK, then I started VE:

```
# vzctl start 777
# vactl enter 777
# ping 192.168.8.1
```

The ping command said it can not connect to gateway:192.168.8.1. However,

```
# ping 192.168.8.54
```

is OK, VE can connect to VPS.

What is wrong with my setting?

On 10/18/07, Ian jonhson <jonhson.ian@gmail.com> wrote:

```
> > Have you enabled IP forwarding (as per
> > http://wiki.openvz.org/Quick\_installation#sysctl)? Are you using real IP
> > for your VE?
```

```
>
```

```
> In where I should enable the IP forwarding, host system or VE (Sysem
> image file)?
```

```
> I enabled the IP forwarding in /etc/sysctl.conf in host system (by
> copying configuration directly from
> http://wiki.openvz.org/Quick\_installation#sysctl), but it isn't work;
> it is same when enabled in VE.
```

```
>
```

```
> I used the real IP. For example, host IP address is 192.168.8.54, and
> I set the IP of VE is
> 192.168.8.55. Both are effective IP addresses.
```

```
>
```

```
> Then, I started VE.
```

```
>
```

> Under above setting, I entered VE and run apt-get update. However, I
> got error message.
> No matter what IPs I pinged, all can not make connection.
>
>
