
Posted by [Dr_Agn](#) on Thu, 18 Oct 2007 10:27:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Linux kami 2.6.18-8.1.14.el5.028stab045.1 #1 SMP Mon Oct 1 13:22:25 MSD 2007 i686 i686 i386
GNU/Linux

Posted by [vaverin](#) on Fri, 19 Oct 2007 07:23:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [Dr_Agn](#) on Fri, 19 Oct 2007 10:23:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
iptables -t nat -A PREROUTING -i eth1 -p udp --dport 6343 -j DNAT --to-destination 172.16.0.2
```

```
{
    type      = UNLISTED
    port      = 6343
    socket_type = stream
    protocol   = udp
    wait       = no
    user       = root
    disable    = no
    redirect   = 172.16.0.2 6343
}
```

Posted by [vaverin](#) on Fri, 19 Oct 2007 11:17:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [Dr_Agn](#) on Fri, 19 Oct 2007 12:01:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
[root@kami ~]# sysctl net.ipv4.ip_forward  
net.ipv4.ip_forward = 1  
[root@kami ~]#
```

```
[root@kami ~]# iptables -L | grep ACCEPT  
Chain INPUT (policy ACCEPT)  
Chain FORWARD (policy ACCEPT)  
Chain OUTPUT (policy ACCEPT)  
[root@kami ~]#
```

Posted by [vaverin](#) on Fri, 19 Oct 2007 12:40:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

VE0?
modinfo ip_conntrack
parm: ip_conntrack_disable_ve0:int

Posted by [Dr_Agn](#) on Fri, 19 Oct 2007 13:30:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
[root@kami ~]# iptables -L -nv
Chain INPUT (policy ACCEPT 376K packets, 77M bytes)
pkts bytes target  prot opt in     out    source          destination
  0    0 ACCEPT   udp  --  *      *       0.0.0.0/0        0.0.0.0/0      udp dpt:6343
```

```
tcpdump -i eth1 port 6343
.....
17:16:17.344018 IP 82.xxx.yyy.25.ddi-udp-1 > 172.16.0.2.sflow: UDP, length 384
17:16:18.348960 IP 82.xxx.yyy.25.ddi-udp-1 > 82.179.184.98.sflow: UDP, length 560
17:16:18.348974 IP 82.xxx.yyy.25.ddi-udp-1 > 172.16.0.2.sflow: UDP, length 560

394 packets captured
788 packets received by filter
```

3)[root@kami ~]# modinfo ip_conntrack
.....
parm: ip_conntrack_disable_ve0:int

Posted by [vaverin](#) on Sat, 20 Oct 2007 07:14:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dr_Agn wrote on Fri, 19 October 2007 17:303)[root@kami ~]# modinfo ip_conntrack

.....

parm: ip_conntrack_disable_ve0:int

http://wiki.openvz.org/Using_NAT_for_VE_with_private_IPs#IP_conntracks

Posted by [Dr_Agn](#) on Sat, 20 Oct 2007 11:27:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [vaverin](#) on Sun, 21 Oct 2007 09:21:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
options ip_conntrack ip_conntrack_disable_ve0=1
```

Posted by [Dr_Agn](#) on Tue, 23 Oct 2007 05:59:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
[root@kami ~]# grep disable /etc/modprobe.conf  
[root@kami ~]#
```

Posted by [gblond](#) on Tue, 23 Oct 2007 09:21:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dr_Agn wrote on Tue, 23 October 2007 09:59 [root@kami ~]# grep disable /etc/modprobe.conf

```
cat /sys/module/ip_conntrack/parameters/ip_conntrack_disable_ve0
```

Posted by [Dr_Agn](#) on Wed, 24 Oct 2007 11:44:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
[root@kami ~]# cat /sys/module/ip_conntrack/parameters/ip_conntrack_disable_ve0
```

0
[root@kami ~]#

```
[root@kami ~]# iptables -L -t nat -nv
Chain PREROUTING (policy ACCEPT 212K packets, 33M bytes)
pkts bytes target  prot opt in   out    source         destination
  3 1208 DNAT    udp  --  eth1  *      0.0.0.0/0      0.0.0.0/0      udp dpt:6343
to:172.16.0.2
```

```
Chain POSTROUTING (policy ACCEPT 14083 packets, 935K bytes)
pkts bytes target  prot opt in   out    source         destination
  8  528 MASQUERADE all  --  *      eth1  172.16.0.0/24  0.0.0.0/0
```

```
Chain OUTPUT (policy ACCEPT 13085 packets, 885K bytes)
pkts bytes target  prot opt in   out    source         destination
[root@kami ~]#
```

Posted by [gblond](#) on Wed, 24 Oct 2007 12:28:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

`iptables -t nat -A POSTROUTING -o venet0 -p udp --dport 6343 -j LOG`
